

---

# Index

## A

Abstract Window Toolkit (AWT), 56  
accessibility features, 59, 63  
accounting systems, 121  
ActiveX, 135  
activity diagram, UML, 127  
addresses, Internet, 99-100, 99  
algorithmic programming, 2, 15  
Amazon.com, 96  
Ambrose, Paul, 147-148  
animation, 32-33, 52  
applets, 6, 8, 31, 32-34, 52  
    applications vs. applets, 35  
    applications, servlets vs. applets, 39, **40**  
    extending existing enterprise applica-  
    tions, 129, 130, 149-157  
    front-end development, 149-150  
    life cycle of applets, 33-34  
application assemblers, EJB, 49

application development, 11  
    application servers, 70  
    Enterprise JavaBeans (EJB), 43  
    modeling to cut development costs,  
    117-119  
Application Program Interfaces (APIs),  
    18-19, 43  
application servers, 7, 8, 11, 15, 69-71  
applications, 31, 34-36, 97  
    applets vs., 35  
    applets, servlets. vs. applications, 39, **40**  
    Enterprise JavaBeans (EJB), 43  
    graphical user interface (GUI), 36  
    life cycle of application, 35-36  
    listener programs, 36  
    support for applications, 36  
architecture, 53  
    EJB as architecture, 45-46  
*Art of War, The*, 108

AS/400 systems, 4, 9, 44, 97, 130, 164  
  extensibility of Java, 64  
  portability of Java code, 23  
AS/400e Toolbox, 156  
ASCII, 54  
assembler languages, 11  
attributes, 86-87  
audio, 33, 60  
auditing, 19-20

## B

batch processing, 83  
BEA WebLogic, web application server case study, 130, 138-148, 164  
beans (*See also* JavaBeans), 20, 31, 41-43  
behavioral contracts in Java programming, 25  
Booch, Grady, 123  
*Book of Five Rings, A*, 108  
browsers, 6, 8, 15, 31, 52, 97, 152  
  applet life cycle, 34  
  Java plug-in, 60  
bus, object bus, 74  
business case studies, 129-161  
business logic tasks, EJBs, 47  
business use of Java and e-commerce (*See also* Internet, the Web, and Java, web-enabling your business), 5, 15, 93, 129, 130, 157-160  
  BEA WebLogic, web application server case study, 130, 138-148, 164  
  business modeling, 119-122  
  Gilbarco, extending existing enterprise applications with applets, 130, 149-157  
  HMI Buying Group, case study of Java use, 111-112, 130, 157-160  
  integration programming using Java, 129, 130, 131-138  
  Intentia Software, 8-9, 79-80  
  inventory, 152  
  MediWeb program functions, case study, 135-136, **135**

  order processing programs, 130, 152, 154-157  
  productivity using Java, 9, 11, 46-47, 136, 164  
  profitability increases through e-commerce, 94-96  
  Questa Consulting, extending existing enterprise applications with applets, 130, 149-157  
  Sapient Health Network (SHN), web application server case study, 130, 138-148  
  Smart Ordering Process, 130, 157-160  
  SystemSource, integration programming case study, 130, 131-138  
  transaction cost reduction through e-commerce, 94-96  
  uniform resource locator (URL) creation, 152-153  
  verification of users, 153  
  Wesley Medical Center, integration programming case study, 130, 131-138

## C

C language, 4, 11, 97  
C++ language, 11  
capabilities, 81-82  
centralized code, 164-165  
certificates, 58, 62-63, 104  
character-based data, 54  
class attributes, 86-87  
class diagram, UML, 126  
class method, 86  
class properties, 86-87  
classes, 53, 85, 86  
  inner classes, 53  
  UML, 126  
client/server architecture, 18, 140  
  document-centric nature of client/server, 140-141

- Coase theorem of transaction cost reduction, 94-96
  - Coase, Ronald H., 94
  - COBOL, 4, 24, 97
  - collaboration diagram, UML, 127
  - collections, 60
  - color functionality, 61
  - common code base, portability/compatibility of Java code, 23-24
  - common language, Java as, 10-13
  - Common Object Request Broker Architecture (CORBA), 63, 75-77
  - communications, 11, 83, 93
    - applets, 33
    - Remote Method Invocation (RMI), 55, 56, 60
    - strategy/tactics, 107-108
  - compatibility of Java code (*See also* common code base; portability of Java code), 23-24
  - compiler, 31
  - component diagram, UML, 127
  - component model concept of beans, 42
  - component model services, web servers, 144
  - component view, UML, 125
  - computer languages (*See* languages)
  - computers, development of, 139
  - concurrency view, UML, 125
  - connection management, 152
  - connection pooling, database, 143, 148
  - containers, Enterprise JavaBeans (EJB), 47-48, 49-50
  - context, JavaBeans, 62
  - cost saving using Java, 13, 136, 137, 164-165
    - application costs, 36
    - centralized code, 164-165
    - Enterprise JavaBeans (EJB), 46
    - modeling to cut development costs, 117-119
    - servlet costs, 39
    - web servers and savings, 147
  - creation of beans, Enterprise JavaBeans (EJB), 48
  - currency, 55
  - Customer Information Control System (CICS), IBM, 69
  - cutover to updates, 66
- D**
- data structures, 53
  - databases, 54-55, 56
    - access programs, 152
    - access services, web servers, 142
    - connection pooling, web servers, 143, 148
    - Java Database Connectivity (JDBC), 54-55, 56-57
    - serialization of objects, 55, 56
    - SQL, 155
    - Structured Query Language (SQL), 54-55, 56
  - datagrams, 99
  - debugging, 19
  - deployers, EJB, 49
  - deployment diagram, UML, 127
  - deployment view, UML, 125
  - destruction of beans, Enterprise JavaBeans (EJB), 48
  - diagrams, object-oriented, UML, 124, 125-127
  - digital signature standard (DSS), 63
  - digital signatures, 54, 56, 62-63
  - digital strategies and tactics, 105-112
    - communications strategy/tactics, 107-108
    - simple vs. complex strategies, 108
    - strategy defined, 105-107
    - successful strategies, 108-111
    - tactic using Java, 111-112
    - tactics defined, 105-107
    - technological comprehension, 109
    - top-down development of strategies, 108-109
  - distributed computing, 139

document-centric nature of client/server,  
140-141  
domain experts, 12  
Downes, Larry, 107  
drag-and-drop functionality, 61  
dynamic failover support, web servers, 144  
dynamic load balancing, web servers, 144

## E

ease of using Java, 2-3, 24-26  
e-commerce (*See* business use of Java and  
e-commerce; *See also* Internet and Java,  
web-enabling your business)  
ejb-jar files, 48  
e-mail, 93  
encapsulation, 88-89, 141-142  
encryption, 62, 73, 103-104  
enterprise computing, 43  
Enterprise JavaBeans (EJB), 31, 43-50, 62  
  application assemblers, 49  
  application development, 43  
  application programming interface (API),  
  43  
  architecture, EJB as architecture, 45-46  
  business logic tasks, 47  
  components, enterprise components of  
  EJBs, 45  
  containers, 47-48, 49-50  
  costs, 46  
  creation of beans, 48  
  deployers, 49  
  destruction of beans, 48  
  different beans, different tasks, 47-50  
  ejb-jar files, 48  
  entity beans, 48-49  
  home interface services, 48  
  infrastructure programming, 44  
  Java Archive (JAR) files, 48  
  life cycle management of beans, 48  
  method invocation services, 48  
  model for programming, 44  
  object identity services, 48

  portability, 44-45, 46, 47  
  productivity, 46-47  
  reusability, 44-45  
  roles for EJB, 49  
  servers, 49  
  session beans, 48-49  
  standard support for Java, 46  
  support for EJBs, 44  
  system services tasks, 47  
  web servers, 144  
Enterprise Resource Planning (ERP), 8-9,  
79-80  
entity beans, 48-49  
environment, standard environment for  
  web servers, 142  
*Essential CORBA, The*, 77  
event management, web servers, 143  
extensibility of Java, 13, 19, 64, 149  
extensible markup language (XML), 92,  
100-102  
extensions, 60

## F

failover support, web servers, 144  
Federal Information Processing Standards  
  Publication (FIPS PUB), 62-63  
file transfer protocol (FTP), 91  
fixes or service packs, updates, 68  
font support, 61  
foreign languages (*See* international uses  
  for Java)  
front-end development, 149-150  
future of Java technology, 163-165

## G

garbage collector, 62  
general purpose languages, 30  
geometric operations, 61  
GET requests through HTTP, 98-99  
Gilbarco, extending existing enterprise  
  applications with applets, 130, 149-157

glue programming concept, 131  
granularity, 57-58  
graphical user interface (GUI), 36  
    servlets, 38  
    Swing, 58-59  
graphics, 59, 61

## H

HMI Buying Group, case study of Java use,  
    111-112, 130, 157-160  
Holtz, Lou, 106-107  
home interface services, Enterprise  
    JavaBeans (EJB), 48  
hookup points, 56  
horizontal portability, 23, 26  
hypertext markup language (HTML), 63, 91,  
    92, 100-102, 135, 156  
hypertext transfer protocol (HTTP), 92,  
    97-99

## I

I/O processing, 54  
IBM, 22, 156, 164  
IBM Java Jem Web site, 130  
IBM-compatible computers, 18  
image processing, 52, 59, 61  
infrastructure, updates, 66  
infrastructure programming, Enterprise  
    JavaBeans (EJB), 44  
inheritance, 85-86  
inner classes, 53  
integration programming using Java, 129,  
    130, 131-138  
    adding new programs/applications,  
        137-138  
    connections, physical connections,  
        131-132  
    cost savings through Java integration,  
        136, 137  
    glue programming concept, 131  
    integrated data on single screen, 134, **134**

interconnection of systems, 132-133  
interoperability through Java integra-  
    tion, 132-133  
MediWeb program functions, case  
    study, 135-136, **135**  
middleware, Java as, 133  
productivity through integration, 136  
seamless integration using Java, 133  
training to use integrated systems, 136,  
    137  
Intentia Software, 8-9, 79-80  
interconnection of systems, 132-133  
Interface Definition Language (IDL), 63  
interfaces for Java (*See also* Java Virtual  
    Machine), 64-65  
interfaces, standard interfaces, web serv-  
    ers, 143  
International Color Consortium (ICC), 61  
International Data Corporation (IDC),  
    Java productivity survey, 9  
international use of Java, 53-54, 60, 61  
Internet, the Web, and Java, x, 4, 5-7,  
    91-104, 164  
    addresses, Internet, 91, 99-100  
    Amazon.com as example of  
        e-commerce, 96  
    applets, 6, 8, 15  
    application servers, 7, 8, 15, 69-71  
    browsers, 97  
    Coase theorem of transaction cost re-  
        duction, 94-96  
    communications, 93  
    datagrams, 99  
    e-commerce on the web, 93  
    e-mail, 93  
    evolution of Java on the Web, 8, 15  
    extensible markup language (XML), 92,  
        100-102  
    file transfer protocol (FTP), 91  
    GET requests through HTTP, 98-99  
    hypertext markup language (HTML),  
        91, 92, 100-102

- Internet, the Web, and Java, *continued*
    - hypertext transfer protocol (HTTP), 92, 97-99
    - Internet defined, 92-93
    - Internet protocol (IP), 99-100
    - Java's role in e-commerce development, 96-97
    - listener programs, 98
    - packets, data packet communications, 99
    - POST requests through HTTP, 98-99
    - products and services on the web, 95
    - profitability increases through
      - e-commerce, 94-96
    - secure sockets layer (SSL), 92, 97, 102-104
    - security, 94, 102-104
    - servlets, 6-7, 8, 15
    - sockets, 92, 96, 102-104
    - standardized general markup language (SGML), 101-102
    - TCP/IP, 91, 92, 96, 99-100, 102-103
    - tracking shipping via the web, 96
    - transaction cost reduction through
      - e-commerce, 94-96
    - web servers, 97-99
    - web sites (URLs), 96
    - web-enabling your business, 92, 93-104
    - World Wide Web defined, 92-93
    - X.509 certificates, 91
  - Internet defined, 92-93
  - Internet protocol (IP), 99-100
  - interoperability through Java integration, 75-77, 132-133
  - invoicing, 21, 120
- J**
- Jacobson, Ivar, 123
  - Java 2, 57-58, 60-63
  - Java 2D, 59
  - Java applications (*See* applications)
  - Java Archive (JAR) files, 48, 54, 56, 57, 58, 63
  - Java Card, 73
  - Java Database Connectivity (JDBC), 53, 54-55, 56-57, 56
  - Java Development Kits (JDK), 31, 50-63
    - JDK 1.0, 50, 51-53
    - JDK 1.1.x, 50, 53-57
    - JDK 2, 50, 57-58, 60-63
  - Java Foundation Classes (JFC), 52, 63
  - Java Jem Web site, IBM, 130
  - Java plug-in, 60
  - Java Virtual Machine (JVM), 31, 36, 50, 64-65
  - java.applet, 52
  - java.awt, 52
    - java.awt.color, 61
    - java.awt.datatransfer, 56
    - java.awt.dnd, 61
    - java.awt.event, 56
    - java.awt.font, 61
    - java.awt.geom, 61
    - java.awt.im, 61
    - java.awt.image, 52
    - java.awt.image.renderable, 61
    - java.awt.peer, 52
    - java.awt.print, 61-62
  - java.beans, 56
    - java.beans.beancontext, 62
  - java.io, 52
  - java.lang, 52
    - java.lang.ref, 62
    - java.lang.reflect, 56
  - java.math, 56
  - java.netP, 52-53
  - java.rmi, 56
    - java.rmi.activation, 62
    - java.rmi.dgc, 56
    - java.rmi.registry, 56
    - java.rmi.server, 56
  - java.security, 56
    - java.security.acl, 56
    - java.security.cert, 62
    - java.security.interfaces, 56
    - java.security.spec, 62

java.sql, 56  
 java.text, 57  
 java.util, 53  
 java.util.jar, 63  
 java.util.zip, 57  
 JavaBeans, 31, 41-43  
     component model concept of beans, 42  
     context, 62  
     enhancements, 60  
     Enterprise JavaBeans (*See* Enterprise  
         JavaBeans)  
     self-announcement capability, 42  
 javakey, 56  
 javax.accessibility, 63  
 JDK 1.0, 50, 51-53  
 JDK 1.1.x, 50, 53-57  
 JFC (*See* Swing)

## K

keyboard navigation, 59

## L

languages  
     common code base, portability/compatibility of Java code, 23-24  
     common language, Java as, 10-13  
     evolution of language, 3-4  
     extensible markup language (XML), 92, 100-102  
     foreign languages (*See* international uses for Java)  
     general purpose languages, 30  
     hypertext markup language (HTML), 92, 100-102, 135, 156  
     international uses for Java, 53-54, 60, 61  
     Java as Internet language, 97  
     Java.lang core, 52  
     low-level computer languages, 11  
     object-oriented languages, 30  
     procedural languages, 24-25

    restrictions of languages to specific systems, 4-5  
     standardized general markup language (SGML), 101-102  
     syntax, 12  
     unified modeling language (UML), 14-15, 16, 113, 122-127  
     universal language, 15  
     universal lexicon of Java language concepts, 12  
     write once, run anywhere ability of Java (*See also* reusability of Java code), 4-5, 8  
 LANs, 18  
 laptops (*See* portable computers/laptops)  
 learning curve for Java (*See also* training to use Java), 9, 24  
 listener programs, 36, 98  
 load balancing, web servers, 144  
 logical view, UML, 125  
 low-level computer languages, 11

## M

Macintosh computers, 18  
 macros, 12  
 mainframe computers, 4, 18, 22, 23, 139  
 maintaining Java programs, 25, 119  
 math capabilities, 55, 56  
 Meck, Jackie, 137  
 MediWeb program functions, case study, 135-136, **135**  
 memory management, 62  
 messages, 87  
 method invocation services, Enterprise JavaBeans (EJB), 48  
 methods, 81-82, 86  
 middleware, Java as, 133  
*Midrange Computing* magazine, 45  
 modeling, 2, 14-15, 113-127  
     accounting system example, 121  
     business modeling, 119-122

Modeling, *continued*

- component model services, web servers, 144
- cost reduction using modeling, 117-119
- Enterprise JavaBeans (EJB), 44
- importance of modeling, 115-116
- invoicing example, 120
- JavaBeans, 42
- language of modeling, 116-117
- modeling defined, 114
- physical models, 114
- scale models, 114
- symbols of modeling, 116-117
- syntax of modeling language, 117
- unified modeling language (UML), 14-15, 16, 113, 122-127

mouseless operation, 59

Mowbray, Thomas J., 77

Mui, Chunka, 107

multithreaded event queues, 60

Mushasi, Miyamoto, 108

**N**

- naming services, web servers, 142, 144
- Netfinity, 164
- networking, 52-53, 139, 152
- Nybakken, Kristopher, 146-147

**O**

- object bus, 74
- object diagrams, unified modeling language (UML), 14-15, 126
- object identity services, Enterprise JavaBeans (EJB), 48
- Object Management Group (OMG), 63, 123
- Object Request Brokers (ORBs), 63, 74-75, 144-145
- object serialization, 55, 56
- object-oriented languages, 30
- object-oriented programming, x, 2, 19, 20, 24, 26, 44, 71-72, 79-89

- attributes, 86-87
- batch processing, 83
- business environment and object orientation, 82-84
- capabilities, 81-82
- class attributes, 86-87
- class method, 86
- class properties, 86-87
- classes, 85, 86
- communications, 83-84
- CORBA, 76
- encapsulation, 88-89, 141-142
- inheritance, 85-86
- messages, 87
- methods, 81-82, 86
- objects, 81-82
- overloading, 88
- polymorphism, 87-88
- properties, 86-87
- real-world object orientation, 84-85
- reusability of Java code, 80, 81
- signatures, 88
- standard support for Java, 80-81
- testing, 81
- types, 85
- UML, 123

objects, 2, 81-82

one-down portability, 23, 26

one-up portability, 23, 26

operating system updates, 66

order processing programs, 130, 152, 154-157

Smart Ordering Process, 130, 157-160

OS/400, 18

overloading, 88

**P**

- packets, data packet communications, 99
- parsing, 155
- Pascal, 4
- passwords, 73
- PersonalJava, 72-73

platform independence of Java, 52, 53  
platforms (infrastructure) updates, 66  
plug-in, Java, 60  
policy-based security, 57-58  
polymorphism, 87-88  
pooling, database connection, 143, 148  
portability of Java, 21-23, 26, 52  
  applets, 32  
  applications, 35  
  Enterprise JavaBeans (EJB), 44, 46, 47  
  Java Virtual Machines (JVM), 65  
  web servers, 145  
portable computers/laptops, PersonalJava,  
  72-73  
ports, TCP/IP, 103  
POST requests through HTTP, 98-99  
printing functions, 61-62  
private key encryption, 62, 103-104  
problem-solving programming, 2  
procedural languages, 24-25  
procedural programming, 71  
productivity using Java, 9, 11, 46-47, 136,  
  164  
profitability increases through e-commerce,  
  94-96  
programming with Java (*See also* reusability  
  of Java code)  
  ease of use, 2-3, 24-26  
  maintaining code, 119  
properties, 86-87  
public key encryption, 103-104  
pure Java, 17-27, 64  
  Application Program Interfaces (APIs),  
    18-19  
  beans, 20  
  behavioral contracts, 25  
  common code base, portability/compati-  
    bility of Java code, 23-24  
  ease of use, 24-26  
  maintaining Java programs, 25  
  portability of Java code, 21-23, 26  
  reusability of Java code, 20-21, 27

  support for Java, 25-26

## Q

Questa Consulting, extending existing  
  enterprise applications with applets,  
  130, 149-157  
queue caching, web servers, 148

## R

Rational Software Corp., 123  
read/write processes, 52  
reliability of systems, 147, 148  
Remote Method Invocation (RMI), 55, 56,  
  60  
rendering, 61  
repetitive process programming, 2, 15  
replacing vs. upgrading existing systems,  
  151-152  
reusability of Java code, 4-5, 8-10, 15,  
  20-21, 27, 30, 80, 81, 164  
  CORBA, 76  
  Enterprise JavaBeans (EJB), 44  
  JavaBeans, 41-42  
  programmer reuse/retraining, 9-10  
Rich Text Format (RTF), 63  
risk of updates, 67-68  
RPG, 4, 8-9, 24-25, 97  
RS/600, 164  
RSA encryption, 62  
Rumbaugh, James, 123

## S

S/390, 164  
sandbox security model, 57-58  
Sapient Health Network (SHN), web ap-  
  plication server case study, 130, 138-148  
  
scalability of systems, 146-147  
seamless integration using Java, 133  
secure electronic transaction (SET), 62

- secure sockets layer (SSL), 62, 92, 97, 102-104
  - security, 20, 52, 56, 62-63, 94, 102-104, 151
    - applets, 32
    - applications, 35
    - certificates, 58, 62-63, 104
    - digital signature standard (DSS), 63
    - digital signatures, 54, 56, 62-63
    - encryption, 62, 103-104
    - Federal Information Processing Standards Publication (FIPS PUB), 62-63
    - granularity, 57-58
    - Java Card, 73
    - javakeys, 56
    - passwords, 73
    - policy-based security, 57-58
    - private key encryption, 62, 103-104
    - public key encryption, 103-104
    - RSA encryption, 62
    - sandbox security model, 57-58
    - secure electronic transaction (SET), 62
    - secure sockets layer (SSL), 62, 92, 97, 102-104
    - services, web servers, 142, 144, 147
    - smart cards (*See* Java Card)
    - sockets, 102-104
    - verification of users, 153
    - x.509 certificates, 62, 91
  - self-announcement capability, JavaBeans, 42
  - sequence diagram, UML, 127
  - serialization, objects, 55, 56
  - server applications, 97
  - servers
    - application servers, 69-71
      - Enterprise JavaBeans (EJB), 49
      - universal access servers, 154, 155, 156
  - service packs, updates, 68
  - services provided by web servers, 142, 143-144
  - servlets, 6-8, 15, 31, 37-39, 97, 148
    - applets, applications vs. servlets, 39, **40**
    - life cycle of servlet, 37
  - session beans, 48-49
  - signatures, digital, 54, 56, 62
  - signatures, in object-oriented programming, 88
  - smart cards (*See* Java Card)
  - Smart Ordering Process, 130, 157-160
  - sockets, 92, 96, 102-104
  - Solaris, 164
  - standard support for Java, 9-13, 17-18, 25-26, 42-43, 46, 64, 80-81, 118, 149-150
    - application servers, 69
    - application support, 36
    - CORBA, 76
    - Enterprise JavaBeans (EJB), 44
    - Swing, 59
  - standardized general markup language (SGML), 101-102
  - standards and pure Java, 17-18
  - state diagram, UML, 126
  - state management, web servers, 144
  - stateful/stateless machines, 144
  - storage, application storage, 36
  - strategy (*See* digital strategy and tactics)
  - Structured Query Language (SQL), 54-55, 56, 155
  - Sun Microsystems, 164
  - support for Java (*See* standard support for Java)
  - Swing, 58-59, 63
  - syntax, 12
  - system services tasks, EJBs, 47
  - SystemSource, integration programming case study, 130, 131-138
- T**
- TCP/IP, 91, 92, 96, 99-100, 102-103
  - technology behind Java, 29-77
  - testing, 67, 81
  - tools for Java, 31
  - tracking shipping via the web, 96
  - training to use Java (*See also* learning curve), 24, 25, 118, 136, 137

transaction cost reduction through  
  e-commerce, 94-96  
types, 85  
Tzu, Sun, 108

## U

unified modeling language (UML), 14-15,  
  16, 113, 122-127  
  activity diagram, 127  
  class diagram, 126  
  collaboration diagram, 127  
  component diagram, 127  
  component view, 125  
  concurrency view, 125  
  deployment diagram, 127  
  deployment view, 125  
  diagrams, object-oriented, 124, 125-127  
  logical view, 125  
  object diagrams, 14-15, 126  
  object-orientation of UML, 123  
  sequence diagram, 127  
  state diagram, 126  
  use-case diagram, 125-126  
  use-case view, 125  
  views in UML, 125  
uniform resource locator (URL) creation,  
  152-153  
universal access servers, 154, 155  
universal lexicon of Java language concepts,  
  12  
universality of Java, xi, 1-16  
UNIX, 4, 18, 97, 149  
*Unleashing the Killer App*, 107  
upgrades, 65-69  
  cutover to updates, 66  
  evaluating need, 66-67  
  fixes or service packs, 68  
  infrastructure updates, 66  
  operating systems, 66  
  platforms (infrastructure), 66  
  replacing vs. upgrading existing systems,  
    151-152

  risks, 67-68  
  servlets, 37-38  
  support for different versions, 67  
  testing, 67  
use cases, unified modeling language  
  (UML), 14  
use-case diagram, 125-126  
use-case view, UML, 125  
utilities, 31

## V

verification of users, 153  
Verisign, digital certificates, 104  
versional differences in Java programs,  
  25-26  
video, applets, 33  
views in UML, 125  
Visual Basic, 24

## W

web application server using Java, 31,  
  97-99, 129, 130, 138-148  
  client/server architecture, 140  
  component model services, 144  
  cost savings, 147  
  database access services, 142  
  database connection pooling, 143, 148  
  defining web servers, 142-145  
  document-centric nature of cli-  
    ent/server, 140-141  
  dynamic failover support, 144  
  dynamic load balancing, 144  
  encapsulation on web servers, 141-142  
  Enterprise JavaBeans (EJB), 144  
  environment, standard environment for  
    web servers, 142  
  event management, 143  
  importance of web application servers,  
    145-146  
  interfaces, standard interfaces, 143  
  naming services, 142, 144

web application server using Java, *continued*  
  need for web serving, 141

web application server using Java,  
  Object Request Brokers (ORBs), light-  
    weight, 144-145  
  portability of Java code, 145  
  queue caching, 148  
  reliability of systems, 147, 148  
  scalability of systems, 146-147  
  security services, 142, 144, 147  
  services provided by web servers, 142,  
    143-144  
  servlets, 148  
  state management, 144  
  transactions, 143  
  front-end development, 149-150, 149  
  universal access servers, 154, 155, 156

web sites (URLs), 96

WebSphere, 164

Wesley Medical Center, integration pro-  
  gramming case study, 130, 131-138

Wilson, Homer, 151

Windows, 18, 56, 135, 164

world wide web (*See* Internet, the Web,  
  and Java)

write once, run anywhere ability of Java  
  (*See also* reusability of Java code), 4-5, 8,  
  15, 164

written language, 3

**X**

x.509 certificates, 58, 62, 91

**Z**

Zahavi, Ron, 77