

# INDEX

## A

ACTIVE status of devices, 116, 257, 261-263, **262, 263**, 271-272, 284  
ACTIVEWRITER status, 259  
Add Entry To Job Queue (ADDJOBQE), 139  
Advanced assistance level, 26, 27  
Advanced Certification through RCTC, xiv  
application messages, 150  
AS/400 Associate System Operator, xv  
“AS/400 Getting to Know Your System,” 40  
AS/400 Online Library on the Internet, 29, 38-39  
AS/400 University, xiii-xiv  
assistance levels, 26-29  
    Advanced, 26, 27  
    Basic, 26, 27  
    Change Profile (CHGPRF) to change, 28  
    displaying messages in basic and intermediate, 162-163, **162**  
    Intermediate, 26, 27  
    print management, 198, **198**  
    QASTLVL system value in, 29  
Associates Degree through RCTC, xiv  
attributes, 3, 64  
auditing, object auditing values, 88

authority, authorizing objects, 5, 72-73  
autoconfiguration of devices, 256  
auxiliary storage pool (ASP), 4, 295-296

## B

backups (*See* save and restore)  
Barsa, Al, xiv  
Basic assistance level, 26, 27  
Basic System Operation, Administration, and Problem Handling, 40, 302  
batch job processing, 6, 7-8, 98, 104, 105-106, 105  
    print management for, 208  
    qualified job names in, 108  
    Submit Job (SBMJOB) for, 107, **107**  
    submitting a job for, 106-108  
blank fields in data entry displays, 20  
bookshelves in Softcopy Library, 37-38  
Bottom to indicate end of items in list displays, 23  
break message handling program, 174  
\*BREAK messages, 174, 179-180  
break messages, 157, **157**

**C**

- call stack for job management, 122
- CD-ROM (OPT) devices, 254, 277-278
  - save and restore, 299
- certification, xiv, xv-xvi
- Change Job (CHGJOB), 122-129, **123**, 140
- Change Message Queue (CHGMSGQ), 175-176, **175**, 179-180, **180**
- Change Object Description (CHGOBJD), 82
- Change Profile (CHGPRF), 19, 28, 219-221, **220**
- Change Spooled File Attributes (CHGSPLFA), 211-214, **211**, 246-247, **247**
- CISCO Networking Academy, xiii
- CL commands, 40-55
  - abbreviations for, 41
  - back up to previous (F9), 44
  - Command Entry to enter, 42-44, **43**, 76
  - command line to enter, 42-44
  - default values for parameters of, 50
  - entering, 48-55
  - F10 display additional parameters for, 51
  - F11 toggle between keywords and choices for, 51
  - F3/F12 exit without running, 50
  - F4 display all values of parameter for, 50
  - F5 reset all parameters for, 51
  - F9 display all parameters for, 41
  - format or syntax of, 42
  - free-format entry of, 53
  - function keys for parameters for, 50-51
  - if you forget the name of, 47-48, **48**
  - keyword form entry for, 54-54
  - keywords for, 51-52, 53-54
  - library creation exercise using, 55-62
  - list of, 44-48
  - Major Command Groups menu for, 44, **44**
  - names of, 41
  - parameters for, 42, 49-50
  - plus sign (+) for more values for, 50
  - positional form entry for, 54-55
  - print list of, using Print Screen, 235-236
  - prompt for (F4), 43
  - prompting for, 49-52, **49**
  - re-using, 43
  - required vs. optional parameters for, 50
  - Select Command display for, 47-48, **48**
  - spooling of, 45-47, **45-47**
  - structure of, 41
  - where to enter, 42-44
- classes for jobs, 103
- Cleanup (CLEANUP) menu, 17
- Command Entry, 42-44, **43**, 76
- command line, 12, 42-44
- command prompting, 49-52, **49**
- common elements in, 9
- Communication Status (CMNSTS), 272-276
- communications jobs, 6
- complex work management system, 100
- Configuration description for devices, 254, 268-269
- continuously powered main store, 296
- controllers, device, 265-267, **266**
- copying objects, 72, 89-91, 90, 91
- Create Duplicate Object (CRTDUPOBJ), 72, 90-91, **91**
- Create Library (CRTLIB), 56-58, **57**, **58**, 59-61, **60**, **61**
- Create Save File (CRTSAVF), 330-331, **331**
- credit certification at RCTC, xiv
- Customize Your System, Users Devices (SETUP) menu, 18

**D**

- DASD, 4
- data, 3
- data entry (See entry displays)
- database management and DB2/400, 4
- default printers, 220

- default values for command parameters, 20, 50
- Delete Library (DLTLIB), 95, 323-325, 324, **334**
- deleting objects, 73, 95
- delivery methods for messages, 174
- device descriptions for printer writers/devices, 192-193
- device management
  - 5250 twin-ax workstations, 281
  - ACTIVE status in, 257, 261-263, **262**, **263**, 271-272, 284
  - ACTIVE status prohibits varying off in, 261-263, **262**, **263**
  - ACTIVEWRITER status in, 259
  - autoconfiguration of devices in, 256
  - CD-ROM (OPT) devices and, 254
  - Communication Status (CMNSTS) in, 272-276
  - Configuration descriptions in, 254, 268-269
  - controllers and attached devices in, 265-267, **266**
  - display all controllers attached to a line for, 272-276
  - display all devices attached to controller for, 287-288
  - display all devices on system for, 252-255
  - display CD-ROM device for, 277-278
  - display devices messages for, 264, **265**
  - display lines on system for, 290-291
  - display tape devices for, 278-279
  - display workstation devices for, 279-280
  - Electronic Customer Support (QESLINE) line and, 276
  - error messages for, 288-290, **289**
  - Ethernet (ELAN) line configuration and, 273-275
  - Facsimile (FAX) line configuration and, 273-275
  - find controller of workstation devices for, 286
  - GO DEVICE command for, 253
  - IBMLINK (QTILINE) line for, 276
  - interpreting status of devices in, 256
  - list controllers and devices for, 267-270, **269**, **270**
  - list devices that are varied on for, 284-286
  - listing \*ALL devices in, 255
  - printer (PRT) devices in, 254, 258-259
  - QAUTOVRT for virtual devices in, 281
  - resource names for tape, diskette, CD-ROM devices in, 265
  - sign off workstation, sign on to another for, 281-282
  - SIGNON DISPLAY status in, 257, 284
  - status of devices for, 252-260
  - synchronous data link control (SDLC) line configuration in, 274
  - tape (TAP) devices in, 254, 259-260, **260**
  - token ring (TRLAN) line configuration and, 274-275
  - twin-axial data link control (TDLC) line configuration and, 274-275
  - VARIED OFF status in, 257, 259, 260, 270-272
  - VARIED ON status in, 260, 270-272, 284
  - Vary Configuration (VRYCFG) in, 260, 270-272
  - VARY OFF PENDING status in, 263
  - vary off workstation devices for, 280-281, 282-283
  - VARY ON PENDING status in, 257, 259, 263, 271, 284
  - vary on workstations for, 284
  - varying controllers on and off for, 270-272, **271**
  - varying devices on and off for, 260-264

- device management (*continued*)
    - virtual devices, QAUTOVRT for virtual devices and, 281
    - virtual printer (VRTPRT) devices in, 257
    - virtual workstation (VRT) devices in, 257-258, **258**
    - why devices are varied off/on in, 261
    - Work with Configuration Status (WRKCFGSTS) for, 253-260, **253**, 265-270, **266**, **268**, 272-276, **273**, 278-280
    - working with devices, controllers, lines exercise for, 277-291
    - workstation (DSP) devices in, 254, 256-258, **258**
  - Device Operations menu, 14-15, **14**
  - Device Status (DEVICESTS) menu, 17
  - disk failures, 295
  - Disk Space Tasks (DISKTASKS) menu, 17
  - disk storage, 4
  - diskette devices for save and restore, 299
  - display files, creation of, 79-80, **80**
  - Display Job Description (DSPJOB), 233-234, **233**
  - Display Library (DSPLIB), 69, 327-328, **327**, 336
  - Display Message Description (DSPMSGD), 170
  - Display Messages (DSPMSG), 144, **144**, 160-166, **160**, 174, 184-186
  - Display Object Authority (DSPOBJAUT), 73, 83-85, **84**
  - Display Object Description (DSPOBJD), 52, 86, **87**, 88, 336-337, **337**
  - Display Tape (DSPTAP), 313, 321-323, **322**
  - display type, 9-14
    - common elements in, 9
    - entry displays as, 9, 18-21
    - information displays as, 9, 23-24, **23**, **24**
    - list displays as, 9, 21-23
      - menu displays as, 9, 12-18
      - sign-on screen display as, 9-11, **10**
  - Display Work Station User (DSPWSUSR), 24
  - Domino, xiv
  - Duplicate Tape (DUPTAP), 313
- E**
- e-business/e-commerce, 5
  - ease of using OS/400, 2
  - economy of OS/400, 2
  - Edit Object Authority (EDTOBJAUT), 73
  - Electronic Customer Support (QESLINE) line, 276
  - ellipsis (...) to indicate more choices in data entry displays, 20
  - End Job (ENDJOB), 119-120, **119**
  - END status code, 116
  - End Writer (ENDWTR), 226, **226**
  - entering CL commands, 48-55
  - entry displays, 9, 18-21
    - blank fields in, 20
    - Change Profile (CHGPRF) display, 19
    - changing existing entries in, 20
    - default values in, 20
    - ellipsis (...) to indicate more choices in, 20
    - Help for, 33-34, **34**
    - parameters (F10) for, 20
    - prompting (F4) for more choices in, 20
    - user-assigned values in, 20
  - error handling
    - device management, 188-290, **289**
    - error message, **172**
    - tape errors, 312-313
  - Ethernet (ELAN) line configuration, device management, 273-275
  - Evans, Wayne, xiv
  - extended help, 35-36
  - extended lists, 23

**F**

F1 Help, 23-24, **23**, **24**, 29-30, 36  
 F3/F12 exit without running CL commands, 50  
 F3/F12 step back through menus, 15  
 F4 display all values of parameter for CL commands, 50  
 F4 prompt for choices in data entry displays, 20  
 F4 prompt for CL commands, 43  
 F5 reset all parameters for CL commands, 51  
 F6 for Viewed Topics in Help, 33  
 F9 display all parameters for CL commands, 51  
 F9 to back up to previous CL command, 44  
 F10 and F11 toggle between columns in list displays, 23  
 F10 display additional parameters for CL commands, 51  
 F10 to display parameters in data entry displays, 20  
 F11 toggle between keywords and choices for CL commands, 51  
 F23 prompts for more options in list displays, 22  
 F23 to Set Initial Menu, 16  
 Facsimile (FAX) line configuration, device management, 273-275  
 File (FILE) objects, 64  
 Files (FILE) menu, 17  
 finding objects, 85-86  
 first in first out (FIFO) processing order in job queues, 111-112  
 free-format command entry, 53  
 function keys, 12  
 function keys for command parameters, 50-51

**G**

General Purpose Library (QGPL), 80  
 General System Tasks (SYSTEM) menu, 13-14, **14**, 18  
 GO command for menus, 13, 15, 16-18

GO DEVICE command, 253  
 GO PRINTER command, 222  
 GO RESTORE menu, 299  
 Grant Object Authority (GRTOBJAUT), 73  
 Grenham, Dick, xiv  
 group ownership of objects, 66-67

**H**

Help, 29-40  
 AS/400 Online Library on the Internet for, 29, 38-39  
 assistance levels in, 26-29  
 bookshelves in Softcopy Library for, 37-38  
 context-sensitive, 30  
 entry displays and, 33-34, **34**  
 extended, 35-36  
 F1 for, 29-30, 36  
 F6 for Viewed Topics in, 33  
 hypertext links in, 32-33  
 Information Assistant for, 29, 36, **37**  
 information displays and, 23-24, **23**, **24**, 35  
 InfoSeeker for, 29, 37-38  
 list displays and, 34, **35**  
 menu displays and, 30-33, **30-33**  
 message management, 168-171, **169**  
 More... to indicate additional help in, 31, 34  
 online course in, "AS/400 Getting to Know Your System," 40  
 online sources of, 29-30  
 other resources/books for, 39-40  
 Softcopy Library for, 37-38  
 \*HOLD messages, 174  
 Hold Job (HLDJOB), 117-118, **118**  
 Hold Spooled File (HLDSPLF), 210, 243-244  
 Hold Writer (HLDWTR), 227-228, **227**  
 human error, save and restore, 297  
 hypertext links, Help facilities containing, 32-33

**I**

IBM Certified Specialist, xvi  
IBM-supplied subsystems for, 6  
IBM-supplied user profiles, 5  
IBMLINK (QTILINE) line, 276  
Information and Problem Handling (USERHELP) menu, 18  
Information Assistant, 29, 36, **37**  
Information Assistant Options (INFO) menu, 17  
information displays, 9, 23-24, **23**, **24**  
  Help for, 35  
informational messages, 8, 150-151  
InfoSeeker, 29, 37-38  
Initialize Tape (INZTAP), 302-307, **303**  
initiating a job, 7  
inquiry messages, 8, 150-151, 156, **156**, 183-184  
interactive job processing, 6, 7, 98, 104, 128-133  
Intermediate assistance level, 26, 27  
IPLs, 296

**J**

Java, xiv  
job attributes, 103  
job definitions, 122  
job descriptions, 7, 101  
job management, 6-7, 8, 97-147  
  active job statistics, 133-135  
  ACTIVE status code, 116  
  Add Entry To Job Queue (ADDJOBQE), 139  
  attributes of jobs, displaying, 121-122, **121**  
  batch processing in, 6-8, 98, 104, 105-106, **105**  
  businesses and malls analogy for, 100-104  
  call stack for, 122  
  Change Job (CHGJOB) in, 122-129, 123, 140

  classes for jobs in, 103  
  communications jobs, 6  
  complex system in, 100  
  display job queues in, 138-139  
  Display Messages (DSPMSG) in, 144, **144**  
  display particular job in job queue of, 139  
  displaying signed-on users, 129-131, **130**, 144-145  
  End Job (ENDJOB) in, 119-120, **119**  
  END status code for, 116  
  ending a job in, 141, **141**  
  ending jobs in, when not to, 120  
  find job queues for, 109, 138-139  
  finding signed-on (and temporarily signed-off) users for, 131-132  
  first in first out (FIFO) processing order in, 111-112  
  hold a job for, 117-118, 139, **140**, 142, **142**  
  Hold Job (HLDJOB), 117-118, **118**  
  holding a job queue for, 112  
  how many jobs are active in, 134  
  IBM-supplied subsystems for, 6, 100  
  information about signed-on users for, 132  
  initiating a job, 7  
  interactive processing in, 6, 7, 98, 104, 128-133  
  job attributes for, 103  
  job column of WRKUSRJOB display in, 116  
  job definitions in, 122  
  job descriptions in, 7, 101, 108  
  job names in, 108  
  job numbers in, 108  
  job queues for, 104, 108-112, **108**  
  JOBQ status code for, 116  
  jobs in, 6, 7, 101, 104  
  Manage Your System, Users, Devices (MANAGESYS) for, 129, 144-145  
  maximum CPU time for jobs in, 103  
  maximum storage space for jobs in, 103

- messages to signed-on users in, 132
- moving job to different job queue for, 126, 140
- MSGW status code in, 116
- open file display for, 122
- output queues for, 106
- output queues for, changing, 125
- OUTQ status code in, 116
- pools for job storage in, 102
- print priorities for, 124
- priorities for jobs in, 103, 110, 111-112, 122, 124, 125-126
- purging jobs in, 103
- QBASE subsystem in, 6, 100
- QBATC subsystem in, 6, 100
- QCMN subsystem in, 100
- QCTL subsystem in, 100
- QINTER subsystem in, 6, 7, 100
- QSPL subsystem in, 100
- QSWWRK subsystem in, 100
- qualified job names in, 108
- releasing a job in, 118, 143-144
- releasing a job queue in, 112
- routing data for, 102
- routing entries for, 102
- run time priorities for, 125-126
- scheduling batch jobs, 8
- selecting which jobs to display in, 114
- Send Message (SNDMSG) in, 136
- signing users off the system during, 133
- simple system in, 99, **99**
- sorting user lists in, 131-132
- spooled jobs, 6
- status attributes for jobs in, 122
- status codes for jobs in, 114, 116, **117**
- status column of WRKUSRJOB display in, 116
- Submit Job (SBMJOB) in, 107, **107**, 136-138
- submitting a job for batch processing in, 106-108
- submitting and working with jobs exercise for, 135-147
- submitting jobs to job queue in, 136-138
- subsystem descriptions (SBSD) in, 6, 101
- subsystems in, 6, 100, 126-128
- system values for subsystems in, 103
- time slice for jobs in, 103, 125-126
- type and function columns of WRKUSRJOB display in, 117
- types of jobs to display in, 114
- user column of WRKUSRJOB display in, 116
- user IDs in, 108
- user jobs in (See also user jobs), 113-126, 142
- user profiles and, 103
- user whose jobs to display for, 115
- work management demystified for, 98-104
- Work with Active Job (WRKACTJOB) in, 133-135, **134**
- Work with Job Queue (WRKJOBQ) in, 109-110, **109**, 110-112, 138-139
- work with signed-on users for, 145-147
- Work with Subsystem (WRKSBS) in, 126-128, **127**, **128**, 134, 135, 143
- Work with User Jobs (WRKUSRJOB) in, 113-126, **113**, **114**, 135, 142
- workflow in, 6
- working with signed-on users for, 128-133
- job queues, 104
  - Add Entry To Job Queue (ADDJOBQE), 139
  - Change Job (CHGJOB), 140
  - creation of, 78-79, 79, 78
  - display particular job in job queue, 139
  - display, 138-139, 138
  - ending a job, 141, **141**

job queues (*continued*)

find, 138-139, 138  
 finding, 109  
 first in first out (FIFO) processing order in,  
 111-112, 111  
 hold a job, 139, 140, 139  
 holding, 112  
 moving job to different job queue, 140  
 moving jobs to different job queues, 126  
 priorities, 124  
 priorities of jobs in, 110  
 priorities of jobs in, 111-112, 111  
 priorities, 125-126, 125  
 releasing, 112  
 run time priorities, 125-126, 125  
 Send Message (SENDMSG), 136  
 Submit Job (SBMJOB), 136-138, 136  
 submitting and working with jobs exercise, 135-147, 135  
 submitting jobs to job queue, 136-138, 136  
 time slice, 125-126, 125  
 Work with Job Queue (WRKJOBQ),  
 109-110, 109, 109  
 Work with Job Queue (WRKJOBQ),  
 110-112, 110  
 Work with Job Queue (WRKJOBQ),  
 138-139, 138  
 working with, 110  
 job queues, 108-112, **108**  
 JOBQ status code, 116  
 jobs, 6, 7, 101, 104

**K**

keyword form command entry, 54-54  
 keywords for CL commands, 51-54

**L**

labels for tapes, 302, 309-311, **309, 310**  
 levels of security, 6

libraries, 3, 65

copying objects to/from, 89-91, **90, 91**  
 Create Library (CRTLIB) in, 56-58, **57, 58,**  
 59-61, **60, 61**  
 create objects in, 76-81  
 creation of, using menu path method, 56-58,  
**57, 58**  
 creation of, using menus and commands,  
 55-62  
 Delete Library (DLTLIB) in, 95, 323-325,  
**324, 334**  
 deletion of, 61-62, 95  
 determine if objects have changed in, 88  
 display file object creation in, 79-80, **80**  
 Display Library (DSPLIB) in, 69, 94-95, 94,  
 327-328, **327, 336**  
 finding objects in, 81-82, **82**  
 finding, 85-86  
 General Purpose Library (QGPL) and, 80  
 job queue object creation in, 78-79, **79**  
 Library Commands menu for, **70, 70**  
 library lists and, deleting, 324  
 listing objects in, 94-95  
 moving objects between, 91-94, **92, 93**  
 output queue libraries and, 208  
 output queue object created in, 76-77, **78**  
 place objects in, 75-95  
 print list of objects using Print Screen, 235  
 QSYS, 3-4  
 recreation of, 61-62  
 renaming, 87  
 Restore Library (RSTLIB) in, 313, 325-327,  
**326, 334-336, 335**  
 save and restore a library exercise for,  
 329-337  
 Save Library (SAVLIB) in, 313, 319-321,  
**320, 331-332, 332**  
 show objects in, 88

- Work with Libraries (WRKLIB) in, 69, **81**, 81, 88-89
  - Libraries (LIB) objects, 64
  - Libraries (LIBRARY) menu, 17
  - Library Commands menu, 70, **70**
  - library lists, deleting, 324
  - licensed internal code (LIC), Save Storage (SAVSTG), 318
  - licensed program products (LPP), 299
  - list displays, 9, 21-23, **22**
    - Bottom to indicate end of items in, 23
    - commands for options in, 22
    - extended lists in, 23
    - F10 and F11 toggle between columns in, 23
    - F23 prompts for more options in, 22
    - Help for, 34, **35**
    - More... to indicate more items in, 22-23
    - options in, 22
  - listing objects, 94-95
  - local printers, 221-231
- M**
- Main Menu, 11, **11**, 13
  - main storage (See also storage management), 4
  - Major Command Groups menu, 44, **44**
  - Manage Your System, Users, Devices (MANAGESYS) menu, 17, 129, 144-145
  - Marchesani, Skip, xiv
  - maximum CPU time for jobs, 103
  - maximum storage space for jobs, 103
  - members, 67
  - memory (See also storage management), 4
  - menu display, 9, 12-18
    - blank lines or missing options in, 11, 13
    - Cleanup (CLEANUP) menu as, 17
    - command line in, 12
    - Customize Your System, Users Devices (SETUP) menu as, 18
    - Device Operations menu as, 14-15, **14**
    - Device Status (DEVICESTS) menu as, 17
    - Disk Space Tasks (DISKTASKS) menu as, 17
    - F3/F12 step back through, 15
    - Files (FILE) menu as, 17
    - function keys in, 12
    - General System Tasks (SYSTEM) menu as, 13-14, **14**, 18
    - GO command for, 13, 15, 16-18
    - help for, 30-33, **30-33**
    - Information and Problem Handling (USERHELP) menu as, 18
    - Information Assistant Options (INFO) menu as, 17
    - Libraries (LIBRARY) menu as, 17
    - library creation exercise using, 55-62
    - Main Menu as, 11, **11**, 13
    - main parts of, 12
    - Manage Your System, Users, Devices (MANAGESYS) menu as, 17
    - menu ID of, 12, 15
    - menu path for, 13-15, **14**
    - message line in, 12
    - Operational Assistant (ASSIST) menu as, 16-17
    - options in, 12
    - Power On and Off Tasks (POWER) menu as, 17
    - Printer (PRINTER) menu as, 15, **15**, 17
    - Problem Handling (PROBLEM) menu as, 18
    - Restore (RESTORE) menu as, 18
    - Save (SAVE) menu as, 18
    - Set Initial Menu (F23) in, 16
    - Status (STATUS) menu as, 18
    - Tape (TAPE) menu as, 18
    - Technical Support Tasks (TECHHELP) menu as, 18
    - title of, 12
    - menu ID, 12, 15

- menu path for, 13-15, **14**
- Message Handler, 8
- message identifiers/message IDs, 170
- message line, 12
- message management (*See* also message queues, below), 8, 149-189
  - \*BREAK messages in, 174, 179-180
  - \*HOLD messages in, 174
  - \*NOTIFY messages in, 174, 177, 181
- alternative display for sending messages in, 158, **158**
- application messages in, 150
- attributes of message queues for, 173-175
- break message handling program for, 174
- break message to workstation message queue in, 157, **157**, 181-183, **182**
- categories of system messages in, 170
- Change Message Queue (CHGMSGQ) in, 175-176, **175**, 179-180, **180**, 181
- characteristics of messages in, 150
- default replies in, 171, **172**
- delivery methods for, 174
- delivery modes for, 178
- device messages in, 264, **265**
- Display Message (DSPMSG) in, 160-166, **160**, 174, 178, 184-186
- Display Message Description (DSPMSGD) in, 170
- display messages at basic and intermediate assistance level for, 162-163
- display system operator messages and reply in, 184-186
- displaying messages, 159-166
- error messages in, 168-173, **172**
- Help for messages, 168-171, **169**, 187
- informational messages in, 8, 150-151
- informational messages to users in, 155
- informational messages to workstations in, 155, **155**
- inquiry message replies in, 162
- inquiry messages in, 8, 150-151, 156, **156**, 183-184
- interrupt your current job, start interactive session for, 153-154, 159, 187-189
- Message Handler and, 8
- message identifiers/message IDs for, 170
- message queues in, 8, 150, 151, 155, **161**
- message-waiting (MW) status indicator for, 152
- printer messages and, 172-173, 222, 225, 229-231, **230**, 264
- program for, 174
- QCPFMSG system message file for, 170
- QSYSOPR message queue for, 151, 164-166, **165**, **166**, 167, 183-184, 187-189, **188**, 264
- removed messages cannot be restored in, 167
- removing all messages in queues in, 167-168
- removing individual messages in, 167
- removing messages not needing replies in, 168
- removing messages in, 152-153, 166-168, 187
- replying to messages in, 162, 184-186, **186**
- replying to system and error messages in, 172
- Select Assistance Level window for, 162-163, **162**
- Send a Message display for, 158, **158**
- send a message to yourself as practice in, 178, 180
- Send Break Message (SNDBRKMSG) in, 157, 158, 180, 181-183, **182**
- send inquiry to QSYSOPR in, 183-184
- Send Message (SNDMSG) in, 8, 154-158, **154**, 178, 180, 183-184, **184**
- sending messages in, 153-158

- severity codes for, 174-175
  - severity codes of error messages in, 171
  - signed-on user messages in, 132
  - sources of messages for, 150
  - system messages in, 150, 168-173
  - system operator messages in, 164-166, **165**, **166**
  - System Request to interrupt current job for, 154, 159, 187-189, **188**
  - types of messages in, 150
  - user message queue for, 151, 155, **161**
  - user messages in, 150
  - Work with Message Queue (WRKMSGQ) in, 176, **176**
  - Work with Messages (WRKMSG) in, 163, 163, 174, 185, **185**
  - working with user/system messages exercise in, 177-189
  - workstation message queues in, 151-152, **152**, 155, **161**, 181-183, **182**
  - message queues (*See also* message management, above), 8, 150, 151, 155, **161**
    - attributes of, 173-175
    - Change Message Queue (CHGMSGQ) for, 175-176, **175**, 179-180, **180**
    - print list of objects in, using Print Screen, 237-238
    - Work with Message Queue (WRKMSGQ) in, 176, **176**
  - methods, 3
  - Microsoft Authorized Technical Education Center, xiii
  - modifications to OS/400, 2-3
  - More... to indicate additional help in Help system, 31, 34
  - More... to indicate more items in list displays, 22-23
  - Move Object (MOV OBJ), 72, 92-94, **92**, **93**
  - moving objects, 72, 91-94, **92**, **93**
  - MSGW status code, 116
- N**
- names for objects, 64-65, 64
  - non-credit certification at RCTC, xiv
  - \*NOTIFY messages, 174, 177
- O**
- objects, object management, 3, 63-95
    - attributes in, 3, 64
    - auditing values for, 88
    - authorization in, 72-73
    - Change Object Description (CHGOBJD) in, 82
    - content of, 67
    - copying of, 72, 89-91, **90**, **91**
    - Create Duplicate Object (CRTDUPOBJ) in, 72, 90-91, **91**
    - creation of, 66-67
    - data in, 3
    - deleting, 73, 95
    - description of, 67
    - display file object creation in, 79-80, **80**
    - Display Object Authority (DSPOBJAUT) in, 73, 83-85, **84**
    - Display Object Description (DSPOBJD) in, 86, **87**, 88
    - Edit Object Authority (EDTOBJAUT) in, 73
    - explicit creation of, 66-67
    - File (FILE) objects in, 64
    - finding, 67-70, 81-82, **82**, 85-86
    - Grant Object Authority (GRTOBJAUT) in, 73
    - group ownership of, 67-68
    - job queue object creation in, 78-79, **79**
    - Libraries (LIB) objects in, 64
    - libraries for, 3, 65., 69-70
    - library contents display of, 69
    - listing, 94-95

- objects, object management (*continued*)
  - members in, 67
  - methods in, 3
  - Move Object (MOVEOBJ) in, 72, 92-94, **92**, **93**
  - moving, 72, 91-94, **92**, **93**
  - names for, 64-65
  - object creation exercise in, 75-95
  - output queue object creation in, 76-77, **78**
  - ownership of, 66-67
  - Program (PGM) objects in, 64
  - Q not used as first letter of, 65
  - QSYS library in, 3-4
  - qualified names for, 65, 66, 80
  - reference to, by name not location, 65
  - Rename Object (RNMOBJ) in, 73-74, **74**, 87
  - restoring, 75
  - saving, 75
  - simple names for, 65
  - System Request to find, 68, **69**
  - types of, 64
  - User profile (USRPRF) objects, 64
  - Work with Objects (WRKOBJ) in, 67, 71-75, **72**, 82, **82**, 85-86, **85**
  - Work with Objects Owned (WRKOBJOWN) in, 69
  - working with, 71-75
- online course, "AS/400 Getting to Know Your System," 40
- online help, 29-30
- Operational Assistant (ASSIST) menu, 16-17, 24-26, **26**
- options, 12
- options in list displays, 22
- OS/400, 1-62, 299
  - assistance levels in, 26-29
  - CL commands in, 40-55
  - database management in, 4
  - device management, 251-291
  - display types in, 9-24
  - ease of using, 2
  - economy of, 2
  - Help, 29-40
  - job/work management, 6-7, 97-147
  - major functions of, 3-8
  - message management in, 8, 149-189
  - modifications to, 2-3
  - object management in, 3-4, 63-95
  - Operational Assistant in, 24-26, **26**
  - print management, 8
  - program temporary fixes (PTF) for, 2-3
  - purpose and benefits of, 2-3
  - releases of, 2-3
  - responsiveness of, 2
  - security management in, 5-6
  - single-level storage in, 4
  - storage management, 4
  - updates to, 2-3
  - user management in, 5
  - versatility of, 2
  - versions of, 2-3
- OS/400 Backup and Recovery*, 301, 318
- OS/400 InfoSeeker*, 38
- output queues, 106, 192-194, **193**, 206, 220-221
  - assigning jobs to different, 125
  - Change Profile (CHGPRF) and, 220-221, 232-234
  - changing of, 232-234, 232
  - clearing of, 249-250
  - creation of, 76-77, **78**
  - deleting spooled files from, 249
  - Display Job Description (DSPJOBDD) in, 233-234, **233**
  - find spooled files in, 246
  - libraries for, 208
  - moving jobs between, 212, 244-245
  - print priorities in, 124

- printer writer attached to, 242-243
  - QDFTJOB and, 233
  - Work with Output Queue (WRKOUTQ) in, 201-203, 204, 242-243
  - Work with Writer (WRKWTR) in, 246
  - working with all, 201-203
  - working with one, 203
  - OUTQ status code, 116
  - ownership of objects, 66-67
- P**
- parameters (F10) for in data entry displays, 20
  - parameters for CL commands, 42, 49-50
  - passwords, 6, 10
  - plus sign (+) for more command parameter values, 50
  - pools for job storage, 102
  - positional form command entry, 54-55
  - power failures, 296-297
  - Power On and Off Tasks (POWER) menu, 17
  - print management, 8, 191-250
    - ACTIVEWRITER status of writer in, 259
    - auditing what is printing in, 217-218
    - basic vs. intermediate assistance level for, 198, **198**
    - batch jobs in, 208
    - change attributes of printer output in, 211
    - change output queues in, 232-234
    - Change Profile (CHGPRF) in, 219-221, **220**, 232-234
    - Change Spooled File Attributes (CHGSPLFA) in, 211-214, **211**, 246-247, **247**
    - changing same attribute on multiple jobs in, 213-214
    - clearing output queues in, 249-250
    - common printing problems and solutions in, 218, 219
    - copies, number of, 212, 246-247, **247**
    - date/time of job creation in, 205, 207
    - default printers for, 220
    - deleting spooled files in, 249
    - device descriptions for printer writers/devices in, 192-193
    - Display Job Description (DSPJOB) in, 233-234, **233**
    - display messages in, 264
    - display printer output by printer in, 204, **204**
    - display printer output for a user in, 195
    - display spooled files in, 238-241, **239**
    - Display User Profile (DSPURPRF) to change output in, 194
    - displaying completed printer output in, 217-218
    - displaying printer output by job in, 200-201, **200**
    - duplex (both-side) printing in, 213
    - end printer writer in, 225-226, **226**
    - End Writer (ENDWTR) in, 226, **226**
    - exploring different views of printer output in, 205-208, **205**
    - find spooled files in, 238-241, **239**, 246
    - finding printer output in, 194-204
    - form type or kind of paper to use in, 207, 212
    - GO PRINTER command for, 222
    - hold printer output in, 209-210, 243-244
    - hold printer writer in, 227-229, **227**
    - Hold Spooled File (HLDSPLF) in, 210, 243-244
    - Hold Writer (HLDWTR) in, 227-228, **227**
    - information about printer jobs and, why they don't print, 218
    - job control (\*JOBCTL) authority to, 194
    - libraries for output queues in, 208
    - local printers in, 221-231
    - managing printer output with, 205-214
    - message/message queue printing in, 172-173

print management (*continued*)

messages for printers and, 222, 225  
messages for printers and replying, 229-231, **230**  
moving jobs between output queues in, 212, 244-245  
number of pages in job in, 205  
output queues and, 192-194, **193**, 206, 208, 212, 220-221, 223, 232-234, 244-245  
page ranges to print in, 213  
preview before printing in, 208-209, **209**  
print queues and, 8  
Print Screen key and, 234-238, **236**  
printer devices in, 192, 206, 212, 220  
printer device files in, 194  
printer writer attached to output queue in, 242-243  
printer writers, 192, 223  
priority of jobs in, 124, 205, 207, 213  
problems with printing and, 215-221, 241-243  
QDFTJOB in, 233  
QSYSOPR messages in, 264  
qualified job names in, 207  
queues in, 8, 192  
release printer output in, 210  
release printer writer in, 227-229  
Release Spooled File (RLSSPLF) in, 210, 247-248  
Release Writer (RLSWTR) in, 228, **228**  
remote printers and, 231  
save file after printing in, 213, 248  
spool control (\*SPLCTL) authority in, 194  
spooled files in, 192-194, **193**  
spooling in, 8  
Start Printer Writer (STRPRTWTR) in, 224-225, **224**  
status of jobs in, 197-198, 205, 215-217, **216**, **217**, 222, 241-242

terms used in, 192  
user data fields in, 206  
user ID for jobs in, 199  
user profile authorities for, 194  
VARIED OFF status of writer in, 259  
VARY ON PENDING status of writer in, 259  
virtual printer (VRTPRT) devices and, 8, 257  
where output prints and, 219-221  
Work with All Printers display for, 204, **204**, 221-231, **222**  
Work with All Spooled Files display for, 210  
Work with Output Queue (WRKOUTQ) in, 201-203, 204, 242-243  
Work with Printer Output display for, 199, **199**, 218  
Work with Spooled Files (WRKSPLF) in, 195-199, **196**, **197**, 201, 204, 215, 238-241, **239**  
Work with User Jobs (WRKUSRJOB) in, 200-201, **200**  
Work with Writer (WRKWTR) in, 204, 246  
working with all output queues in, 201-203  
working with one output queue in, 203  
working with spooled files exercises for, 231-250  
print priorities, 124, 205, 207, 213  
print queues, 8, 192  
Print Screen key, 234-238, **236**  
Printer (PRINTER) menu, 17  
printer (PRT) devices, 254, 258-259  
printer devices, 192, 206, 212, 220  
Printer menu, 15, **15**  
printer writers, 192, 223  
priorities of jobs, 103, 110, 111-112, 122, 124  
print management,, 124, 205, 207, 213  
Problem Handling (PROBLEM) menu, 18

Program (PGM) objects, 64  
 program failure, save and restore, 297  
 program temporary fixes (PTF) for OS/400,  
 2-3, 276  
 prompting (F4) for more choices in data entry  
 displays, 20  
 prompting for commands, 49-52, **49**  
 purging jobs, 103  
 purpose and benefits of OS/400, 2-3

**Q**

QASTLVL system value, assistance level, 29  
 QBASE subsystem, 6, 100  
 QBATCH subsystem, 6, 100  
 QCMN subsystem, 100  
 QCPFMMSG system message file, 170  
 QCTL subsystem, 100  
 QDFTJOB, 233  
 QGPL, 80  
 QINTER subsystem, 6, 7, 100  
 QSECOR (Security Officer) profile, 5  
 QSECURITY values in, 6  
 QSPL subsystem, 100  
 QSWWRK subsystem, 100  
 QSYS library, 3-4  
 QSYSOPR (System Operator) profile, 5  
 QSYSOPR message queue, 151, 164-166, **165**,  
**166**, 167, 183-184, 264  
 Help for, 187-189, **188**  
 qualified names, 65, 66, 80, 108, 207  
 queues (*See also* message management; printer  
 management), 192  
 QUSER (End User) profile, 5

**R**

recovery (*See* save and restore)  
 referencing objects, 65  
 Release Spooled File (RLSSPLF), 210,  
 247-248

Release Writer (RLSWTR), 228, **228**  
 releases of OS/400, 2-3  
 remote printers, 231  
 Rename Object (RNMOBJ), 73-74, **74**  
 renaming objects, 73-74, **74**, 87  
 Restore (RESTORE) menu, 18  
 resource names for tape, diskette, CD-ROM  
 devices, 265  
 responsiveness of OS/400, 2  
 Restore Library (RSTLIB), 313, 325-327, **326**,  
 334-336, **335**  
 restoring objects, 75  
 Rochester Community and Technical College  
 (RCTC), xiii-xiv, xv  
 routing data, 102  
 routing entries, 102  
 RPG, xiv  
 run time priorities, 125-126

**S**

Save (SAVE) menu, 18  
 save and restore, 75, 293-337  
 \*LABELS format in, 309-311, **309**, **310**  
 \*SAVRST format in, 311-312, **311**  
 \*USE authority in, 329  
 abnormal ends and, 296  
 automatic unloading of tapes for, 307  
 auxiliary storage pool (ASP) for, 295-296  
 backup and recovery plans for, 294  
 CD-ROM for, 299  
 cleaning tape units for, 301-302  
 clearing a tape for, 307  
 complete system loss and, 297  
 continuously powered main store for, 296  
 Create Save File (CRTSAVF) in, 330-331,  
**331**  
 date/time of object save/restore in, 336-337  
 Delete Library (DLTLIB) in, 323-325, **324**,  
 334

- save and restore (*continued*)
  - density of tapes for, 306-307
  - disk failures and, 295-296
  - diskette devices for, 299
  - Display Library (DSPLIB) in, 327-328, **327**, 336
  - Display Object Description (DSPOBJD) in, 336-337, **337**
  - display save files for, 333-334
  - Display Saved Objects for, 333-334
  - Display Tape (DSPTAP) in, 313, 321-323, **322**
  - display tape contents for, 307-309, **308**, 321-323, **322**
  - Duplicate Tape (DUPTAP) for, 313
  - errors on tapes and, 312-313
  - failures that can occur and, 295
  - GO RESTORE menu for, 299
  - human error and, 297
  - initializing a tape (INZTAP) for, 302-307, **303**
  - IPLs and, 296
  - labels for tapes in, 302, 309-311, **309**, **310**
  - media for storage in, 298-299
  - non-labeled tapes for, 304
  - power failures and, 296-297
  - preparing tapes for, 300-313
  - program failure and, 297
  - recoverable vs. unrecoverable errors in, 312-313
  - recovering saved data for, 299
  - Restore Library (RSTLIB) in, 313, 325-327, **326**, 334-336, **335**
  - restricting access to, 318-319
  - rotating backup tapes in, 300-301
  - running simple backups in, 313-328
  - save and restore a library exercise for, 329-337
  - Save Changed Object (SAVCHGOBJ) in, 317-318
  - save commands for, 316-318
  - Save Configuration (SAVCFG) in, 318
  - Save Directory (SAV) in, 317
  - Save Documents, Folders, Objects (SAVDLO) in, 317
  - save files in, 318, 330-331
  - Save Library (SAVLIB) in, 313, 317, 319-321, **320**, 331-332, **332**
  - save menu for, 314-316, **314-315**
  - Save Object (SAVOBJ) in, 317
  - Save Save-File Data (SAVSAVFDTA) in, 318
  - Save Storage (SAVSTG) in, 318
  - Save System (SAVSYS) in, 316
  - saving individual objects in, 294
  - standard labels for tapes in, 304
  - system failure and, 296
  - system power control network and, 296
  - tape devices for, 299
  - tape formats supported by AS/400 for, 300
  - volume labels for tapes in, 305, 309-311, **309**, **310**
  - what can be saved by, 297-298
  - what can't be saved by, 298
  - why save AS/400 data and, 295
- Save Changed Object (SAVCHGOBJ), 317-318
- save commands, 316-318
- Save Configuration (SAVCFG), 318
- Save Directory (SAV), 317
- Save Documents, Folders, Objects (SAVDLO), 317
- save files, 318, 330-331
- Save Library (SAVLIB), 313, 317, 319-321, **320**, 331-332, **332**
- save menu, 314-316, **314-315**
- Save Object (SAVOBJ), 317
- Save Save-File Data (SAVSAVFDTA), 318

- Save Storage (SAVSTG), 318
  - Save System (SAVSYS), 316
  - security management, 5-6
    - levels of security in, 6
    - passwords in, 6
    - QSECURITY values in, 6
    - user IDs in, 6
    - viruses and, 5
  - Select Command display, 47-48, **48**
  - Send Break Message (SNDBRKMSG), 157, 158, 180-183, **182**
  - Send Message (SNDMSG), 8, 136, 154-158, **154**, 178, 180, 183-184, **184**
  - Set Initial Menu (F23), 16
  - severity codes for messages, 171, 174-175
  - sign-on screen display, 9-11, 10
    - password field in, 10
    - user ID field in, 10
  - SIGNON DISPLAY, 257, 284
  - simple names for objects, 65
  - simple work management system in, 99, **99**
  - single-level storage, 4
    - auxiliary storage pool (ASP), 4, 295-296
  - Softcopy Library, 37-38
  - spooled files, 192-194, **193**
  - spooled jobs, 6
  - spooling, 8
  - spooling CL commands, 45-47, **45-47**
  - Start Printer Writer (STRPRTWTR), 224-225, **224**
  - Status (STATUS) menu, 18
  - status attributes for jobs, 122
  - status of jobs in print management, 215-217, **216**, **217**, 222, 241-242
  - storage, 4
    - auxiliary storage pool (ASP) in, 4, 295-296
    - DASD and, 4
    - disk, 4
    - main (memory), 4
    - Save Storage (SAVSTG) in, 318
    - single-level storage in, 4
  - Submit Job (SBMJOB), 107, **107**, 136-138
  - subsystem descriptions (SBSD), 6, 101
  - subsystems, 6, 100, 126-128
  - Sylvan Prometric testing facilities, xiii-xiv
  - synchronous data link control (SDLC) line configuration, device management, 274
  - syntax of CL commands, 42
  - system failures, 296
  - system messages, 150
  - System Operation for New Users*, 39-40
  - System Operation SC41-4203*, 40
  - system operator messages, 164-166, **165**, **166**
  - system power control network, 296
  - System Request to find objects, 68, **69**
  - system values for subsystems, 103
- T**
- tape (TAP) devices, 254, 259-260, **260**
  - Tape (TAPE) menu, 18
  - tape devices for save and restore, 278-279, 299
  - Technical Support Tasks (TECHHELP) menu, 18
  - time slice for jobs, 103, 125-126
  - title of menu, 12
  - token ring (TRLAN) line configuration, device management, 274-275
  - twin-axial data link control (TDLC) line configuration, device management, 274-275
- U**
- updates to OS/400, 2-3
  - user authorities in, 5
  - user ID, 6, 10, 199
  - user jobs, 113-126, 142
    - ACTIVE status code of, 116
    - attributes of, displaying, 121-122, **121**
    - call stack for, 122

user jobs (*continued*)

- Change Job (CHGJOB) in, 122-129, **123**
- End Job (ENDJOB) in, 119-120, **119**
- END status code for, 116
- ending, when not to, 120
- Hold Job (HLDJOB) in, 117-118, **118**, 142, **142**
- job column of WRKUSRJOB display for, 116
- job definitions in, 122
- JOBQ status code in, 116
- moving jobs to different job queues in, 126
- MSGW status code in, 116
- open file display for, 122
- output queues for, changing, 125
- OUTQ status code in, 116
- print priorities and, 124
- priorities for, 122, 124, 125-126, 125
- releasing, 118, 143-144
- run time priorities in, 125-126
- selecting jobs to display for, 114
- status attributes for, 122
- status codes for, 116, **117**
- status column of WRKUSRJOB display for, 116
- status of, 114
- time slice in, 125-126
- type and function columns of WRKUSRJOB display for, 117
- types of jobs to display for, 114-115
- user column of WRKUSRJOB display for, 116
- user whose jobs to display in, 115
- Work with User Jobs (WRKUSRJOB) in, 113-126, **113**, **114**, 142

user management, 5

- authorities in, 5
- IBM-supplied user profiles in, 5
- QSECOR (Security Officer) profile in, 5

- QSYSOPR (System Operator) profile in, 5
- QUSER (End User) profile in, 5
  - user authorities in, 5
  - user profiles in, 5
- user message queues, 151, 155, **161**
- user messages, 150
- User profile (USRPRF) objects, 64
- user profiles, 5
  - Display User Profile (DSPURPRF) in, 194
  - job management and, 103
  - print management authorities in, 194
- user-assigned values in data entry displays, 20

**V**

- VARIED OFF status, 257, 259, 260, 270-272
- VARIED ON status, 260, 270-272, 284
- Vary Configuration (VRYCFG), 260, 270-272
- VARY OFF PENDING status, 263
- VARY ON PENDING status, 257, 259, 263, 271, 284
- varying devices on and off, 260-264
- versatility of OS/400, 2
- versions of OS/400, 2-3
- virtual devices
  - QAUTOVRT for virtual devices, 281
  - virtual printer (VRTPRT) devices, 8, 257
  - virtual workstation (VRT) devices, 257-258, **258**
- viruses, 5
- volume labels for tapes, 305, 309-311, **309**, **310**

**W**

- Web servers, xiv
- work management (*See* job management)
- Work with Active Job (WRKACTJOB), 133-135, **134**
- Work with All Spooled Files display, 21-22, **22**, 210

- Work with Configuration Status (WRKCFGSTS), 34, 253-260, **253**, 265-267, **266**, 267-270, **268**, 272-276, 273, **273**, **274**, 278-280
- Work with Job Queue (WRKJOBQ), 109-110, **109**, 110-112, 138-139
- Work with Libraries (WRKLIB), 69, 81, **81**
- Work with Message Queue (WRKMSGQ), 176, **176**
- Work with Messages (WRKMSG), 163, **163**, 174, 185, **185**
- Work with Objects (WRKOBJ), 67, 71-75, **72**, 82, **82**
- Work with Objects Owned (WRKOBJOWN), 69
- Work with Output Queue (WRKOUTQ), 201-203, 204, 242-243
- Work with Printer Output, 199, **199**
- Work with Spooled Files (WRKSPLF), 41, **47**, 48, 195-199, **196**, **197**, 201, 204, 215, 238-241, **239**
- Work with Subsystem (WRKSBS), 126-128, **127**, **128**, 134, 135, 143
- Work with User Jobs (WRKUSRJOB), 113-126, **113**, **114**, 135, 142, 200-201, **200**
- Work with Writer (WRKWTR), 204, 246
- workflow in, 6
- workstation (DSP) devices, 254, 256-258, **258**, 279-280
- 5250 twin-ax workstations, 281
- display workstation devices, 279-280
- find controller of workstation devices, 286
- QAUTOVRT for virtual devices, 281
- sign off workstation, sign on to another, 281-282
- vary off workstation devices, 280-281, 282-283
- vary on workstations, 284
- workstation message queue, 151-152, **152**, 155, **161**
- Send Break Message (SNDBRKMSG), 181-183, **181**, **182**

