

# INDEX

## A

- access paths, saving, 72
- activation groups, 487-488
- Add Job Queue Entry (ADDJOBQE), 50
- Add Library List Entry (ADDLIBLE), 253
- Add Logical File Member (ADDLFM), 262
- Add Physical File Member (ADDPFM), 259
- Add TCP/IP Host Table Entry (ADDTCTHTE), 476-477, **477**
- Add TCP/IP Interface (ADDTCPIFC), 475
- administration manuals, xxix, 217-218
- adopting objects (PRTADPOBJ), 177
- air-conditioning, 4-5
- ALL authority, 153
- ALLOBJ authority, 139, 155
- ampersand to designate variables in, CL and, 310
- Analyze Default Password (ANZDFTPWD), 174, 480
- Analyze Problem (ANZPRB) command, 441, 443-455, **443-455**
- Analyze Profile Activity (ANZPRFACT), 175
- AND
  - CL and, 313
  - data description specifications (DDS), 279
  - RPG IV, 334
- Application Development Tools program, 238
- Application Display Programming*, 215
- application programming interface (API), 491
- Apply PTF (APYPTF), 228
- AS/400, 323, 324
  - changing device IDs for, 408-410, **409**
  - data description specifications (DDS), 238
  - development of, xxvii-xxviii
  - EXCPT operation in, 422
  - file name length limits in, 403
  - ignored OCL statements in, 416
  - ignored S/36 procedures in, 414-415
  - interactive jobs in, 403
  - jobs in, 403-404
  - libraries in, 402, 404
  - limitations to, 423-424
  - mixing OCL and CL in S/36 procedures in, 417-418
  - naming conventions in, 403
  - nonsupported OCL statements in, 416

*Note: boldface numbers indicate illustrations*

## INDEX

AS/400, *continued*  
objects in, 402  
READ operation in, 422, 423  
RPG II and, 419-424  
SETLL operation in, 422  
sharing files in, 411  
source code in, 402-403  
storing deleted files in cache using, 411  
STRTUP1 or STRTUP2 procedures in, 414  
substitution expressions for S/36 in, 419  
System/36 vs. 402-404  
unsupported RPG II features in, 421  
unsupported S/36 procedures in, 414-415  
unsupported S/36 commands in, 412  
*AS/400 Basic System Operation, Administration and Problem Handling*, 218, 428  
*AS/400 Local Device Configuration*, 218  
*AS/400 Physical Planning Reference*, 218  
*AS/400 REXX/400 Reference*, 216  
*AS/400 Software Installation*, 218  
*AS/400 System Operation For New Users*, 218  
A-specs, 279-281  
data description specifications (DDS), 282-283  
ASSIST main menu for Operational Assistant (OA), 86-87  
asterisk identifier of objects, 245  
attended IPL, 18  
Attention key  
Operational Assistant (OA), 86  
user profiles, 161  
AUDIT authority, 155  
Audit Journal Entries (DSPAUDJRNE), 177  
auditing  
Audit Journal Entries (DSPAUDJRNE) for, 177  
Change Security Auditing (CHGSECAUD) for, 176  
Display Security Auditing (DSPSECAUD) for, 176  
authorities, 151-155, 491  
Authorization List Authorities (PRTPVTAUT) for, 177  
authorization lists for, 163-164  
Command Authority (PRTPUBAUT) for, 177  
Document Authority (PRTPUBAUT) for, 178  
Edit Object Authority (EDTOBJAUT) for, 190  
File Authority (PRTPUBAUT) for, 178  
Folder Authority (PRTPUBAUT) for, 179  
Grant Object Authority (GTROBJAUT) for, 190  
Job And Output Queue Authority in, 179  
Job Description Authority (PRTJOBDAUT) for, 179  
Library Authority (PRTPUBAUT) for, 179

object authority in, 179, 480  
private, 179, 495  
Program Authority in, 179  
public in, 190, 496  
Revoke Object Authority (RVKOBJAUT) for, 190  
revoke public authority to objects with, 183-186  
special, 497  
subsystem, 180  
system security, 180  
user profile, 179  
user profiles assigned to, 159-160  
Authorization List Authorities (PRTPVTAUT), 177  
authorization lists, 163-164, 246  
Authorization List Authorities (PRTPVTAUT) for, 177  
autoconfiguration, 165-166

## B

backup and recovery, 67-84, 491, 496  
ASCII vs. EBCDIC coding in, 69  
automatic rewind of tape after, 69, 70  
backward recovery using, 395, **395**  
checking for active files in, 69  
clear objects from system as saved in, 70-71  
commitment control in, 396-397  
deleting current tape contents in, 69  
density of tape for, 69  
device to use for, 70  
differential backups in, 73  
disaster recovery planning in, 82  
End Commitment Control (ENDCMCTCL) for, 397  
forward recovery in, 393-395, **394**  
incremental backups in, 73  
Initialize Tape (INZTAP) for, 68-69  
locking during save-while-active in, 75  
media exchange between AS/400 and S/36 for, 84  
mounting tapes for, 68  
Operational Assistant (OA), 88, **88**, 96-97, **96**, 98-99, **99**  
recovery from journals in, 393  
release to use in, 70  
Restore Configuration (RSTCFG) for, 81  
Restore Document Library (RSTDLO) for, 80-81  
Restore Library (RSTLIB) for, 78-79  
Restore Object (RSTOBJ) command for, 80  
restoring process in, 78  
restoring system values in, 81-82  
Save Changed Objects (SAVCHGOBJ) for, 73-74  
Save Configurations (SAVCFG) for, 77-78

- Save Document Library Object (SAVDLO) for, 76-77
  - save files for, 82-83
  - Save Library (SAVLIB) for, 71-72
  - Save Object (SAVOBJ) for, 72-73
  - save outages in, 75
  - Save System (SAVSYS) for, 76
  - save-while-active option for, 74-76
  - saving access paths, 72
  - saving system values, 77-78
  - Start Commitment Control (STRCMTCTL) for, 396-397
  - troubleshooting tape drives for, 431
  - upgrading to new releases and, 226
  - volume IDs in, 68, 70
  - backward recovery, 395, **395**
  - bandwidth for Internet applications, 473
  - batch jobs, 491
    - PDM and, 364
    - QBATCH subsystem and, 46-47
  - BLINK keyword, 296
  - body of program in CL, 309
  - break messages, 108-111
  - browsers for Internet applications, 472, 498
  - built-in functions (BIF) in RPG IV, 324
  - bulletin board services (BBS), ECS and, 442
- C**
- cabling, 6
  - CABxx, RPG IV, 338
  - Calculation specification, RPG IV, 326, 327
  - CALL
    - CL and, 314-315
    - ILE and, 486-487
    - RPG II and, 422
    - RPG IV and, 336
  - call a program with Operational Assistant (OA), 87
  - call-by-copy, ILE and, 486-487
  - central processing unit (CPU), 491
  - CHAIN, 333
  - Change Activation Schedule Entry (CHGACTSCDE), 175
  - Change Active Profile List (CHGACTPRFL), 175
  - CHANGE authority, 153
  - Change Data Area (CHGDTAARA), 318
  - Change Device Description (CHGDEV), 166
  - Change Expiration Schedule Entry (CHGEXPCDE), 175
  - Change Job (CHGJOB), 39-40
  - Change Journal (CHGJRN), 393
  - Change Library List (CHGLIBL), 253
  - Change Message Queue (CHGMSGQ), 110
  - Change Output Queue (CHGOUTQ), 173, 189
  - Change Password (CHGPWD), 87
  - Change Physical File (CHGPF), 259
  - Change Security Auditing (CHGSECAUD), 176
  - Change Spool File Attributes (CHGSPLFA), 54-56
  - Change Spooled File (CHGSPLF), **58**, 59
  - Change Subsystem Description (CHGSBD), 48
  - Change System Library List (CHGSYSLBL), 253
  - Change System Value (CHGSYSVAL), 10, 20, 136, 319
  - Change System/36 (CHGS36), 407-408, **408**
  - Change TCP/IP Domain (CHGTCPDMN), 476
  - Change User Profile (CHGUSRPRF), 159
  - Change Variable (CHGVAR), 308, 310-311
  - Change Writer (CHGWTR), 62-63
  - character (char) variables, CL and, 309
  - Check Object Integrity (CHKOBJITG), 186
  - CLEANUP menu for Operational Assistant (OA), 89, **89**, 207, **207**, 456
  - Clear Physical File Member (CLRPFM), 259
  - Client Access and Internet applications, 473
  - clients for Internet applications, 471
  - COBOL/400 User's Guide*, 215
  - combined authorities, 153
  - command authority, 177
  - COMMAND menu, 117, **117**
  - command prompter, 121-122, **122**, 492
    - SEU and, 367-368, **367**
  - commands, 246, 492
    - abbreviations used in, 114-115
    - changing parameter values in, 123-124
    - CL and, 307-308
    - COMMAND menu for, 117, **117**
    - customizing or changing, 118-121
    - documenting changes to, 121
    - finding, 115
    - function keys and, 124-125
    - GO menus for, 116-117
    - groups of, 116, **117**
    - help with, 124
    - MAIN menu for, 116-117, **116**
    - menus for, 116-118, **116**
    - names of, 113-115
    - nested prompting for, 125, **125**
    - parameters for, 122-124
    - prompter for, 121-122, **122**, 492
    - QSYS location of, 118
    - Select Command (SLTCMD) to find, 115-116
    - structure of, 114-115, **115**

## INDEX

- commands, *continued*
    - SUBJECT Commands menu, 118, **118**
    - System/36, 411
  - COMMIT operations, 397
  - commitment control, 389, 396-397, 492
  - Common User Access (CUA) standards, display files and, 300-301
  - Communications Security (PRTCMNSEC), 177
  - Communications Configuration (CMNCFG), 90, **90**
  - Compare (COMP), RPG IV, 337-338
  - comparison operators for CL, 313
  - compression, 206-207
  - computer room layout and requirements, 3-7, 492
  - concatenation of strings in CL, 311
  - conditional operators for CL, 313
  - conditioning indicators in data description
    - specifications (DDS), 279
  - configuration
    - printer, 191
    - saving before upgrading to new releases, 226
    - system security, 181-183
    - upgrading to new releases, verification after, 229
    - Work with Configuration Status (WRKCFGSTS) for, 168
  - Connectivity Utilities/400, 472
  - console, 497
    - QCONSOLE unchangeable value for, 146
  - constant display in display files, 297
  - constant fields, 266
  - Control Language (CL), 307-322, 492
    - ampersand to designate variables in, 310
    - body of program in, 309
    - CALL command in, 314-315
    - Change Data Area (CHGDTAARA) for, 318
  - Change System Values (CHGSYSVAL) for, 319
  - Change Variable (CHGVAR) for, 308, 310-311
  - character (char) variables in, 309
  - commands in, 307-308
  - comparison operators for, 313
  - concatenation of strings in, 311
  - conditional operators for, 313
  - control commands in, 312-317
  - Create CL Program (CRTCLPGM) for, 308
  - Create Data Area (CRTDTAARA) for, 318
  - data areas in, 318
  - decimal variables in, 310
  - Declare (DCL) commands in, 309
  - Declare File (DCLF) command in, 320-321
  - Delete Data Area (DLTDTAARA) for, 318
  - Display Data Area (DSPDTAARA) for, 318
  - Display System Values (DSPSYSVAL) for, 319
  - DO/ENDDO command pair, 312-313
  - ELSE command for, 312-313
  - End Program (ENDPGM) command in, 309, 315
  - error handling in, 309, 315-317
  - ESCAPE messages in, 315-316
  - file processing with, limitations of, 320
  - global MONMSG for, 317
  - GOTO command in, 313-314
  - IF command for, 312-313
  - logical variables in, 310
  - mixing OCL and CL in S/36 procedures in, 417-418
  - Monitor Message (MONMSG) for, 309, 316-317
  - parameters in, 307-308
  - parts of program in, 309
  - Program (PGM) command in, 309
  - QCMDEXC API for, 308
  - QRYSLT parameter for OPNQRFY sorts in, 347-348
  - Receive File (RCVF) in, 321
  - Release Writer (RLSWTR) in, 308
  - Retrieve commands in, 319-320
  - Retrieve Data Area (RTVDTAARA) in, 318
  - Retrieve Job Attributes (RTVJOBA) in, 319
  - Retrieve System Value (RTVSYSVAL) in, 319
  - Retrieve User Profile (RTVUSRPRF) in, 320
  - retrieving data with, 318-320
  - RETURN command in, 315
  - Send File (SNDF) in, 321
  - Send/Receive File (SNDRCVF) in, 321
  - Start Printer Writer (STRPRTWTR) in, 308
  - String operations for, 311
  - substring operations in, 311
  - system values in, 319
  - uses for, 308, 309
  - values for variables in, 310-311
  - variables in, 309-311
  - Work with System Values (WRKSYSVAL) in, 319
- controller descriptions, 246
  - controlling subsystem, 492
  - controlling the system, 29-41
    - checking system activity while, 34-41
    - Display Job (DSPJOB) for, 36-37, **37**
    - Display System Status (DSPSYSSTS) for, 204
    - job logs for, 37-40
    - path for settings in, 195-197
    - QSYSOPR system operator profile for, 30-33
    - system console for, 29-30
    - System log (QHST) for, 40-41
    - system values for, 145-149

- Work with Active Jobs (WRKACTJOB) for, 34-35, **34**
  - Work with System Status (WRKSYSSTS), 204
  - Work with User Jobs (WRKUSRJOB) for, 35-36, **36**
  - Copy File (CPYF), 260
  - cover letters for PTF, 459, 462
  - Create Bound Program (CRTBNDRPG), 488
  - Create CL Program (CRTCLPGM), 22, 308
  - Create Data Area (CRTDTAARA), 140, 318
  - Create Device Printer (CRTDEVPRT), 61, 187-188
  - Create Display File (CRTDSPF), 266-267
  - Create Duplicate Object (CRTDUPOBJ), 48
  - Create Job Description (CRTJOB), 171
  - Create Library (CRTLIB), 235, 240-241
  - Create Line Ethernet (CRTLINETH), 473-474, **474**
  - Create Logical File (CRTLF), 262, 285, 344
  - Create Output Queue (CRTOUTQ), 172-173, 189
  - Create Physical File (CRTPF), 258
  - Create Printer File (CRTPRTF), 267
  - Create Program (CRTPGM), 486
  - Create Program Module (CRTRPGMOD), 486
  - Create S/36E Auto Report Program (CRTS36RPT), 420
  - Create S/36E Program (CRTS36RPG), 420
  - Create Save File (CRTSAVF), 83
  - Create Source Physical File (CRTSRCPF), 21, 260
  - Create Subsystem Description (CRTSBSD), 48
  - Create User Profile (CRTUSRPF), 159
  - C-specs in RPG IV, 331-333
  - cumulative PTF, 224, 229, 458, 461-462
  - current library, 251
    - PDM and, 364
    - System/36 and, 405
  - cursor, QCURSYM cursor value for, 138
  - cycle, the RPG cycle, 331
- D**
- DASD
    - maintenance and, 203-207
    - saving techniques, 203-207
  - data areas, 246
    - Change Data Area (CHGDTAARA) for, 318
    - CL and, 318
    - Create Data Area (CRTDTAARA) for, 140, 318
    - Delete Data Area (DLTDTAARA) for, 318
    - Display Data Area (DSPDTAARA) for, 318
    - library lists and, 253-254
    - Retrieve Data area (RTVDTAARA) for, 318
  - Data Description Specifications (DDS), 257, 258, 260, 268, 277-306, 492
    - AND or OR in A-specs in, 279
    - A-specs in, 279-281
    - CL programs use of, 278
    - coding for, 278-281
    - comments of A-specs in, 279
    - complexity of, 281
    - conditioning indicators of A-specs in, 279
    - data types in A-specs of, 280
    - decimal position in A-specs of, 280
    - define-by-reference in, 283-285
    - display files and, 295-301
    - EDTCDE keyword for, 283
    - error messages for, 299-300
    - field definitions in A-specs of, 282-283
    - format selector program in, multiformat logical files, 293-294
    - function keys in, 295-296
    - functions in A-specs of, 280-821
    - join logical files and, 288-290
    - location in A-specs of, 280
    - logical files and, 288-290
    - multiformat logical files and, 290-294
    - name in A-specs of, 280
    - OPNQRYF use of, 278
    - physical files and, 281-285
    - printer files and, 301-306
    - Query Management use of, 278
    - Query/400 use of, 278
    - record formats in, 295
    - reference in A-specs of, 280
    - sequence number of A-specs in, 279
    - simple logical files and, 285-288
    - specification type of A-specs in, 279
    - SQL/400 use of, 278
    - System/36, 420-421
    - TEXT keyword for, 282
    - type in A-specs of, 279-280
    - UNIQUE keyword for, 282
    - usage in A-specs of, 280
  - Data File Utility (DFU), 215
  - data queues, 247
  - data types in RPG IV, 324
  - database files, 258-260
    - Add Physical File Member (ADDPFM) for, 259
    - Change Physical File (CHGPF) for, 259
    - cleaning out items from, 206
    - Clear Physical File Member (CLRPFM) for, 259
    - Copy File (CPYF) for, 260
    - Create Physical File (CRTPF) for, 258

## INDEX

- database files, *continued*
  - Data Description Specification (DDS) for, 258
  - Delete File (DLTF) for, 259
  - Display Physical File Member (DSPPFM) for, 260
  - Override Database File (OVRDBF) for, 270, 272-274
  - QSPL for, 237
  - Remove Member (RMVM) for, 259
  - Rename Member (RNMM) for, 259
  - Reorganize Physical File Member (RGZPFM) for, 259
- dates
  - QDATE system date value for, 136-137
  - QDATFMT system date value for, 136
  - QLEAPADJ system date value for, 136
- DB2 for AS/400 Query Management Programming*, 216
- DB2 for AS/400 SQL Programming*, 217
- DB2 for AS/400 SQL Reference*, 217
- decimal marks, decimal position
  - QDECFMT decimal-format value for, 138
  - data description specifications (DDS) and, 280
- decimal variables in CL, 310
- Declare (DCL), 309
- Declare File (DCLF), 320-321
- dedicated mode, 496
- Dedicated Service Tools (DST), 29
- define-by-reference, 283-285
- Definition specification in RPG IV, 326, 327
- DELETE, 334
- Delete Data area (DLTDTAARA), 318
- Delete Device Description (DLTDEVD), 166
- Delete File (DLTF), 236, 259
- Delete Job Description (DLTJOBDD), 171
- Delete Journal Receiver (DLTJRRCV), 393
- Delete Library (DLTLIB), 206, 235, 242-243
- Delete Licensed Program (DLTLICPGM), 242-244, **243**
- Delete Output Queue (DLTOUTQ), 173
- Delete Override (DLTOVR), 272
- Delete Problem (DLTPRB), 456
  - Delete Spool File (DLTSPLF) for, 59-60, **59**
- Delete Subsystem Description (DLTSBSD), 48
- Delete User Profile (DLTUSRPRF), 159, 236
- devices and device descriptions, 10-11, 164-169, 246, 493
  - AS/400, 408-410, **409**
  - autoconfiguration of, 165-166
  - Change Device Description (CHGDEV) for, 166
  - Change System Value (CHGSYSVAL), 10
  - creating device descriptions, 167
  - Delete Device Description (DLTDEVD) for, 166
  - Display Object Description (DSPOBJD) for, 168
  - listing, 168-169
  - maintaining, 165-168
  - naming, 164-165
  - Operational Assistant (OA) and, 97-98, **97**
  - Print Device Address (PRTDEVADR) for, 168
  - printer management, 167
  - QAUTOCFG for, 146
  - QCONSOLE for, 146
  - QDEVNAMING for, 146-147
  - Rename Object (RNMOBJ) for, 11
  - system values for, 146-147
  - System/36, 408-410, **409**
  - Work with Configuration Status (WRKCFGSTS) for, 168
  - Work with Device Description (WRKDEVD) for, 166-167, 169
- device files, 247, 256
- Device Status (DEVICESTS) menu for Operational Assistant (OA), 90-91, **91**
- ?DEVUNIT?, 419
- differential backups, 73
- direct access storage device (DASD), 233-234
  - PTFs in, 234
  - QTEMP libraries in, 235
  - system microcode in, 234
- disaster recovery planning, 82
- Disconnect Job (DSCJOB) for Operational Assistant (OA), 87
- Disk Space (DISKTASKS) menu for Operational Assistant (OA), 92, **92**
- Display Activation Schedule (DSPACTSCD), 175
- Display Active Profile List (DSPACTPRL), 175
- Display Data Area (DSPDTAARA), 318
- Display Expiration Schedule (DSPEXPSCD), 175
- Display File Description (DSPFD), 256
- Display File Field Description (DSPFFD), 257
- display files, 265-266
  - BLINK keyword in, 296
  - Common User Access (CUA) standards for, 300-301
  - constant display in, 297
  - constant fields in, 266
  - Create Display File (CRTDSPF) for, 266-267
  - data description specifications (DDS) and, 295-301
  - error messages for, 299-300
  - function keys in, 295-296
  - indicators to condition fields in, 266
  - input-validation for, 297-298
  - PRINT keyword in, 296

- record formats in, 266, 295
  - Screen Design Aid (SDA) for display files and, 267
  - use of, 298-299
  - variable display in, 297
  - Display Job (DSPJOB), 36-37, **37**, 171
  - Display Job Log (DSPJOBLOG), 37-39, **38**
  - Display Journal (DSPJRN), 392
  - Display Library (DSPLIB), 241
  - Display Log (DSPLOG), 40-41, **40**
  - Display Message (DSPMSG), 30, 63, 106-108, **107**
  - Display Object Description (DSPOBJD), 168
  - Display Physical File Member (DSPPFM), 260
  - Display PTF (DSPPTF), 462-463, **463**
  - Display Security Auditing (DSPSECAUD), 176
  - Display Spooled File (DSPSPLF), 56-57, **56**
  - display station installation, 9
  - Display System Status (DSPSYSSTS), 204
  - Display System Value (DSPSYSVAL), 19, 135, 319
  - Display User Profile (DSPUSRPRF), 159
  - Do Until (DOU) in RPG IV, 335-336
  - Do While (DOW) in RPG IV, 335-336
  - DO/ENDDO
    - CL and, 312-313, 312
    - RPG IV and, 335-336
  - Document Authority (PRTPUBAUT), 178
  - Documentation and Problem Handling (USERHELP)
    - menu, 100-101, **100**
  - documents, 246
  - domain names for Internet applications, 476
- E**
- e-business, 482
  - Edit Library List (EDTLIBL), 253
  - Edit Object Authority (EDTOBJAUT), 190
  - editor (*see* Source Entry Utility)
  - EDTCDE keyword for data description specifications (DDS), 283
  - Electronic Customer Support (ECS), 5, 433-442, 493
    - Analyze Problem (ANZPRB) command for, 441
    - bulletin board service (BBS) and, 442
    - calling IBM through, 441-442
    - changing IBMLink connection number for, 439-440, **440**
    - changing identification for, 434
    - changing problem-reporting connection number for, 440-441, **441**
    - IBMLink and, voice phone numbers for, 436-437
    - management of, 433
    - modem/telecommunication setup using, 442
    - remote computer hookup using, 442
    - reporting problems to, 457
    - Send PTF Order (SNDPTFORD) with, 442
    - starting ECS, 434
    - using ECS, panel-by-panel help with, 434-436, **434, 435, 436**
    - voice phone numbers for reporting problems to, 438-439, **438, 439**
    - Work with Product Information (WRKPRDINF) for, 442
  - ELSE
    - CL and, 312-313
    - RPG IV and, 334
  - e-mail, 472, 478
  - End Commitment Control (ENDCMTCTL), 397
  - End Journal Physical File (ENDJRNPf), 392
  - End Printer Writer (ENDWTR), 62
  - End Program (ENDPGM), 309, 315
  - End Subsystem (ENDSBS), 24-25
  - End System/36 (ENDS36), 407
  - ENDIF in RPG IV, 334
  - ENDSL in RPG IV, 336-337
  - environment values
    - QSPCENV, 149
    - System/36, 410-411, **410**
  - error handling in CL, 315-317
  - error messages
    - CL and, 309
    - data description specifications (DDS) and, 299-300
    - display files and, 299-300
    - printers, error messages (PRTERMSG) and, 193
  - ESCAPE messages in CL, 315-316
  - Ethernet connections, 472, 473-474, **474**
  - EXCEPT, 334
  - EXCLUDE authority, 153
  - EXCPT operation, 422
  - Execute Subroutine (EXSR) in RPG IV, 336
  - Execution Environment (S/36E), 401-412
  - external interference, 6
- F**
- Factors 1 and 2 in RPG IV, 332, 337-338
  - field name limits in RPG IV, 324
  - File Authority (PRTPUBAUT), 178
  - File Description specification in RPG IV, 326, 327
  - file name length limits
    - AS/400, 403
    - RPG IV, 324
  - file transfer protocol (FTP), 478
  - // FILELIB procedure, 416

## INDEX

- files, 247, 255-274
    - Add Logical File Member (ADDLFM) for, 262
    - Add Physical File Member (ADDPFM) for, 259
    - CHAIN, 333
    - Change Physical File (CHGPF) for, 259
    - CL and, 320
    - classification of, 255-256
    - Clear Physical File Member (CLRPFM) for, 259
    - constant fields in, 266
    - Copy File (CPYF) for, 260
    - Create Display File (CRTDSPF) for, 266-267
    - Create Logical File (CRTLF) for, 262, 285, 344
    - Create Physical File (CRTPF) for, 258, 281
    - Create Printer File (CRTPRTF) for, 267
    - Create Source Physical File (CRSRCPF) for, 260
    - Data Description Specification (DDS) for, 257, 258, 260, 277-306
    - database files in, 258-260
    - Declare File (DCLF) command in, 320-321
    - define-by-reference in, 283-285
    - DELETE, 334
    - Delete File (DLTF) for, 259
    - Delete Override (DLTOVR) for, 272
    - device files, 247, 256
    - Display File Description (DSPFD) for, 256
    - Display File Field Description (DSPFFD) for, 257
    - display files and, 265-266, 295-301
    - Display Physical File Member (DSPPFM) for, 260
    - End Journal Physical File (ENDJRNPF) for, 392
    - EXCEPT, 334
    - indicators to condition fields in, 266
    - join logical files and, 256, 264-265, 288-290
    - journaling files and, 390-391
    - logical files and, 247, 255, 261-265, 285-288, 494
    - members, file members in, 257-258
    - message files and, 256
    - multiformat logical files and, 290-294
    - open data path (ODP) for, 268
    - Override Database File (OVRDBF) for, 270, 272-274
    - Override Printer File (OVRPRTF) for, 271-272
    - overriding, 270-274
    - PDM and, 356, 362, **363**
    - physical files and, 247, 255, 256, 265-266, 301-306, 495
    - READ for, 333
    - READE for, 333
    - READP for, 333
    - READPE for, 333
    - Receive File (RCVF) in, 321
    - record formats for, 256-257, 260, 266
    - Remove Member (RMVM) for, 259, 262
    - Reorganize Physical File Member (RGZPFM) for, 259
    - Screen Design Aid (SDA) for display files and, 267
    - Send File (SNDF) in, 321
    - Send/Receive File (SNDRCVF) in, 321
    - sharing, 268-269, 411
    - simple logical files and, 285-288
    - sorting data in, 341-353
    - source files and, 247, 260-261
    - Start Journal Physical File (STRJRNPF) for, 391
    - storing deleted files in cache using, 411
    - UPDATE for, 333
    - Work with Members using PDM (WRKMBRPDM) for, 356, 362, **363**
    - WRITE for, 333
  - fire prevention, 6
  - firewalls, 470, 480-481, 493
  - fixed format of RPG IV, 328-329
  - ?FLIB?, 419
  - flooring of computer room, 5-6
  - Folder Authority (PRTPUBAUT), 179
  - folders, 248
  - Format Data (FMTDTA), 342, 349-353
  - format selector program, multiformat logical files, 293-294
  - forward recovery, 393-395, **394**
  - FREE in RPG II, 422
  - free form expressions in RPG IV, 324
  - freeze up of system, 428
  - function keys, 124-125
    - data description specifications (DDS) and, 295-296
    - PDM and, 364-365
    - SEU and, 373-375
- ## G
- General Purpose Library (QGPL), 237
  - global MONMSG, CL and, 317
  - GO ASSIST to start Operational Assistant (OA), 86
  - GO, 116-117
  - GOTO
    - CL and, 313-314
    - RPG IV and, 338
  - Grant Object Authority (GTROBJAUT), 190
  - group profiles, 161-162

**H**

hackers, 470, 493  
hardware installation, 7-8  
Header specification, RPG IV, 326, 327  
help, 126-129, 493  
    command help, 124  
    Documentation and Problem Handling (USERHELP) menu for, 100-101, **100**  
    Operational Assistant (OA), 99-101, **99, 100**  
    QHLPYSYS, 237  
    search index for, 127-129, **127, 128, 129**  
    Support and Education menu for, 126, **126**  
    system help, 126-129  
    Technical Support (TECHHELP) menu for, 99-100, **99**  
HIPER PTF, 458  
history logs, deletion of, 205  
Hold Output Queue (HLDOUTQ), 53  
Hold Spool File (HLDSPLF), 60  
Hold Writer (HLDWTR), 62  
HTTP Server, 478  
hypertext, 470  
hypertext markup language (HTML), 470, 493

**I**

IBM Software Service, reporting problems to, 457  
IBM technical assistance with installation, 7-8  
IBMLink, ECS and, 436-437  
IF  
    CL and, 312-313  
    RPG IV, 334  
    System/36, 419  
IF/ELSE/ENDIF operation in RPG IV, 334  
*ILE COBOL for AS/400 Reference*, 215  
*ILE RPG for AS/400 Programmers Guide*, 217  
*ILE RPG for AS/400 Reference*, 216  
*ILE/C/400 Migration Guide for System C/400 PRPQ Users*, 214  
incremental backups, 73  
indicators in RPG IV, 329-330  
individual PTF, 458, 462  
INFO Menu in Operational Assistant (OA), 93-94, **93**  
initial program load (IPL)  
    attended, 18  
    unattended, 17-18, 201  
initial library list (INLLIBL), 170  
Initial Program Load (IPL), 493  
Initialize Tape (INZTAP), 68-69  
Input specification for RPG IV, 326, 327

input-validation for display files, 297-298  
inquiry messages, 105-106  
installation, xxviii, installation, 1-13  
    air-conditioning for, 4-5  
    allowing sign-on after, 13  
    cabling for, 6  
    computer room layout and requirements for, 3-7  
    device descriptions for, 10-11  
    display station, 9  
    Electronic Customer Support (ECS) for, 5  
    external interference and, 6  
    fire prevention and, 6  
    flooring of computer room and, 5-6  
    hardware, 7-8  
    IBM technician for, 7-8  
    making system available to users after, 12-13  
    passwords and, 11-12  
    peripheral, 8  
    physical space required for, 3-7  
    power supply requirements for, 4  
    printer, 9  
    PTF, 461  
    security for, 5, 9  
    security levels for, 9-10  
    software, 8  
    subsystem descriptions and, 12  
    telephone lines for, 5  
    user profiles for, 11-12  
    Work with Configuration Status (WRKCFGSTS) for, 13  
Integrated Language Environment (ILE), 249, 485-489  
    activation groups in, 487-488  
    call-by-copy of programs and modules in, 486-487  
    calling programs and modules in, 486-487  
    Create Program (CRTPGM) in, 486  
    Create Program Module (CRTRPGMOD) in, 486  
    modules in, 486  
    Original Program Model (OPG) programs in, 487-488  
    RPG IV, 324  
    service programs in, 487  
interactive jobs, 493  
    AS/400, 403  
    QASTLVL and, 148-149  
    QATNPGM and, 149  
    QINTER subsystem and, 46, 48-49  
    QPRTKEYFMT and, 149  
    QSPCENV and, 149  
    system values for, 148-149  
    System/36, 403

## INDEX

- interference, 6
  - Internet applications, xxx, 469-483
    - Add TCP/IP Host Table Entry (ADDTCHTHE) for, 476-477, **477**
    - Add TCP/IP Interface (ADDTCPIFC) for, 475
    - bandwidth for, 473
    - browsers for, 472, 498
    - Change TCP/IP Domain (CHGTCPDMN) for, 476
    - Client Access for, 473
    - clients for, 471
    - configuration information for TCP/IP, 478
    - connecting to Internet for, 472-473
    - Connectivity Utilities/400 for, 472
    - Create Line Ethernet (CRTLINETH) for, 473-474, **474**
    - defining TCP/IP route for, 475-476
    - domain names for, 476
    - e-business and, 482
    - e-mail and, 472, 478
    - Ethernet connections for, 472, 473-474, **474**
    - file transfer protocol (FTP) and, 478
    - firewalls for, 470, 480-481, 493
    - hackers and, 470
    - HTTP Server for, 478
    - hypertext in, 470
    - hypertext markup language (HTML) for, 470, 493
    - Internet defined for, 471, 493
    - Internet Service Providers (ISP) for, 471, 473, 493
    - intranets and, 471, 494
    - IP addresses for, 471
    - IP datagrams and, 471
    - Line Printer Daemon (LPD) for, 478
    - Line Printer Request (LPR) for, 478
    - naming conventions for, 471
    - Net.Commerce for, 482
    - Net.Data for, 481-482
    - packets and, 471
    - routers for, 472
    - security and, 470, 479-481
    - servers for, 471
    - Simple Mail Transfer Protocol (SMTP) and, 472, 478
    - Start Host Server (STRHOSTSVR) for, 477
    - Start TCP/IP (STRTCP) for, 477
    - TCP/IP and, 469, 472, 473-478, 497
    - Telnet and, 478
    - terminology of, 470-472
    - Token Ring connections for, 472
    - Web page/web site development for, 481-482
    - Web sites to visit for help with, 482
    - World Wide Web and, 472, 498
  - Internet Service Providers (ISP), 471, 473, 493
  - intranets, 471, 494
  - IOSYSCFG authority, 155
  - IP addresses, 471
  - IP datagrams, Internet applications, 471
  - Iterate (ITER) in RPG IV, 336
- ## J
- Job And Output Queue authority, 179
  - Job Description Authority, 179
  - job and job descriptions, 169-171, 248, 494
    - activation groups for, 487-488
    - AS/400, 403-404
    - benefits of using, 170
    - Create Job Description (CRTJOBDD) for, 171
    - Delete Job Description (DLTJOBDD) for, 171
    - Display Job description (DSPJOBDD) for, 171
    - initial library list (INLLIBL) for, 170
    - interactive, 493
    - Job And Output Queue Authority for, 179
    - Job Description Authority for, 179
    - job queues (JOBQ) for, 169, 248, 494
    - maintaining, 171
    - message logging (LOG) for, 170
    - naming in, 171
    - output queues (OUTQ) for, 170
    - printing and, 196
    - QDSCJOBITV system value for, 141, 147
    - QTEMP and, 245
    - Retrieve Job Attributes (RTVJOBDA) for, 319
    - Submit Job (SBMJOB) for, 169, 245
    - System/36, 403-404
    - Work with Job Description (WRKJOBDD) for, 171
  - job logs, 37-40, 494
    - Change Job (CHGJOB) for, 39-40
    - Display Job Log (DSPJOBLOG) for, 37-39, **38**
    - printing, 39
  - job queues, 169, 248, 494
    - Add Job Queue Entry (ADDJOBQE) for, 50
    - Submit Job (SBMJOB) for, 169
  - JOBCTL authority, 155
  - join logical files, 256, 264-265
    - data description specifications (DDS) and, 288-290
    - example of, 288-290
    - keys and keywords for, 289-290
    - three-file join in, 290
  - journal and journal receivers, 248, 389-398, 494
    - Audit Journal Entries (DSPAUDJRNE) for, 177
    - backward recovery using, 395, **395**
    - Change Journal (CHGJRN) for, 393

Delete Journal Receiver (DLTJRNRCV) for, 393  
 Display Journal (DSPJRN) for, 392  
 End Journal Physical File (ENDJRNPF) for, 392  
 forward recovery using, 393-395, **394**  
 journaling files, 390-391, 391  
 maintaining journal receivers, 392-393  
 recovery from journals in, 393  
 Save Changed Object (SAVCHGOBJ) for, 391-392  
 Send Journal Entry (SNDJRNE) for, 392  
 Start Journal Physical File (STRJRNPF) for, 391

**K**

keyboards, troubleshooting, 429

**L**

LEAVE in RPG IV, 336  
 length in A-specs, 280  
 libraries, 234, 235-241, 248, 494  
   Add Library List Entry (ADDLIBL) for, 253  
   AS/400, 402, 404  
   automatic deletion of QTEMP in, 244  
   Change Library List (CHGLIBL) for, 253  
   Change System Library List (CHGSYSLBL) for, 253  
   cleaning out items from, 206  
   Create Library (CRTLIB) in, 235, 240-241  
   current libraries in, 251  
   data areas in, 253-254  
   Delete Library (DLTLIB) for, 206, 235, 242-243  
   Delete Licensed Program (DLTLICPGM) for, 242-244, **243**  
   Display Library (DSPLIB) for, 241  
   Edit Library List (EDTLIBL) for, 253  
   // FILELIB procedure for, 416  
   Library Authority (PRTPUBAUT) for, 179  
   library lists for, 251-254, **251**  
   naming, 235  
   New Procedure (FLIB) command for, 415-416  
   output queue for, 188  
   PDM and, 356, 357-359, **358**  
   #LIBRARY, 239  
   privacy of QTEMP, 244  
   product libraries and, 238, 251  
   QDOC, 238  
   QGPL, 237  
   QHLPYSYS, 237  
   QPDA, 238  
   QRPG, 238  
   QRPG38, 238

QS36ENV, 250  
 QS36F, 239  
 QSPL, 237  
 QSSP (S/36) library, 239  
 QSYS in, 236  
 QSYS38, 238  
 QTEMP, 244-245  
 QUSRSYS, 237  
 Remove Library List Entry (RMVLIBLE) for, 253  
 Restore Document Library (RSTDLO) for, 80-81  
 Restore Library (RSTLIB) for, 78-79, 236  
 Restore Object (RSTOBJ) for, 236  
 Save Change Objects (SAVCHGOBJ) for, 236  
 Save Library (SAVLIB) for, 71-72, 236  
 Save Object (SAVOBJ) for, 236  
 saving access paths to, 72  
 special environment, 238-239  
 system portion (QSYSLIBL) of library list in, 252  
 System/36, 402, 404, 410-411, 415-416  
 use of, 253-254  
 user libraries, 239-241  
 user portion (QUSRLIBL) of library list in, 253  
 Work with Libraries (WRKLIB) for, 239  
 Work with Libraries using PDM (WRKLIBPDM) for, 239, 356, 357-359, **358**  
 Work with Objects (WRKOBJ) for, 241-242  
 Work with Objects using PDM (WRKOBJPDM) for, 241-242  
 Library Authority (PRTPUBAUT), 179  
 library lists, 251-254, **251**, 494  
   Add Library List Entry (ADDLIBL) for, 253  
   Change Library List (CHGLIBL) for, 253  
   Change System Library List (CHGSYSLBL) for, 253  
   current libraries in, 251  
   Edit Library List (EDTLIBL) for, 253  
   initial library list (INLLIBL) for, 170  
   product libraries in, 251  
   QSYSLIBL for, 144  
   QUSRLIBL for, 145  
   Remove Library List Entry (RMVLIBLE) for, 253  
   system portion (QSYSLIBL) of, 252  
   system values for, 144-145  
   user portion (QUSRLIBL) of, 253  
 #LIBRARY, 239, 250  
 line descriptions, 249  
 Line Printer Daemon (LPD), 478  
 Line Printer Request (LPR), 478  
 Load PTF (LODPTF), 229  
 locking during save-while-active in backup and restore, 75

## INDEX

---

logical files, 247, 255, 261-265, 494  
  Add Logical File Member (ADDLFM) for, 262  
  Create Logical File (CRTLF) for, 262, 285, 344  
  data description specifications (DDS) for, 285-290  
  defining another key using DDS in, 285-286  
  join logical files, 264-265  
  multiformat logical files, 290-294  
  omitting records using DDS in, 286-288  
  Remove Member (RMVM) for, 262  
  selecting records using DDS in, 286-288  
  simple, 261-263, 285-288  
  sorting data with, 342-345  
  uses for, 263  
logical variables in CL, 310  
logs, message logging (LOG), 170

## M

maintenance, 199-207  
  CLEANUP menu of Operational Assistant (OA)  
    for, 207, 207  
  compression for, 206-207  
  DASD saving techniques in, 203-207  
  database record cleanup for, 206  
  Display System Status (DSPPSYSTS) for, 204  
  electrical work in, 199  
  history log deletion in, 205  
  IBM vs. third-party providers of, 200  
  initial program load (IPL) in, 201-202  
  library cleanup for, 206  
  library deletion for, 206  
  maintenance agreements for, 200-201, 494  
  mechanical work in, 199  
  monitoring available space in, 204  
  problem log deletion in, 206  
  program temporary fix (PTF), permanent  
    installation of, 206  
  Reclaim Documents (RCLDLO) for, 203, 205  
  Reclaim Spool Storage (RCLSPLSTG) for, 205  
  Reclaim Storage (RCLSTG) for, 202-203, 205  
  recovering disk space for, 205  
  Reorganize Physical File Member (RGZPFM) for,  
    206  
  spool file deletion for, 206  
  technicians for, 199  
  unattended IPLs for, 201  
  Work with System Status (WRKSYSSTS) for, 204  
maintenance agreements, 200-201 494  
MANAGESYS menu for Operational Assistant (OA),  
  87, 94-95, **94**  
manuals, 209-219

  online, 210-214, **210-214**  
  operations and administration, 217-218  
  printed, identification code for, 209  
  programming, 214-217  
media exchange between AS/400 and S/36 for backup  
  and restore, 84  
members, file members, 257-258  
memory, Reclaim Storage (RCLSTG), 202-203, 205  
menus, 249, 495  
  Screen Design Aid (SDA) for, 375-388  
  System/36, 405  
message files, 249, 256  
message queue (MSGQ), 249, 495  
  printing and, 191-193  
  QSYSOPR, 30, 192  
  replying to messages in, 31-33  
  user profiles and, 160  
messages, 495  
  printer, 63-65  
  QINQCTMSGQ system value for, 141  
  user, 103-111  
message logging (LOG), 170  
modules, 249  
  ILE and, 486  
  RPG IV and, 325-328  
Monitor Messages (MONMSG), 309  
  CL and, 316-317  
  global, 317  
mounting tapes for backup and restore, 68  
?MSGID?, 419  
multiformat logical files  
  data description specifications (DDS) and, 290-294  
  example of, 291-292, **291, 292**  
  format selector program for, 293-294  
  use of, 292-293

## N

naming conventions  
  AS/400, 403  
  Internet applications, 471  
  RPG IV, 329  
  System/36, 403  
nested prompting for commands, 125, **125**  
Net.Commerce, 482  
Net.Data, 481-482  
New Procedure (FLIB) command, 415-416  
NOT, CL and, 313

**O**

- object authority, 179, 480
- objects, 234, 245-250
  - adopting, 177
  - AS/400, 402
  - asterisk identifier of, 245
  - authorities for, 152-143
  - authorization lists as, 246
  - Check Object Integrity (CHKOBJITG) as, 186
  - commands as, 246
  - controller descriptions and, 246
  - data areas as, 246
  - data queues as, 247
  - device descriptions as, 246
  - documents and, 246
  - Edit Object Authority (EDTOBJAUT) as, 190
  - files and, 247
  - folders and, 248
  - Grant Object Authority (GTROBJAUT) as, 190
  - job description as, 248
  - job queues as, 248
  - journal and journal receivers as, 248
  - libraries as, 248
  - line descriptions as, 249
  - menus as, 249
  - message files as, 249
  - message queues as, 249
  - modules as, 249
  - object authority for, 179, 480
  - output queues as, 249
  - panel groups as, 250
  - PDM and, 356, 359-361, **360, 361**
  - programs as, 250
  - Rename Object (RNMOBJ) for, 11
  - Restore Object (RSTOBJ) for, 80
  - Revoke Object Authority (RVKOBJAUT) for, 190
  - Revoke Public Authority to, 183-186
  - S/36 machine descriptions as, 250
  - Save Changed Object (SAVCHGOBJ) for, 73-74, 391-392
  - Save Document Library Objects (SAVDLO) for, 238
  - Save Object (SAVOBJ) for, 72-73
  - service programs as, 250
  - subsystem descriptions as, 250
  - System/36, 402
  - user profiles as, 250
  - Work with Objects (WRKOBJ) for, 241-242
  - Work with Objects using PDM (WRKOBJPDM) for, 241-241, 356, 359-361, **360, 361**
- online manuals, 210-214, **210-214**
- ONLINE setting for printers, 191
- op codes
  - RPG II, 422
  - RPG IV, 332
- open data path (ODP), 268
- Open Query File (OPNQRFY), 342, 343
  - QRYSLT parameter in CL programs and, 347-348
  - selecting and omitting files using, 346-347
  - sorting data with, 345-349
  - sorting records using, 345-346
- operation control language (OCL), System/36, 413-414
- operation extenders in RPG IV, 333
- Operational Assistant (OA), 41, 85-101, 495
  - accessing of, 86
  - ASSIST main menu for, 86-87
  - Attention key for, 86
  - BACKUP menu for, 88, **88**
  - call a program with, 87
  - Change Password (CHGPWD) and, 87
  - CLEANUP menu for, 89, **89**, 207, **207**, 456
  - Communications Configuration (CMNCFG) for, 90, **90**
  - Device Status (DEVICESTS) menu for, 90-91, **91**
  - Disconnect Job (DSCJOB) for, 87
  - Disk Space (DISKTASKS) menu for, 92, **92**
  - Documentation and Problem Handling (USERHELP) menu for, 100-101, **100**
  - GO ASSIST to start, 86
  - MANAGESYS menu for, 87
  - menus for, 86
  - options (INFO) menu for, 93-94, **93**
  - POWER menu for, 95-96, **95**
  - power up/power down with, 148, 202
  - Run Backup (RUNBCKUP) menu for, 96-97, **96**
  - Set Up Backup (SETUPBCKUP) menu for, 98-99, **98**
  - SETUP menu for, 87, 97-98, **97**
  - starting up of, 86
  - System Management (MANAGESYS) menu for, 94-95, **94**
  - Technical Support (TECHHELP) menu for, 99-100, **99**
  - USERHELP menu for, 87
  - Work with Messages (WRKMSG) and, 87
  - Work with Spool Files (WRKSLPF) and, 87
  - Work with User Job (WRKUSRJOB) and, 87
- operations and administration manuals, 217-218
- OR
  - CL and, 313

## INDEX

OR, *continued*  
data description specifications (DDS), 279  
RPG IV, 334  
Original Program Model (OPM) and RPG IV, 324,  
487-488  
OS/400 installation, 8  
*OS/400 Backup and Recovery*, 217  
*OS/400 CL Programming*, 215  
*OS/400 CL Reference*, 217  
*OS/400 DB2 for AS/400 Database Programming*, 215  
*OS/400 DDS Reference*, 215  
*OS/400 Printer Device Programming*, 216  
*OS/400 Security Reference*, 218  
*OS/400 Work Management*, 218  
OTHER in RPG IV, 336-337  
output queues (OUTQ), 51-53, 170, 171-174,  
187-190, 249, 495  
assigning users to, 173-174, **173**  
Change Output Queue (CHGOUTQ) for, 173, 189  
contents of, 52  
Create Device Printer (CRTDEVPRT) for, 187-188  
Create Output Queue (CRTOUTQ) for, 172-173,  
189  
Delete Output Queue (DLTOUTQ) for, 173  
Edit Object Authority (EDTOBJAUT) for, 190  
Grant Object Authority (GTROBJAUT) for, 190  
Hold Output Queue (HLDOUTQ) for, 53  
Job And Output Queue Authority, 179  
libraries for, 188  
maintaining, 172-173  
naming, 172, 188  
pre-assigned, 172  
printing and, 196, 197  
public authority to, 190  
QPRINT, 172, 187  
Release Output Queue (RLSOUTQ) for, 53  
Revoke Object Authority (RVKOBJAUT) for, 190  
security for, 189-190  
user profiles and, 160  
Work with Output Queue (WRKOUTQ) for, 52,  
**52, 53, 55**  
Work with Output Queue Description  
(WRKOUTQD) for, 173  
workstations and, 193-194  
Output specification, RPG IV, 326, 328  
Override Database File (OVRDBF), 270, 272-274  
Override Printer File (OVRPRTF), 271-272  
overrides, 270-274  
accumulation of, 271  
commands for, 270  
Delete Override (DLTOVR) for, 272

Override Database File (OVRDBF) for, 270,  
272-274  
Override Printer File (OVRPRTF) for, 271-272  
printing and, 196  
scope of, 270-271  
tips for safe use of, 271-272

## P

packets, Internet applications, 471  
panel groups, 250  
panels, Screen Design Aid (SDA), 375-388  
parameters, CL, 307-308  
PARM  
RPG II, 422  
RPG IV, 336  
passwords, 11, 495  
Analyze Default Password (ANZDFTPWD) for,  
174, 480  
QPWDLMTAJC password system value for, 142  
QPWDLMTCHR password system value for, 142  
QPWDLMTREP password system value for, 142  
QPWDMAXLEN password system value for, 142  
QPWDMINLEN password system value for, 142  
QPWDPOSDIF password system value for, 142  
QPWDRQDDGT password system value for, 143  
QPWDRQDDIF password system value for, 143  
QPWDLVDPGM password system value for, 143  
QPWEXPITV password system value for, 142  
system values for, 142-143  
user profiles and, 159  
peripheral installation, 8  
permanent application of PTF, 463-464  
physical files, 247, 255, 256, 495  
Create Physical File (CRTPF) for, 281  
Create Source Physical File (CRSRCPF) for, 21  
data description specifications (DDS) and, 281-285  
define-by-reference in, 283-285  
End Journal Physical File (ENDJRNPf) for, 392  
Reorganize Physical File Member (RGZPFM) for,  
206  
sorting data with, 342  
Start Journal Physical File (STRJRNPf) for, 391  
physical space required for installation, 3-7  
PLIST, RPG II, 422  
Power Down System (PWRDWN SYS), 25  
power failures, 427-428  
power supply, 4  
power up/power down, 17-27  
announcing power-down, 23-25  
attended IPL, 18

- automatic power schedule for, 25-27, **26**
- End Subsystem (ENDSBS) command for, 24-25
- ending subsystems in, 22-25
- initial program load (IPL) and, 17, 201-202, 493
- Operational Assistant (OA) and, 95-96, **95**, 148, 202
- Power Down System (PWRDWNSYS) command for, 25
- power failures and, 427-428
- power-down process for, 25
- QCTLSBSD and, 147
- QIPLDATTIM and, 147
- QPWRDWNLMT and, 148
- QSTRUPPGM and, 148
- Send Break Message (SNDBRKMSG) to announce, 23
- start-up program for, 18-22
- system values for, 147-148
- unattended IPLs, 17-18, 201-202
- uninterruptible power supplies (UPS) and, 427-428
- Print Device Address (PRTDEVADR), 168
- PRINT keyword, 296
- Print Profile Internals (PRTPRFINT), 175
- Print System Security Attributes (PRTSYSSECA), 480
- printer device (PRTDEV), printing and, 196, 197
- printer file (PRTFILE), 194-195, 196, 265-266, 267-268, 301-306
  - constant fields in, 266
  - Create Printer File (CRTPRTF) for, 267
  - Data Description Specification (DDS) for, 268, 301-306
  - indicators to condition fields in, 266
  - keywords in, 304-305
  - Override Printer File (OVRPRTF) for, 271-272
  - record formats in, 266
  - Report Layout Utility (RLU) for, 268
  - RPG IV code for, 305-306, **305**
  - sample report from, 302-305, **303-304**
  - use of, 305-306
- printer writers, 495
- printer
  - installation, 9
  - message queues for, 167
- printing, 51-65, 187-197
  - assigning printer to user in, 193
  - automatic message display in, 64-65
  - Change Output Queue (CHGOUTQ) for, 189
  - Change Spool File Attributes (CHGSPLFA) for, 54-56
  - Change Spooled File (CHGSPLF) for, **58**, 59
  - Change Writer (CHGWTR) for, 62-63
  - changing a report for, 57-59
  - control printed output in, 53-60
  - Create Device Printer (CRTDEVPRT) for, 61, 187-188
  - Create Output Queue (CRTOUTQ) for, 189
  - Create Printer File (CRTPRTF) for, 267
  - creating printer writers for, 61
  - Delete Spool File (DLTSPLF) for, 59-60, **59**
  - deleting a report for, 59-60
  - display a report for, 56-57
  - Display Message (DSPMSG) for, 63
  - Display Spooled File (DSPSPLF) for, 56-57, **56**
  - Edit Object Authority (EDTOBJAUT) for, 190
  - End Printer Writer (ENDWTR) for, 62
  - error messages (PRTERMSG) for, 193
  - Grant Object Authority (GTROBJAUT) for, 190
  - Hold Spool File (HLDSPLF) for, 60
  - Hold Writer (HLDWTR) for, 62
  - holding a job for, 60
  - job description in, 196
  - jobs in, 196
  - Line Printer Daemon (LPD) and, 478
  - Line Printer Request (LPR) and, 478
  - managing printers and, 167
  - message queue (MSGQ) for, 191-193
  - ONLINE setting for printers in, 191
  - output queues for, 171-174, 187-190, 193-194, 196, 197
  - Override Printer File (OVRPRTF) for, 271-272
  - overriding settings in, 63, 196
  - path for settings in, 195-197
  - Print Profile Internals (PRTPRFINT) for, 175
  - Print System Security Attributes (PRTSYSSECA) for, 480
  - printer device (PRTDEV) and, 193-194, 196, 197
  - printer files (PRTFILE) for, 194-195, 196, 265-266, 267-268, 301-306
  - printer message queues for, 63-64, **64**
  - printer settings for, 191
  - printer writer control for, 61-65
  - printer writers for, 495
  - QPRINT output queue for, 187
  - QPRTDEV for, 147
  - QPRTKEYFMT for, 149
  - QSPL for, 237
  - QSTRPRTWTR unchangeable value for, 146
  - QSYSPRT for, 194-195
  - Reclaim Spool Storage (RCLSPLSTG) for, 205
  - redirect to specific printer while, 54-56
  - Release Spool File (RLSSPLF) for, 60

## INDEX

### printing, *continued*

- Release Writer (RLSWTR) for, 62, 308
  - releasing a job for, 60
  - replying to printer messages in, 63-65
  - Report Layout Utility (RLU) for, 268
  - restarting a report for, 60
  - Revoke Object Authority (RVKOBJAUT) for, 190
  - security for, 167-168, 189-190
  - spool files in, 497
  - Start Printer Writer (STRPRTWTR) for, 61, 308
  - system values in, 197
  - troubleshooting printers for, 430
  - user profiles in, 196
  - Work with Output Queue (WRKOUTQ) for, 54, 55
  - Work with Spool Files (WRKSPLF) for, 54
  - Work with User Jobs (WRKUSRJOB) for, 55
  - workstation settings for, 193-195, 197
- private authority, 153, 179, 495
- problem logs, 455-456
- CLEANUP menu of Operational Assistant (OA) for, 456
  - Delete Problem (DLTPRB) for, 456
  - deletion of, 206
  - Work with Problems (WRKPRB) and, 206, 455-456
- Procedure boundaries, RPG IV, 328
- procedures, System/36, 405
- product libraries, 238, 251
- Program (PGM) command, 309
- Program Authority, 179
- Program Development Manager (PDM), 238, 355-365, 495
- batch jobs in, 364
  - current library defaults for, 364
  - customizing or changing defaults in, 363-365, **364**
  - full-screen mode options for, 364-365
  - function keys in, 364-365
  - main menu of, 356, **356**
  - Start PDM (STRPDM) for, 356
  - starting SDA from, 376
  - starting SEU from PDM, 365
  - type and text options, 364
  - Work with Libraries using PDM (WRKLIBPDM), 239, 356, 357-359, **358**
  - Work with Members using PDM (WRKMBRPDM), 356, 362, **363**
  - Work with Objects using PDM (WRKOBJPDM), 241-242, 356, 359-361, **360, 361**
- program temporary fix (PTF), 457-465, 496
- Apply PTF (APYPTF), 228
  - cover letters for, 459, 462
  - cumulative, 224, 229, 458, 461-462
  - DASD storage of, 234
  - determining identification number of, 460
  - Display PTF (DSPPTF), 462-463, **463**
  - ECS and, 442
  - HIPER, 458
  - individual, 458, 462
  - installation of, 461
  - Load PTF (LODPTF) for, 229
  - permanent application of, 206, 463-464
  - Remove PTF (RMVPTF) for, 465
  - reporting problems and, 457
  - requesting, 459-460
  - Send PTF Order (SNDPTFORD) for, 442, 459
  - temporary application of, 229, 463-464
  - upgrading to new releases, 224
- programming
- manuals for, 214-217
  - QPDA library, 238
  - QRPG library, 238
  - QRPG38, 238
  - System/36, 413-424
- Programming Development Manager*, 216
- programs, 250, 495
- public authority, 154, 190, 496
- system values and, 139-140

## Q

- QABNORMSW unchangeable value, 145
- QASTLVL, 148-149
- QATNPGM, 149
- QAUTOCFG, 146
- QBASE subsystem, 12, 43-45
  - Work with Subsystem Jobs (WRKSBSJOB) for, 44
- QBATCH subsystem, 46-47
- QCMDEXC API, 308
- QCONSOLE unchangeable value, 146
- QCPFMSG, 249
- QCTL subsystem, 45
- QCTLSBSD, 147
- QCURSYM cursor value, 138
- QDATE system date value, 136-137
- QDATFMT system date value, 136
- QDECFMT decimal-format value, 138
- QDEVNAMING, 146-147
- QDOC, 238, 246
  - Reclaim Documents (RCLDLO) for, 203, 205
  - Restore Document Library (RSTDLO) for, 80-81
  - Restore Document Library Objects (RSTDLO) for, 238

- Save Document Library Objects (SAVDLO) for, 76-77, 238
  - QDSCJOBITV system value, 141
  - QDSPSGNINF sign-on control system value, 143
  - QGPL, 237
  - QHLPYSYS, 237
  - QHST system log, 40-41
    - deleting files from, 41, 206
    - Display Log (DSPLOG) for, 40-41, **40**
  - QINACTITV system value, 140-141
  - QINQCTMSGQ system value, 141
  - QINTER subsystem, 46 48-49
  - QIPLDATTIM, 147
  - QIPLSTS unchangeable value, 145
  - QLEAPADJ system date value, 136
  - QLMTDEVSSN sign-on control system value, 143
  - QLMTSECOFR sign-on control system value, 143
  - QMAXSGNACN sign-on control system value, 144
  - QMAXSIGN sign-on control system value, 144
  - QMODEL unchangeable value, 145
  - QPDA, 238
  - QPGMR subsystems, 47
  - QPRINT output queue, 187
  - QPRTDEV, 147, 197
  - QPRTKEYFMT, 149
  - QPWDLMTAJC password system value, 142
  - QPWDLMTCHR password system value, 142
  - QPWDLMTREP password system value, 142
  - QPWDMAXLEN password system value, 142
  - QPWDMINLEN password system value, 142
  - QPWDPOSDIF password system value, 142
  - QPWDRQDDGT password system value, 143
  - QPWDRQDDIF password system value, 143
  - QPWDVLDPGM password system value, 143
  - QPWEXPITV password system value, 142
  - QPWRDWNLMT, 148
  - QRP, 238
  - QRP38, 238
  - QRYSLT parameter for OPNQRFY sorts, 347-348
  - QS36ENV, 250
  - QS36F, 239
  - QSPCENV, 149
  - QSPL, 237
  - QSRLNBR unchangeable value, 145
  - QSSP (S/36) library, 239
  - QSTRPRTWTR unchangeable value, 146
  - QSTRUPPGM system value, 19, 148
  - QSYS system library, 236, 249
    - creating objects in, 236
    - Delete File (DLTF) from, 236
    - Delete User Profile (DLTUSRPRF) for, 236
    - deleting objects from, 236
    - moving objects into, 236
    - Save System (SAVSYS) for, 236
    - upgrading to new releases, 229
  - QSYS38, 238
  - QSYSLIBL, 144, 252
  - QSYSOPR system operator profile, 30-33, 496
    - Display Message (DSPMSG) command for, 30-32
    - displaying messages for, 30-32
    - getting help with, 33
    - message queue for, 30, 192
    - replying to messages for, 31-33
    - user profile for, 30
  - QSYSVRT, 194-195
  - QTEMP library, 244-245
    - automatic deletion of QTEMP in, 244
    - DASD storage of, 235
    - privacy of QTEMP, 244
    - Submit Job (SBMJOB) and, 245
  - QTIME system time value, 137
  - QTIMESEP system time value, 137
  - queues
    - printer message queues, 63-64, **64**
    - QINQCTMSGQ system value for, 141
  - QUSRLIBL, 145, 253
  - QUSRSYS, 237
- ## R
- READ, 333, 422, 423
  - READE, 333
  - READP, 333
  - READPE, 333
  - Receive File (RCVF), 321
  - Reclaim Documents (RCLDLO), 203, 205
  - Reclaim Spool Storage (RCLSPLSTG), 205
  - Reclaim Storage (RCLSTG), 202-203, 205, 235
  - record formats, 256-257, 260, 266
    - data description specifications (DDS) and, 295
  - recovery (*see* backup and recovery)
  - recovery from journals, 393
  - reference, define-by-reference in, 283-285
  - Release Output Queue (RLSOUTQ), 53
  - Release Spool File (RLSSPLF), 60
  - Release Writer (RLSWTR), 62, 308
  - Remove Library List Entry (RMVLIBLE), 253
  - Remove Member (RMVM), 259, 262
  - Remove PTF (RMVPTF), 465
  - Rename Member (RNMM), 259
  - Rename Object (RNMOBJ), 11

## INDEX

---

- Reorganize Physical File Member (RGZPFM), 206, 259
- Report Layout Utility, 216
- Report Layout Utility (RLU), 268
- Report Program Generator (*see* RPG)
- reporting problems, 443-456
  - Analyze Problem (ANZPRB) for, 443-455, **443-455**
- Restore Configuration (RSTCFG), 81
- Restore Document Library (RSTDLO), 80-81
- Restore document Library Objects (RSTDLO), 238
- Restore Library (RSTLIB), 78-79, 236
- Restore Object (RSTOBJ), 80, 236
- restricted state, 496
- Retrieve Data area (RTVDTAARA), 318
- Retrieve Job Attributes (RTVJOBA), 319
- Retrieve System Value (RTVSYSVAL), 319
- Retrieve User Profile (RTVUSRPRF), 320
- RETURN command in CL, 315
- Revoke Object Authority (RVKOBJAUT), 190
- Revoke Public Authority to objects, 183-186
- REXX/400 Programmers Guide*, 216
- ROLLBACK operations, 397
- routers for Internet applications, 472
- RPG cycle, 331
- RPG II, 323
  - AS/400 and, 419-424
    - compiling programs in, 420
    - Create S/36E Auto Report Program (CRTS36RPT) for, 420
    - Create S/36E Program (CRTS36RPG) for, 420
    - EXCPT operation in, 422
    - fields in, 421
    - files with several record types in, 420-421
    - limitations to, 423-424
    - op codes in, 422
    - READ operation in, 422, 423
    - SETLL operation in, 422
    - System/36 and, 419-424
    - unsupported features in, 421
- RPG III, 323
- RPG IV, 323-339
  - AND in, 334
  - built-in functions (BIF) in, 324
  - CABxx in, 338
  - Calculation specification in, 326, 327
  - CALL in, 336
  - CHAIN in, 333
  - comments of C-specs in, 333
  - Compare (COMP) in, 337-338
  - conditioning indicators of C-specs in, 332
  - control level indicator of C-specs in, 332
  - C-specs for, 331-333
  - cycle, the RPG cycle, 331
  - data types in, 324
  - Definition specification in, 326, 327
  - DELETE in, 334
  - development and evolution of, 323-324
  - Do Until (DOU) in, 335-336
  - Do While (DOW) in, 335-336
  - DO/ENDDO in, 335-336
  - ENDSL in, 336-337
  - EXCEPT in, 334
  - Execute Subroutine (EXSR) in, 336
  - Factor of C-specs in, 332
  - Factors 1 and 2 in, 337-338
  - field name limits in, 324
  - File Description specification in, 326, 327
  - file I/O operations in, 333-334
  - file name limits in, 324
  - fixed format of, 328-329
  - free form expressions in, 324
  - GOTO in, 338
  - Header specification in, 326, 327
  - IF/ELSE/ENDIF operation, 334
  - indicators in, 329-330
  - Input specification in, 326, 327
  - Integrated Language Environment (ILE) and, 324
  - Iterate (ITER) in, 336
  - LEAVE in, 336
  - modules in, structure of, 325-328
  - naming conventions in, 329
  - op codes of C-specs in, 332
  - operation extender of C-specs in, 333
  - OR in, 334
  - Original Program Model (OPM) and, 324
  - OTHER in, 336-337
  - Output specification in, 326, 328
  - PARM in, 336
  - printer file using, 305-306, **305**
  - Procedure boundaries in, 328
  - READ in, 333
  - READE in, 333
  - READP in, 333
  - READPE in, 333
  - result field of C-specs in, 332, 333
  - SELECT in, 336
  - Source Entry Utility (SEU) to code, 368-371, **369**, **370**
  - specification ID of C-specs in, 332
  - specifications for, 325
  - structured operations in, 334-337

TAG in, 338  
 unstructured operations to avoid in, 337-338  
 UPDATE in, 333  
 WHENxx in, 336-337  
 WRITE in, 333  
 RPG programming  
   QRPG library, 238  
   QRPG38 for, 238  
 RPG/400, 323  
 Run Backup (RUNBCKUP) menu for Operational Assistant (OA), 96-97, **96**

## S

S/36 machine descriptions, 250  
 Save Change Objects (SAVCHGOBJ), 73-74, 236, 391-392  
 Save Configurations (SAVCFG), 77-78  
 Save Document Library Object (SAVDLO), 76-77, 238  
 save files, 82-83  
   Create Save File (CRTSAVF) for, 83  
 Save Library (SAVLIB), 71-72, 236  
 Save Object (SAVOBJ), 72-73, 236  
 save outage, 75  
 Save System (SAVSYS), 76  
 save-while-active option, 74-76  
 SAVSYS authority, 70, 155  
 Screen Design Aid (SDA), 355, 375-388, 496  
   adding display panels in, 378  
   adding fields in, 378-380, **379, 380**  
   adding records in, 378  
   attributes for fields with, 384, **384**  
   codes for input fields in, 382, **383**  
   display files and, 267  
   display records in, 377, **377**  
   fields in, 386, **386**  
   input/output fields in, 381, **381, 382**  
   keywords for fields with, 384, **385**  
   naming fields with, 383-384, **383**  
   opening screens for, 376-377, **376, 377**  
   records, 386-387, **387**  
   saving display file using, 387-388, **387**  
   Start SDA (STRSDA), 376  
   starting SDA from PDM, 376  
   titles for screens in, 380, **380**  
*Screen Design Aid (SDA)*, 217  
 search index for help, 127-129, **127, 128, 129**  
 SECADM authority, 139, 155  
 security, 5, 9, 151-186  
   adopting objects (PRTADPOBJ) for, 177

ALL, 153  
 Analyze Default Password (ANZDFTPWD) for, 174  
 Analyze Default Passwords (ANZDFTPWD) for, 480  
 Analyze Profile Activity (ANZPRFACT) for, 175  
 Audit Journal Entries (DSPAUDJRNE) for, 177  
 authorities, 151-155  
 Authorization List Authorities (PRTPVTAUT) for, 177  
 authorization lists for, 163-164  
 CHANGE, 153  
 Change Activation Schedule Entry (CHGACTSCDE) for, 175  
 Change Active Profile List (CHGACTPRFL) for, 175  
 Change Expiration Schedule Entry (CHGEXPSCDE) for, 175  
 Change Security Auditing (CHGSECAUD) for, 176  
 Check Object Integrity (CHKOBJITG) for, 186  
 combined authorities, 153  
 Command Authority (PRTPUBAUT) for, 177  
 Communications Security (PRTCMNSEC) for, 177  
 configure system security, 181-183  
 Display Activation Schedule (DSPACTSCD) for, 175  
 Display Active Profile List (DSPACTPRFL) for, 175  
 Display Expiration Schedule (DSPEXPSCD) for, 175  
 Display Security Auditing (DSPSECAUD) for, 176  
 Document Authority (PRTPUBAUT) for, 178  
 EXCLUDE, 153  
 File Authority (PRTPUBAUT) for, 178  
 firewalls for, 480-481, 493  
 Folder Authority (PRTPUBAUT) for, 179  
 GO SECURITY command, 186  
 group profiles and, 161-162  
 Internet applications and, 470, 479-481, 479  
 Job And Output Queue Authority, 179  
 Job Description Authority (PRTJOBDAUT) for, 179  
 Library Authority (PRTPUBAUT) for, 179  
 object authorities and, 152-153, 179, 480  
 output queues and, 189-190  
 password system values for, 142-143  
 passwords, 495  
 Print Profile Internals (PRTPRFINT) for, 175  
 Print System Security Attributes (PRTSYSSECA) for, 480

## INDEX

- security, *continued*
- printing and, 167-168, 189-190
  - private authority and, 153, 179
  - program authority and, 179
  - public authority and, 154
  - QINACTITV system value for, 140-141
  - QINQCTMSGQ system value for, 141
  - Revoke Public Authority to objects for, 183-186
  - security levels for, 9-10, 138-139, 156-157, 479-480
  - sign-on control system values for, 143-144
  - special, 154-155
  - Submit/schedule batch security reports in, 176
  - subsystem authority and, 180
  - system security authority and, 180
  - tools for (SECTOOLS menu) for, 174-186
  - Trigger programs and, 180
  - USE, 153
  - user objects and, 180
  - user profiles and, 157-161, 179, 180
- security levels, 9-10, 138-139, 156-157, 479-480
- SELECT, RPG IV, 336
- Select Command (SLTCMD), 115-116
- Send Break Message (SNDBRKMSG), 23, 108-109
- Send File (SND F), 321
- Send Journal Entry (SNDJRNE), 392
- Send Message (SNDMSG), 41, 103-106
- Send PTF Order (SNDPTFORD), 442, 459
- Send/Receive File (SNDRCVF), 321
- sequence of sort, 343
- servers for Internet applications, 471
- SERVICE authority, 155
- service programs, 250, 487
- service report preparation, 450-452, **450-452**
- sessions, System/36, 404
- Set System Values (SETSYSVAL), 78
- Set Up Backup (SETUPBACKUP) menu for
- Operational Assistant (OA), 98-99, **98**
- SETLL operation, 422
- SETUP menu for Operational Assistant (OA), 87, 97-98, **97**
- sharing files, 268-269
- AS/400, 411
  - disadvantages for, 269
  - open data path (ODP) for, 268
  - SHARE coding files for, 269
  - System/36, 411
- sign-on
- QDSPSGNINF sign-on control system value for, 143
  - QLMTDEVSSN sign-on control system value for, 143
  - QLMTSECOFR sign-on control system value for, 143
  - QMAXSGNACN sign-on control system value for, 144
  - QMAXSIGN sign-on control system value for, 144
  - system value control of, 143-144, 143
- simple logical files, 261-263
- Create Logical File (CRTLF) for, 285
  - data description specifications (DDS) and, 285-288
  - defining another key using DDS in, 285-286
  - omitting records using DDS in, 286-288
  - selecting records using DDS in, 286-288
- Simple Mail Transfer Protocol (SMTP), 472, 478
- single-level store, 233-234
- software installation, 8
- sorting data, 341-353
- Create Logical File (CRTLF) for, 344
  - Format Data (FMTDTA) and, 342, 349-353
  - including and omitting records for, 343
  - logical files for, 342-345
  - Open Query File (OPNQRFY) and, 342, 343, 345-349
  - physical key files for, 342
  - QRYSLT parameter for OPNQRFY sorts, 347-348
  - selecting and omitting files for, 346-347
  - sequence of sort in, 343
- source code
- AS/400, 402-403
  - System/36 in, 402-403
- Source Entry Utility (SEU), 355, 365-375, 496
- Browse/copy options for, 375
  - command entry in, 366
  - command prompter in, 367-368, **367**
  - customizing, 373-375
  - data entry areas in, 366
  - Find/change options for, 374, **374**
  - function keys in, 373-375
  - line commands for, 371-372
  - Roll key customization in, 373-374, **374**
  - RPG IV coding using, 368-371, **369, 370**
  - sample session in, 365-368, **365, 366, 367**
  - SEU====> line, 372-373
  - Start SEU (STRSEU), 365
  - starting SEU from PDM, 365
  - start-up program modification with, 22
  - System/36 use of, 404
  - top-line commands for, 372-373
- Source Entry Utility (SEU)*, 217

- source files, 247, 260-261
  - Create Source Physical File (CRTSRCPF) for, 260
  - Data Description Specification (DDS) for, 260
  - IBM standard, 261
  - naming, 261
  - record formats for, 260
- special authority, 154-155, 497
- SPLCTL authority, 155
- spool files (*see* printing)
- SSP procedures, System/36, 413-414
- Start Commitment Control (STRCMTCTL), 396-397
- Start Host Server (STRHOSTSVR), 477
- Start Journal Physical File (STRJRNPFI), 391
- Start PDM (STRPDM), 356
- Start Printer Writer (STRPRTWTR), 61, 308
- Start S/36 Procedure (STRS36PRC), 405-406
- Start SDA (STRSDA), 376
- Start System/36 (STRS36), 405
- Start TCP/IP (STRTCP), 477
- start-up program, 18-22, 497
  - Change System Value (CHGSYSVAL) for, 20
  - changing IBM-provided, 21-22
  - Create CL Program (CRTCLPGM) to compile, 22
  - Create Source Physical File (CRTSRCPF) for, 21
  - Display System Value (DPSYSVAL) for, 19
  - marking a program as, 19-21
  - QSTRUPPGM system value for, 19
  - SEU to edit, 22
  - subsystem for, 50
  - Work with System Values (WRKSYSVAL) for, 19
- storage
  - direct access storage device (DASD) in, 233-234
  - libraries in, 234
  - objects in, 234
  - Reclaim Spool Storage (RCLSPLSTG) for, 205
  - Reclaim Storage (RCLSTG) for, 202-203, 205, 235
  - recovering disk space and, 205
  - single-level store in, 233-234
  - Work with System Status (WRKSYSSTS) for, 235
- string operations, CL and, 311
- STRUP1 or STRUP2 procedures, 414
- SUBJECT Commands menu, 118, **118**
- Submit Job (SBMJOB), 169
- substitution expressions, System/36, 419
- substring operations in CL, 311
- Subsystem authority, 180
- subsystem descriptions, 12, 250
- subsystems, 43-49, 497
  - Add Job Queue Entry (ADDJOBQE) for, 50
  - Change Subsystem Description (CHGSBD) for, 48
  - changing to multiple subsystems and, 44-45
  - controlling, 492
  - Create Duplicate Object (CRTDUPOBJ) to duplicate, 48
  - Create Subsystem Description (CRTSBSD) for, 48
  - creation of, 47, 48
  - Delete Subsystem Description (DLTSBSD) for, 48
  - End Subsystem (ENDSBS) command for, 24-25
  - job queue entries for, 50
  - maintaining of, 47
  - output queues, 51-53
  - power down and ending of, 22-25
  - QBASE subsystem use as, 43-45
  - QBATCH subsystem and, 46-47
  - QCTL subsystem and, 45
  - QINTER subsystem and, 46, 48-49
  - QPGMR subsystems, 47
  - running multiples of, 45-47
  - start-up program for, 50
  - Subsystem authority for, 180
  - Work with Active Jobs (WRKACTJOB) and, 22-23
  - Work with Subsystem Description (WRKSBSD) for, 227
  - Work with Subsystem Jobs (WRKSBSJOB) for, 23, 44
  - Work with System Value (WRKSYSVAL) for, 45
  - workstation entries for, 48-49
- Support and Education menu, 126, **126**
- system configuration, Operational Assistant (OA), 97-98, **97**
- system console, 29-30
  - Dedicated Service Tools (DST) and, 29
- system help, 126-129
- System log (QHST), 40-41, 497
- System Management (MANAGESYS) menu for
  - Operational Assistant (OA), 94-95, **94**
- system microcode, DASD storage of, 234
- system operator (*see* QSYSOPR)
- system security authority, 180
- system values, 133-149, 497
  - Change System Value (CHGSYSVAL) for, 10, 136, 319
  - changing, printing list of, 135
  - CL and, 319
  - default public authority upon creation of, 139-140
  - device-related values, 146-147
  - Display System Values (DPSYSVAL) for, 135, 319
  - editing, 138
  - idle display station security and, 140-141
  - interactive job values and, 148-149

## INDEX

### system values, *continued*

- library list for, 144-145
- listing of, 134-135
- names of, 134
- password management and, 142-143
- power up/power down, 147-148
- printing and, 197
- QABNORMSW unchangeable, 145
- QASTLVL, 148-149
- QATNPGM, 149
- QAUTOCFG, 146
- QCONSOLE unchangeable, 146
- QCTLSBSD, 147
- QCURSYM, 138
- QDATE, 136-137
- QDATFMT, 136
- QDECFMT, 138
- QDEVNAMING, 146-147
- QDSCJOBITV, 141, 147
- QDSPSGNINF, 143
- QINACTITV, 140-141
- QINQCTMSGQ, 141
- QIPLDATTIM, 147
- QIPLSTS unchangeable, 145
- QLEAPADJ, 136
- QLMTDEVSSN, 143
- QLMTSECOFR, 143
- QMAXSGNACN, 144
- QMAXSIGN, 144
- QMODEL unchangeable, 145
- QPRTDEV, 147, 197
- QPRTKEYFMT, 149
- QPWDLMTAJC, 142
- QPWDLMTCHR, 142
- QPWDLMTREP, 142
- QPWDMAXLEN, 142
- QPWDMINLEN, 142
- QPWDPOSDIF, 142
- QPWDRQDDGT, 143
- QPWDRQDDIF, 143
- QPWDVLDPGM, 143
- QPWEXPITV, 142
- QPWRDWNLMT, 148
- QSPCENV, 149
- QSRLNBR unchangeable, 145
- QSTRPRTWTR unchangeable, 146
- QSTRUPGM, 148
- QSYSLIBL for, 144
- QTIME, 137
- QTIMESEP, 137
- QUSRLIBL, 145
- references for, 133-134
- restoring, 81-82
- Retrieve System Value (RTVSYSVAL) in, 319
- saving before upgrading to new releases, 226
- saving, 77-78
- security level setting with, 138-139
- Set System Values (SETSYSVAL) for, 78
- sign-on control using, 143-144
- system control values in, 145-149
- SYSVAL for, 133-134
- upgrading to new releases, verification after, 229
- Work with System Values (WRKSYSVAL) for, 78, 134-135, 319

System/3, xxvii, 323

System/32, xxvii

System/34, xxvii, 323

System/36, xxvii, xxix, 399-424, 497

?? command in, 419

AS/400 environment vs., 402-404

Change System/36 (CHGS36), 407-408, **408**

changing device IDs for, 408-410, **409**

changing environment values for, 410-411, **410**

commands in, 411

Create S/36E Auto Report Program (CRTS36RPT), 420

Create S/36E Program (CRTS36RPG), 420

current library for, 405

data description specifications (DDS), 238, 239

?DEVUNIT?, 419

End System/36 (ENDS36), 407

environment of, 401-412

EXCPT operation in, 422

Execution Environment (S/36E) of, 401-412

// FILELIB procedure, 416

?FLIB?, 419

IF expressions, 419

ignored OCL statements, 416

ignored procedures in, 414-415

interactive jobs in, 403

jobs in, 403-404

leaving, 407

libraries in, 402, 404, 410-411, 415-416

limitations to, 423-424

maintaining the environment in, 407

menus for, 405

mixing OCL and CL in procedures, 417-418

?MSGID?, 419

naming conventions in, 403

new OCL statements in, 416-417

New Procedure (FLIB) command, 415-416

nonsupported OCL statements, 416

objects in, 402  
 operation control language (OCL) for, 413-414  
 operations in, 411  
 organization of, 404  
 procedures for, 405  
 programming in, 413-424  
 READ operation in, 422, 423  
 RPG II and, 419-424  
 sessions in, 404  
 SETLL operation in, 422  
 sharing files in, 411  
 sign-on and, setting up user profiles for, 406  
 source code in, 402-403  
 Source Entry Utility (SEU) for, 404  
 SSP procedures for, 413-414  
 Start S/36 Procedure (STRS36PRC), 405-406  
 Start System/36 (STRS36), 405  
 storing deleted files in cache using, 411  
 STRTUP1 or STRTUP2 procedures, 414  
 substitution expressions for, 419  
 // TIMERSET, 417  
 unsupported commands in, 412  
 unsupported procedures in, 414-415  
 user profiles in, 406  
 System/38, xxvii, 323  
 data description specifications (DDS) and, 238  
 SYSVAL, 133-134

## T

TAG, RPG IV, 338  
 tape drives, troubleshooting, 431  
 TCP/IP, 469, 472, 473-478, 497  
 Add TCP/IP Host Table Entry (ADDTCTHTE), 476-477, 477  
 Add TCP/IP Interface (ADDTCPIFC), 475  
 Change TCP/IP Domain (CHGTCPDMN), 476  
 configuration information for, 478  
 defining TCP/IP route for, 475-476  
 domain names and, 476  
 file transfer protocol (FTP) and, 478  
 HTTP Server for, 478  
 Line Printer Daemon (LPD) for, 478  
 Line Printer Request (LPR) for, 478  
 Simple Mail Transfer Protocol (SMTP) and, 478  
 Start Host Server (STRHOSTSVR), 477  
 Start TCP/IP (STRTCP), 477  
 Telnet and, 478  
 Technical Support (TECHHELP) menu for  
 Operational Assistant (OA), 99-100  
 telephone lines, 5

TELNET, 478  
 temporary application of PTF (*see* Program Temporary Fix)  
 TEXT keyword for data description specifications (DDS), 282  
 time  
 QTIME system time value for, 137  
 QTIMESEP system time value for, 137  
 // TIMERSET, 417  
 // TIMERSET, 417  
 Token Ring connections, 472  
 Trigger programs, 180  
 troubleshooting, 427-432, 497  
 Analyze Problem (ANZPRB) for, 443-455, **443-455**  
 compile vs. run-time faults, 448, **448**  
 contact verification screen, 452, **452**  
 Delete Problem (DLTPRB), 456  
 deleting problem logs, 456  
 display station does not work, 429-430  
 Electronic Customer Support (ECS) for, 433-442  
 freeze up of system, 428  
 keyboards, 429-430  
 messages associated with faults, 449, **449**  
 operating system faults, 447, **447**  
 power failures, 427-428  
 printers, 430  
 problem logs and, 455-456  
 reporting problems, 443-456  
 service report preparation for, 450-452, **450-452**  
 severity of problem, 453-455, **454**  
 tape drive, 431  
 uninterruptible power supplies (UPS), 427-428, 498  
 Work with Problems (WRKPRB), 455-456  
 workstations, 429-430

## U

unattended IPLs, 17-18, 201  
 uninterruptible power supplies (UPS), 427-428, 498  
 UNIQUE keyword for data description specifications (DDS), 282  
 UPDATE, 333  
 upgrading to new release, 221-230, 498  
 applying PTFs permanently for, 228  
 applying PTFs temporarily for, 229  
 backup before, 226  
 benefits of, 222  
 configuration saving before, 226-227  
 cumulative PTFs for, 224, 229

## INDEX

upgrading to new release, *continued*  
dedicating system for, 228  
documentation for, 223, 227  
downtime required for, 224-225  
execution of, 225-230  
initialization of tapes for, 225  
inventory items received for, 223-224  
Load PTF (LODPTF) for, 229  
making system available after, 230  
ordering new release for, 222-223  
phone numbers for support during, 225  
preparing for, 222-225  
print out subsystem descriptions and, 227  
reapply changes to system objects in, 229  
starting the upgrade in, 228  
support for old releases vs., 221-222  
system value saving before, 226-227  
verifying configuration, system values, subsystem  
in, 229  
Y2K compliance and, 222  
USE authority, 153  
user libraries, 239-241  
user messages, 103-111  
break messages in, 108-111  
Change Message Queue (CHGMSGQ) for, 110  
Display Message (DSPMSG) in, 106-108, **107**  
function keys in DSPMSG, 107-108  
inquiry messages in, 105-106  
message logging (LOG), 170  
Send Break Message (SNDBRKMSG) in, 108-109  
Send Message (SNDMSG) in, 103-106  
sending to multiple users in, 104-105  
sending to special users in, 105  
user objects, 180  
User Profile Authority, 179  
User Profile Information, 180  
user profiles, 9, 11-12, 157-161, 250, 498  
Analyze Profile Activity (ANZPRFACT) for, 175  
attention key (ATNPGM) for, 161  
authorities assigned to, 159-160  
authorization lists for, 163-164  
Change Activation Schedule Entry  
(CHGACTSCDE) for, 175  
Change Active Profile List (CHGACTPRFL) for,  
175  
Change Expiration Schedule Entry  
(CHGEXPSCDE) for, 175  
Change User Profile (CHGUSRPRF) for, 9, 159  
classes for, 159  
Create User Profile (CRTUSRPRF) for, 9, 159  
Delete User Profile (DLTUSRPRF) for, 159, 236

Display Activation Schedule (DSPACTSCD) for,  
175  
Display Active Profile List (DSPACTPRFL) for,  
175  
Display Expiration Schedule (DSPEXPSCD) for,  
175  
Display User Profile (DSPUSRPRF) for, 159  
group profiles and, 161-162  
initial program (INLPGM) for, 160  
limit capabilities (LMTCPB) of, 160  
maintaining, 159-161  
message queue (MSGQ) for, 160  
naming, 158-159  
output queue (OUTQ) for, 160  
passwords for, 159  
Print Profile Internals (PRTPRFINT) for, 175  
printing and, 196  
QSYSOPR for, 30  
Retrieve User Profile (RTVUSRPRF) in, 320  
System/36, 406  
User Profile Authority, 179  
User Profile Information, 180  
USRPRF to name, 159  
USERHELP menu for Operational Assistant (OA), 87  
users  
Operational Assistant (OA) and, 97-98, **97**  
output queue assignment of, 173-174, **173**  
printer assignment for, 193  
QUSRSYS, 237  
utilities, IBM, 355-388  
Program Development Manager (PDM), 355, 495  
Screen Design Aid (SDA), 355, 375-388, 496  
Source Entry Utility (SEU), 355, 365-375, 496

## V

variable display in display files, 297  
variables, CL, 309-311  
volume IDs in backup and restore, 68, 70

## W

Web page/Web site development, 481-482  
WHENxx, RPG IV, 336-337  
Work with Active Jobs (WRKACTJOB), 22-23,  
34-35, **34**  
Work with Configuration Status (WRKCFGSTS), 13  
Work with Device Description (WRKDEVD),,  
166-167, 169  
Work with Job Description (WRKJOB), 171  
Work with Libraries (WRKLIB), 239

- Work with Libraries using PDM (WRKLIBPDM), 239, 356, 357-359, **358**
- Work with Members using PDM (WRKMBRPDM), 356, 362, **363**
- Work with Messages (WRKMSG), Operational Assistant (OA), 87
- Work with Objects (WRKOBJ), 241-242
- Work with Objects using PDM (WRKOBJPDM), 241-242, 356, 359-361, **360, 361**
- Work with Output Queue (WRKOUTQ), 52, **52, 53**, 54, 55
- Work with Output Queue Description (WRKOUTQD), 173
- Work with Problems (WRKPRB), 206, 455-456
- Work with Product Information (WRKPRDINF), 442
- Work with Spool Files (WRKSPLF), 54, 87
- Work with Subsystem Description (WRKSBSD), 227
- Work with Subsystem Jobs (WRKSBSJOB), 23, 44
- Work with System Status (WRKSYSSTS), 204, 235
- Work with System Values (WRKSYSVAL), 19, 45, 78, 134-135, 319
- Work with User Jobs (WRKUSRJOB), 35-36, **36**, 55, 87
- workstation entries for subsystems, 48-49
- workstations
- output queue for, 193-194
  - printer device (PRTDEV) for, 193-194
  - printing and, 193-195, 197
  - QINACTITV system value for, 140-141
  - troubleshooting, 429-430
- World Wide Web, 472, 498
- WRITE, 333
- Y**
- Y2K compliance, upgrading to new releases, 222

