

INDEX

! command in File Transfer Protocol (FTP), 173-174

A

ABOR command in File Transfer Protocol (FTP), 174

Access reports (*See* reports using ADO and OLE DBE)

Activation Group (ACTGRP), 65

activation groups

 Activation Group (ACTGRP) in, 65

 Default Activation Group (DFTACTGRP) in, 65

 user-defined functions and, 65

Active Server Pages (ASP) for Web, 185-215

 ADOB.Connection in, 203

 ADOB.Recordset object in, 205

 combo box in, 189

 connection object for, 188

 creating, 186-187

 debugging, 205

 drivers and, 187

 field information page in, 190-193, **193**

 library list and file names example in, 187-193

 Microsoft Data Access Component (MDAC) and, 187

 Microsoft Development Environment (MDE) for, 204, **204**

 On Error Resume Next in, 205

 QueryString method, 192

 Request.QueryString command, 192

 Response.Redirect command, 203

 Response.Write command, 192

 Retrieve.QueryString command, 200

 Rs.Open command, 205

 sort order in, 208-210, **211**

 SQL statements and, 203

 text editor for, 204

 updating data from a Web page using, 194-206, **195**

 Web query tool using, 206-15, **208, 215**

ActiveX, 246

ActiveX Data Objects (ADO), 133, 134-146, **134**, 194, 288

Add Directory Entry (ADDDIRE), 218, 220, **220**

Add Library List Entry (ADDLIBL) command, 173

Add Name for SMTP, 220-221, **221**

Add TCP/IP Host Table Entry (ADDTCPHTE), 218

ADDM FILE command in File Transfer Protocol (FTP), 174

addresses, e-mail, 220

ADDV FILE command in File Transfer Protocol (FTP), 174

ADOB.Connection, 203

ADOB.Recordset object, 205

Note: boldface numbers indicate illustrations, italic t indicates a table

- Advanced Function Printing (AFP), 99-130
 bar chart using, 124-130, **129**
 BOX keyword for, 108-109, 125
 Change Device Description (CHGDEVD) for, 100, 101
 Change Printer File (CHGPRTF) for, 103
 Code Font (CDEFNT) for, 106-107
 Copy from PC Document (CPYFRMPDC) in, 121
 Create Overlay (CRTOVL) for, 121
 Create Printer Device Description (CRTDEVPRT) for, 101
 Create Printer File (CRTPRTF) for, 103
 Display Device Description (DSPDEVD) for, 100
 Document Index Tag (DOCIDXTAG) keyword for, 104-105
 driver for, Windows AFT Printer Driver for, 113-117
 DUPLEX keyword for, 102-103, **103**, 104
 End Writer (ENDWRT) for, 100
 ENDPAGE keyword for, 104
 Font Character Set (FNTCHRSET) keyword for, 107
 FONT keyword for, font number codes, 107, 108(*t*)
 font selection in, 118
 FORCE keyword for, 104
 formatting text in, 118
 graphic data file (GDF) keyword for, 111
 graphic keywords for, 109-117
 Graphic Object Content Architecture (GOCA) and, 111-112
 grouping pages for, STRPAGGRP and ENDPAGGRP for, 105-106
 Hewlett-Packard Printer Control Language (HP PCL) and, 99
 Intelligent Printer Data Stream (PIDS) printers and, 99
 Invoice, overlay example of, 117-130, **120**, **122**
 keywords for, 101-117, 102(*t*)
 LINE keyword for, 110-111, 125
 memory added (SIMM) for, 101
 overlay resource created from output in, 120-123
 overlays, using OVERLAY keyword, 113-117
 Override Printer File (OVRPRTF) for, 103
 page definition keywords for, 102-106
 page margins in, 117
 page segment (PAGSEG) keyword for, 112-113
 point size setting for, 107
 POSITION keyword for, 108-109, 111-112, 125
 Postscript and, 99
 printer compatibility for, 99
 rotating text in (TXTRTT) for, 109, 125
 saving documents for, 119
 selecting printers for, 113-117, **114**, **115**, **116**
 set up for, 100-106
 tables in, 119, **119**
 text and font keywords for, 106-109
 translating printer files, using Host Print Transform (HPT), 99-101
 AND, in queries, 28
 anonymous FTP, 178
 APPE command in File Transfer Protocol (FTP), 174
 Archive Spooled File (ARCSPLF), 266-267
 archiving reports
 Exchange Public Folders for, 240-241, **240**, **241**
 File Archive and Retrieval System for, 254-274
 using SNDRPTEML for, 240
 arrays of data, for List Box, 91, 93-94
 asc command in File Transfer Protocol (FTP), 172, 179
 asterisks as break footing, reports, 19
 attachments for e-mail, 224
- B**
 Bar Chart printing example, 124-130, **129**
 bin command in File Transfer Protocol (FTP), 172
 borders for windows, using WDWBORDER, 35-36
 BOX keyword, 108-109, 125
- C**
 CacheSize property, in reports using ADO and OLE DB, 150-151
 Calculator (*See* Pop-up Calculator)
 Calendar (*See* Pop-up Calendar)
 Call Bound Procedure (CALLB) op code, 61
 calling user-defined functions, 59-60
 CASE function in queries, 11-12
 cbxOrderNumber_Click event, file/in File Update application, 165-167
 cd command in File Transfer Protocol (FTP), 172
 CDUP command in File Transfer Protocol (FTP), 174
 CHAIN functionality, user-defined functions, 60
 Change Device Description (CHGDEVD), 100, 101
 Change Distribution Attributes (CHGDSTA), 218
 Change FTP Attribute (CHGFTPAT), 169-170, **170**
 Change Printer File (CHGPRTF), 103
 Change SMTP Attribute (CHGSMTPA), 218
 %CHAR function, 65
 check boxes, 53-54, **54**
 Choice Control (CHCCTL) keyword, menus, 50

- CHOICE keyword
 in menus, 47-48
 in subfiles, 53
- Client Access Express and OLE DB support, 133-134
- client setup for Web connectivity (*See also* File Transfer Protocol), 249-274
 client in Web connectivity, 249-274
 File Archive and Retrieval System using, 254-274
 file:// in, 254
 FTP client role of AS/400 in, 177-180
 Hotspot functionality for, 249-251, **250**
 mailto: for, 252-254, **254**
 Order Information Checking using, 251
 server prefixes in, 252-254
 Shipment Tracking example using, 251
 Uniform Resource Locator (URL) and, 249-252, 252(*t*)
- Code Builder, for reports using ADO and OLE DB, 149
- Code Font (CDEFNT), 106-107
- code page definition for File Transfer Protocol (FTP), 170
- Coded Character Set Identifier for File Transfer Protocol (FTP), 170
- collating or sorting data in queries and reports, 8
- color in windows, 35
- column formatting, 14-15, **14**, **22**, **22**
 Edit Column Formatting in, 278, **278**
- column headings, in File Viewer application, 141, **142**, 146, **146**
- column separators, in reports, 19
- combining techniques, 275-285
- combo box
 in Active Server Pages (ASP) and, 189
 in reports using ADO and OLE DB, 151-152, 152(*t*)
- comma separated variable (CSV) files, 275-285, **282**
 e-mailing, 280-282
 printing vs. e-mail options for, 282-285
 Query Manager/400 reports and, 275
- command button, for File Update application, 160
- command object, database connectivity, 134-135, **134**, 137
- COMMIT command for database changes, 29
- compile, using CRTBNDRPG, 46
- CONNECT to database command, 29-30
- connection object, 134-135, **134**, 136, 142, 143, 188
- ConnectionString property, in File Viewer application, 135, 136
- Convert Date function, 285-288
- Copy from PC Document (CPYFRMPDC), 121
- Copy Spooled File (CPYSPLF), 224, 235, 281
- Copy to PC Document (CPYTOPCD), 224, 266, 281
- Create Bound RPG Program (CRTBNDRPG), 46, 65, 235
- Create CL Program (RTCLPGM), 228
- Create Data Area (CRTDTAARA), 263
- Create Display File (CRTDSPF), 46
- Create Overlay (CRTOVL), 121
- Create Physical File (CRTPF), 280
- Create Printer Device Description (CRTDEVPRT), 101
- Create Printer File (CRTPRTF), 103
- Create Program (CRTPGM), 68, 97
- Create Query Manager Query (CRTQMQR), 5-6
- Create Query Manager Report Form (CRTQMFORM), 6
- Create RPG Module (CRTRPGMOD), 67-68, 97
- Create Source Physical File (CRTSRCPF), queries, 5
- CRTL command in File Transfer Protocol (FTP), 174
- CRTP FILE command in File Transfer Protocol (FTP), 174
- CRTS FILE command in File Transfer Protocol (FTP), 174
- CWBPING command, 221-222
- CWD command in File Transfer Protocol (FTP), 174
- ## D
- Data Access Object (DAO), 151
- data area, Create Data Area (CRTDTAARA), 263
- data source for File Viewer application, 135
- Data Transformation Services (DTS), 288-299, **289-298**
- database connectivity, 133-167
 ActiveX Data Objects (ADO) in, 133, 134-146, **134**, 288
 Client Access Express and OLE DB support for, 133-134
 command object in, 134-135, **134**
 connection object in, 134-135, **134**
 Data Access Object (DAO) and, 151
 Data Transformation Services (DTS) and, 288-299, **289-298**
 File Update application using, 160-167, **161**
 File Viewer application in, 135-146, **136**
 Object Linking Environment Database (OLE DB) support for, 133-134, 288
 Open Database Connectivity (ODBC) in, 133
 recordset object in, 134-135, **134**
 report writing using, 146-160
 SQL and, 133, 134
 SQL Server and, 288-299

Date and Time Window example, 36-37, **37**
 Date Conversion, 62-63, 285-288
 DB2/400 and SQL Server, 288-299
 DB2/400 Web reports (*See* Active Server Pages)
 debugging, Active Server Pages (ASP), 205
 Default Activation Group (DFTACTGRP), 65
 DELE command in File Transfer Protocol (FTP), 174
 DELETE Active Server Pages (ASP), 203
 direct connection, in Web connectivity, 246-247, **246**
 DISCONNECT from database command, 30
 Display Device Description (DSPDEVD), 100
 display file creation, using CRTDSPF, 46
 DISPLAY formatted output, 30
 distribution services, e-mail, 218, 222
 DLTf command in File Transfer Protocol (FTP), 174
 DLTL command in File Transfer Protocol (FTP), 174
 DoCmd.OpenReport command, 154
 Document Index Tag (DOCIDXTAG) keyword, 104-105
 domains, in e-mail addresses, 220-221
 DOS programs and File Transfer Protocol (FTP), 173-174
 double-click event, in File Viewer application, 143-145
 drivers, Active Server Pages (ASP), 187
 drop-down menu effect, 41
 DUPLEX keyword, 102-103, **103**, 104
 duplicate record handling in queries, 7-8

E

edit codes for Query Manager report forms in. 15, 15-16(*t*)
 Edit Column Formatting, 278, **278**
 e-mail from the iSeries, 183, 217-243
 Add Directory Entry (ADDIRE) for, 218, 220, **220**
 Add Name for SMTP for, 220-221, **221**
 Add TCP/IP Host Table Entry (ADDTCPHTE) for, 218
 archiving reports using, 240
 attachments and, 224
 Change Distribution Attributes (CHGDSTA) and, 218
 Change SMTP Attribute (CHGSMTA) for, 218
 client in Web connectivity and, mailto: for, 252-254, **254**
 comma separated variable field length (CSV) files in, 280-282
 Distribution Description (DSTD) parameter for, 221
 distribution services for, 218, 219, 222
 domains in, user and SMTP, 220-221

Exchange Public Folders for archiving in, 240-241, **240**, **241**
 extending SNDRPTEML functionality for, 238-243
 forwarding e-mail and, routing restrictions for, 242-243, **242**
 HTML text file attachment in, 217, 225-238
 Long Message (LMSG) parameter for, 221
 message types and descriptions for, setting, 223-224, 223(*t*)
 overriding Send Network Spooled File (SNDNETSPLF) for, 238-240, **239**
 PING testing the setup for, 221-222
 preferred address (PREFADR) for, 218
 report distribution using, 224-238
 Rich Text Format (RTF) attachments and, 217, 225-238
 Send Distribution (SNDDST) for, 221, 223-224, 223(*t*)
 Send Report to Email (SNDRPTEML) command for, 236-243, **238**
 set up for, 217-224
 Simple Mail Transfer Protocol (SMTP) and, 217-218, 220-221, **221**
 Start Subsystem (STRSBS) for, 219, 222
 Start TCP/IP Server (STRTCPSVR) for, 219
 TCP/IP and, 218
 testing setup for, 219
 text file attachment in, 225-238
 user ID and address in, 220
 Work with Directory Entry (WRKDIRE) for, 219, **219**
 End Writer (ENDWRT), 100
 ENDPAGE keyword, 104
 Entry Module (ENTMOD), 68
 ERASE Query Manager object, 30
 error handling
 in Active Server Pages (ASP), 205
 in File Transfer Protocol (FTP), 180-182
 On Error Resume Next in, 205
 %SCAN function and, in FTP, 180
 in user-defined functions, 60
 EVAL
 to call Pop-up Calendar and calling, 75-76
 to call user-defined functions, 59-60
 Exchange Public Folders for archiving, 240-241, **240**, **241**
 exclamation point command in File Transfer Protocol (FTP), 173-174
 EXPORT source, 30

F

- File Archive and Retrieval System, 254-274
 - Archive Spooled File (ARCSPLF) in, 266-267
 - Copy to PC Document (CPYTOPCD) in, 266
 - CVTRPRTF program in, 254
 - data area in, using Create Data Area (CRTDTAARA), 263
 - data structures for, 257
 - detail files for, 257
 - display list of files in, 259
 - header files for, 257
 - keyword assignment for, 264, 272
 - keyword assignment to reports in, 255
 - removing files from archive in, 264
 - retrieve archived files in, 267-270
 - RTF conversion of files in, 265-266
 - searching for records in, 272-274
 - selecting files for, 255, 259-261, 264, **265**
 - shared folder for, 255
 - SNDRPTEML command in, 254
 - Spooled File List (QGYOLSPL) API for, 263, **263**, **264**
 - subroutines in, 261-263, 270-271
 - Work with Archived Spooled Files (WRKARCSPLF) in, 272, **272**
- File Transfer Protocol (FTP), 169-182
 - ABOR command in, 174
 - Add Library List Entry (ADDLIBLE) command and, 173
 - ADDM FILE command in, 174
 - ADDV FILE command in, 174
 - anonymous, 178
 - APPE command in, 174
 - asc command in, 172, 179
 - bin command in, 172
 - cd command in, 172
 - CDUP command in, 174
 - Change FTP Attribute (CHGFTPA) for, 169-170, **170**
 - code page definition for, 170
 - Coded Character Set Identifier for, 170
 - commands for, 171, 172(*t*)
 - CRTL command in, 174
 - CRTP FILE command in, 174
 - CRTS FILE command in, 174
 - CWD command in, 174
 - database integration using, 176-177
 - DELE command in, 174
 - DLTF command in, 174
 - DLTL command in, 174
 - DOS programs and, 173-174
 - error handling in, 180-182
 - exclamation point command for, 173-174
 - FTP command and, 179
 - get command in, 172
 - help command in, 177, 177
 - Inactivity Timer for, 170
 - Initial Directory for, 170
 - Initial List Format for, 170
 - Initial Name Format for, 170
 - iSeries 400 as client in, 177-180, **178**
 - launching a session for, 176
 - lcd command in, 172
 - LIST command in, 174
 - login display for client in, 177, **178**
 - MKD command in, 175
 - mkdir command in, 172
 - MODE command in, 175
 - NOOP command in, 175
 - Override Database File (OVRDBF) command and, 179-180
 - put command in, 172
 - PWD command in, 175
 - quit command in, 173, 176, 179
 - QUIT command in, 175
 - quote command in, 172, 175
 - RCMD command for, 174, 175
 - recv command in, 172-177
 - REIN command in, 175
 - remotehelp command in, 171
 - RMD command in, 175
 - RNFR command in, 175
 - RNTO command in, 175
 - %SCAN function and error handling in, 180
 - scripted FTP sessions for, 172-177
 - send command in, 172-177
 - server side commands for, 174, 174-175(*t*)
 - SITE command in, 175
 - Start TCP/IP Server (STRTCPSVR) for, 171
 - STAT command in, 175
 - STOR command in, 175
 - STOU command in, 175
 - SYST command in, 175
 - TIME command in, 175
 - translation tables for, ASCII to EBCDIC, 170, 179
 - user name and password in, 171
- File Update application, 160-167, **161**, **167**
 - cbxOrderNumber_Click event for, 165-167
 - command button in, 160
 - Flex Grid object in, 160
 - Form_Load event for, 161-163
 - INSERT INTO statement in, 160

File Update application, *continued*
 label in, 160
 messages for, 163
 SELECT statement in, 160
 text box in, 160
 toolbox icons for, 160, **160**
 UPDATE statement in, 160, 163-165

File Viewer application, 135-146, **136**
 adding objects to form for, 140
 column headings in, 141, **142**, 146, **146**
 command object in, 137
 connection object in, 135, 136, 142, 143
 ConnectionString property for, 135, 136
 data source for, 135
 double-click event for, 143-145
 Flex Grid control in, 139-140, **140**, 141(*t*), 146
 Load event for, 142-143
 parameters for command object in, 137-138
 recordset in, 145
 recordset object in, 136, 137, 142, 143
 Recordset.MoveNext for, 139
 Recordset.Open for, 139
 reusing ADO code for any data set in, 138-139
 SELECT statement for, 143
 TreeView object for, 140, 141(*t*)

file://, in Web connectivity, 254

FillCalendar subroutine, 80-83

Flex Grid control
 in File Viewer application, 139-140, **140**, 141(*t*), 146
 in File Update application, 160

Font Character Set (FNTCHRSET) keyword, 107

font keywords, 106-109, 108 (*t*)

font selection in printing, 118

footers/footings
 reports, 17-18, **18**, 23-24, **24**
 Window Tools Functions module example, 95-97

FORCE keyword for printing, 104

Form_Load event, in File Update application, 161-163

formatting options
 reports, 19, 21, **21**
 text and printing and, 118

forms (*See also* reports)
 Create Query Manager Report Form
 (CRTQMFORM) for, 6
 for Invoice, 117-130, **120**, **122**
 Query Manager report forms for, 4-25
 for reports using ADO and OLE DB, 146-160

forwarding e-mail, routing restrictions, 242-243, **242**

%FOUND function, Message Box, 85

FTP command, 179

functions (*See also* user-defined functions), 61

G

get command in File Transfer Protocol (FTP), 172

global variables, queries, 21

graphic data file (GDF) keyword, 111

graphic keywords, 109-117

Graphic Object Content Architecture (GOCA),
 111-112

graphical user interface (GUI) (*See* GUI applications
 for green screen)

graphics, Bar Chart example, 124-130, **129**

grid, Pop-up Calendar, 72, 76

GROUP BY clause in queries, 11

grouping pages
 for printing and, STRPAGGRP and ENDPAGGRP
 for, 105-106
 in reports using ADO and OLE DB, 156-157, **156**

GUI applications for green screen, 33-58
 borders for windows in, using WDWBORDER in,
 35-36
 check boxes in, 53-54, **54**
 CHOICE keyword in, 53
 color in windows for, 35
 compile, using CRTBNDRPG, 46
 Date and Time Window example for, 36-37, **37**
 display file creation for, using CRTDSPF, 46
 display file windows for, 33-41
 drop down menu effect in, 41
 Help options in, 43
 list box in, 37-41, **41**, 54-55, **55**
 menu bar for, using MNUBAR, 42
 multiple choice fields in, 52
 pop-up menus for, 34 for, 41-52
 positioning of windows in, using X and Y
 variables, 36-37
 push buttons in, using Push Button Field
 (PSHBTNFLD), 55-58, **57**
 scroll bars for, 38, 41
 shortcut keys in, 42, 48
 single choice fields in, 52
 titles for windows in, using WDWTITLE, 34-35
 WINDOW keyword for, 34

H

headers/headings
 multiple lines in, 16-17, **17**
 reports, values inserted into, 12-13, **13**, 22-23, **23**
 Window Tools Functions module example, 95-97

help command, File Transfer Protocol (FTP), 177

Help options, menus, 43

Hewlett-Packard Printer Control Language (HP PCL), 99
 Host Print Transform (HPT), 99, 100-101
 Hotspot functionality for Web connectivity, 249-251, **250**
 HTML transformation products for Web connectivity, 246, 248-249, **248**, 249(*t*)
 hypertext markup language (HTML), 183-192, 203
 e-mail and, 217, 225-238

I

IMPORT source, 30
 Inactivity Timer for File Transfer Protocol (FTP), 170
 Initial Directory for File Transfer Protocol (FTP), 170
 Initial List Format for File Transfer Protocol (FTP), 170
 Initial Name Format for File Transfer Protocol (FTP), 170
 INSERT, Active Server Pages (ASP), 203
 INSERT INTO statement, in File Update application, 160
 Intelligent Printer Data Stream (PIDS) printers, 99
 Internet Information Server (IIS) (*See also* Active Server Pages), 183-185
 Invoice and Overlay creation, 117-130, **120**, **122**
 Copy from PC Document (CPYFRMPDC) in, 121
 Create Overlay (CRTOVL) for, 121
 field positioning in, 123
 font selection in, 118
 formatting text in, 118
 page margins in, 117
 saving, 119
 tables in, 119, **119**

J

Java, 246
 JavaScript, 186

K

keywords, printing, 101-117, 102(*t*)

L

label, in File Update application, 160
 lcd command in File Transfer Protocol (FTP), 172
 library lists, Add Library List Entry (ADDLIBL) command, 173
 LINE keyword, 110-111, 125
 line spacing, reports, 19
 list box, 54-55, **55**

array of data in, 91, 93-94
 DDS file source code for, 70, 74-75
 loading array for, 94
 in reports using ADO and OLE DB, 152-154, 153(*t*)
 start position and length parameters for, 94
 using subfile and window combination, 37-41, **41**
 subfile record for, 74-75
 user-defined functions and, 70, 91-97, **93**
 LIST command in File Transfer Protocol (FTP), 174
 Load event, in File Viewer application, 142-143
 login display for FTP client, 177, **178**

M

mailto:, 252-254, **254**
 main procedure, user-defined functions, 61
 margins, printing, 117
 menu bar, using MNUBAR, 42
 menus (*See* pop-up menus)
 Message Box
 code for, 84, 86-87
 DDS file source code for, 70, 72-73
 found/%FOUND function in, 85
 positioning of, using WINDOW keyword, 73
 push button for, 73, 85-86, **86**
 type of message in, 84-85, 85(*t*)
 user-defined functions and, 70, 84-87
 window for, 72-73
 message types and settings, e-mail, 223-224, 223(*t*)
 Microsoft Data Access Component (MDAC), 187
 Microsoft Development Environment (MDE), 204, **204**
 MKD command in File Transfer Protocol (FTP), 175
 mkdir command in File Transfer Protocol (FTP), 172
 MODE command in File Transfer Protocol (FTP), 175
 module creation, user-defined functions, 60-70
 Multiple Choice Field (MLTCHCFLD) keyword, menus, 49-51

N

NOMAIN modules, in user-defined functions, 61-62, 67, 68, 70
 NOOP command in File Transfer Protocol (FTP), 175

O

Object Linking Environment Database (OLE DB) support, 133-134
 OLE DB (*See also* reports using ADO and OLE DB), 288
 Microsoft Data Access Component (MDAC), 187

On Error Resume Next, 205
 Open Database Connectivity (ODBC), 133
 OR, in queries, 28
 ORDER BY clause in queries, 11
 Order Information Checking example using Web connectivity, 251
 overlays (*See also* Invoice and Overlay creation), 117-130, **120**, **122**
 Create Overlay (CRTOVL) for, 121
 printing and, using OVERLAY keyword, 113-117
 Override Database File (OVRDBF) command, 179-180
 Override Printer File (OVRPRTF), 103, 280

P

page breaks in reports, 17-18, **18**, 23-24, **24**
 page segment (PAGSEG) keyword, printing, 112-113
 parameters in queries and forms, 4, 8, 21, 22
 %PARMS, 65
 password, in File Transfer Protocol (FTP), 171
 PING testing e-mail setup, 221-222
 point size setting, for printing, 107
 Pop-up Calculator, 87-91, **91**
 D specs for, 87-88
 DDS file source code for, 70, 73-74
 decimal places displayed on, 88, 91
 keyboard vs. push button entry for, 90
 main line code for, 88-90
 positioning of, 91
 push buttons in, 74, 90
 title for window of, 91
 user-defined functions and, 70
 Pop-up Calendar, 75-84, **84**
 calling, using EVAL op code, 75-76
 DDS file source code for, 70-71
 fields in, 77, 78
 FillCalendar subroutine for, 80-83
 format options for, 76, 78
 grid for, 72, 76
 main line code for, 79-80
 moving through, 82-84
 Push Button Field (PSHBTNFLD) for, 72
 push buttons in, 77, 80
 Roll keys to move through, 77
 Start Date for, 78
 title for window in, 76, 78
 user-defined functions and, 70
 window and window title (WNDTITLE) for, 72
 pop-up menus for GUI applications, 34, 41-52, **46**
 blank lines between options in, 48

Choice Control (CHCCTL) keyword for, 50
 CHOICE keyword for, 47-48
 choices or options in, using MNUBARHC, 42
 compile, using CRTBNDRPG, 46
 display file creation for, using CRTDSPF, 46
 drop down menu effect in, 41
 dynamic creation of, using SFLSNGCHC and SFLMLTCHC, 43-44
 dynamically adding options to, using SNGCHCFLD, 47-48
 grouping options in, 48
 Help options in, 43
 layout of options for, 47-48
 menu bar for, using MNUBAR, 42
 Multiple Choice Field (MLTCHCFLD) keyword for, 49-51
 Reach Changed Record (READC) for, 45, 46
 separator lines in, 42
 shortcut keys for, 42, 48
 Single Choice Field (SNGCHCFLD), 47-48
 sizing and positioning of, 43
 Subfile Choice Control Subfile (SFLCHCCTL) keyword for, 45-46, 45(t), **46**
 Subfile Multiple Choice (SFLMLTCH) keyword for, 44-45
 Subfile Single Choice (SFLSNGCHC) keyword for, 44
 POSITION keyword, 108-112, 125
 positioning a window, using X and Y variables, 36-37
 Postscript and printing, 99
 preferred address (PREFADR), 218
 PRINT output, 31
 printer compatibility, 99
 printing (*See* Advanced Function Printing)
 procedures
 Call Bound Procedure (CALLB) op code in, 61
 Start Query Manager Procedure (STRQMPROC) for, 29-32
 profiles, Query Manager profiles for reports, 28-29
 program to system fields for windowing, 34
 prompted queries, 7, 20
 prototypes and user-defined functions, 60-61, 69-70
 proxy, Web connectivity and, 247-248
 Push Button Field (PSHBTNFLD), 72
 push buttons
 in Message Box, 73, 85-86, **86**
 in Pop-up Calculator, 74, 90
 in Pop-up Calendar, 77, 80
 using Push Button Field (PSHBTNFLD), 55-58, **57**
 put command in File Transfer Protocol (FTP), 172
 PWD command in File Transfer Protocol (FTP), 175

Q

queries (*See also* reports with Query Manager/400), 3
 AND and OR operators in, 28
 ASP Web query tool for, 206-15, **208**, **214**, **215**
 CASE function in, 11-12
 collating or sorting data in, 8
 comma separated variable filed length (CSV)
 conversion for, 275-285
 COMMIT command for database changes in, 29
 CONNECT to database command for, 29-30
 converting a QUERY definition to a report in, 4
 converting prompted query to SQL query in, 9
 Create Query Manager Query (CRTQMQR) for, 5-6
 Create Source Physical File (CRTSRCPF) for, 5
 Data Transformation Services (DTS) and, 288-299, **289-298**
 DISCONNECT from database command for, 30
 DISPLAY formatted output for, 30
 duplicate record handling in, 7-8
 ERASE Query Manager object from, 30
 EXPORT source for, 30
 fields for, 7
 global variables in, 21
 GROUP BY clause in, 11
 IMPORT source for, 30
 ORDER BY clause in, 11
 parameters in, 4, 8, 21, 22
 prompted, 7, 20
 query management type, 3-4
 records for, 7
 RELEASE database connection for, 31
 report/in reports using ADO and OLE DB, 155, **155**
 Retrieve Query Manager Query (RTVQMQR) for, 5
 RUN a query or procedure for, 31
 SAVE DATA from, 31-32
 selecting database files for, 7
 selecting, for a report, 15
 SET CONNECTION to database for, 32
 Set Variable (SETVAR) in, 9-11
 source files for, 3, 5
 SQL statements in, 11
 SQL type, 7, 20
 Start Query Manager (STRQM) for, 6, 20
 Start Query Manager Query (STRQMQR) for, 11, 28-29
 summaries (Average, Sum, Count, etc.) in, 7
 syntax and error checking for, 21
 WHERE clause in, 9-11

Work with Query Manager Queries screen for, 7, 7, 8-9, 9(*t*)
 Work with Query Manager Tables screen for, 25-28, **25**, 26-27(*t*), **27**
 query management queries, 3-4
 Query Manager (*See* reports with Query Manager/400), 3
 procedures for, 29-32
 profiles for, 28-29
 report forms for, 4-6, 14-25
 QueryString method, 192
 quit command in File Transfer Protocol (FTP), 173, 176, 179
 QUIT command in File Transfer Protocol (FTP), 175
 quote command in File Transfer Protocol (FTP), 172, 175

R

RCMD command in File Transfer Protocol (FTP), 174, 175
 Reach Changed Record (READC), 45, 46
 recordset object
 in database connectivity, 134-135, **134**
 in File Viewer application, 136, 137, 142-145
 Recordset.MoveNext, in File Viewer application, 139
 Recordset.Open, in File Viewer application, 139
 recv command in File Transfer Protocol (FTP), 172-177
 REIN command in File Transfer Protocol (FTP), 175
 RELEASE database connection, 31
 remotehelp command in File Transfer Protocol (FTP), 171
 replication, Data Transformation Services (DTS), 296, **296**
 Report Designer, 157-158, **158**
 Report Wizard, 156, **156**
 reports (*See* Active Server Pages; reports using ADO and OLE DB; reports via e-mail; reports with Query Manager/400)
 reports using ADO and OLE DB, 146-160, **159**
 CacheSize property in, 150-151
 Code Builder and, 149
 combo box for, 151-152, 152(*t*)
 Data Access Object (DAO) and, 151
 DoCmd.OpenReport command for, 154
 field definitions for, 147-148, 147(*t*), 148(*t*)
 FieldName field in, 157, **157**
 file key setting for, 147-148, **148**
 groupings for, 156-157, **156**
 list box for, 152-154, 153(*t*)
 new form definition for, 148-149, 149(*t*)

- reports using ADO and OLE DB, *continued*
 - prompt for, 158, **159**
 - query for, 155, **155**
 - Report Designer for, 157-158, **158**
 - Report Wizard for, 156, **156**
 - writing data to tables in, 154
- reports via e-mail, 183, 224-238
 - archiving reports using, 240
 - attachments and, 224
 - converting a report to an RTF document, 228-229
 - Copy to PC Document (CPYTOPCD) for, 224
 - Create Bound RPG Program (CRTBNDRPG) for, 235
 - Create CL Program (RTCLPGM) for, 228
 - Exchange Public Folders for archiving, 240-241, **240, 241**
 - extending SNDRPTEML functionality for, 238-243
 - header for RTF file in, 232
 - HTML text file attachment as, 225-238
 - overriding Send Network Spooled File (SNDNETSPLF) for, 238-240, **239**
 - page formatting in, 234
 - pages of report in, 233
 - RTF file attachments in, 225-238
 - saving report using Copy Spooled File (CPYSPLF) in, 224
 - Send Distribution (SNDDST) for, 224
 - Send Report to Email (SNDRPTEML) command for, 236-243, **238**
 - setting up RTF file format for, 229-232
 - space-before-values in, 232
 - text files attachment as, 225-238
 - Work with Spooled Files (WRKSPLF) for, 235
- reports with Query Manager/400 (*See also* queries), 3-32
 - AND and OR operators in, 28
 - asterisks as break footing in, 19
 - CASE function in, 11-12
 - collating or sorting data in, 8
 - column formatting in, 14-15, **14, 19, 22, 22**
 - comma separated variable field length (CSV) conversion, 275-285
 - COMMIT command for database changes in, 29
 - CONNECT to database command for, 29-30
 - converting prompted query to SQL query for, 9
 - Create Query Manager Query (CRTQMQRy) for query for, 5-6
 - Create Query Manager Report Form (CRTQMFORM) for, 6
 - Create Source Physical File (CRTSRCPF) for query for, 5
 - DISCONNECT from database command for, 30
 - DISPLAY formatted output for, 30
 - duplicate record handling in, 7-8
 - edit codes for Query Manager report forms in, 15, 15-16(*t*)
 - Edit Column Formatting in, 278, **278**
 - ERASE Query Manager object from, 30
 - EXPORT source for, 30
 - fields for, 7
 - footings for, 17-18, **18, 23-24, 24**
 - formatting options for, 19, 21, **21, 279**
 - global variables in queries for, 21
 - heading for, values inserted into, 12-13, **13, 16-17, 17 22-23, 23**
 - IMPORT source for, 30
 - line spacing in, 19
 - page breaks in, 17-18, **18, 23-24, 24**
 - parameters in queries and forms for, 4, 8, 21, 22
 - PRINT output to, 31
 - prompted vs. SQL queries in, 7, 20
 - query management queries for, 3-4
 - Query Manager procedures for, 29-32
 - Query Manager profiles for, 28-29
 - Query Manager report forms for, 4-6, 14-25
 - query selection for, 15
 - records for, 7
 - RELEASE database connection for, 31
 - Retrieve Query Manager Query (RTVQMQRy) for query for, 5
 - RUN a query or procedure for, 31
 - running, using, Start Query Manager Query (STRQMQRy), 28-29
 - sample output for, **25**
 - SAVE DATA from, 31-32
 - saving form for, 24
 - selecting database files for, 7
 - SET CONNECTION to database for, 32
 - skipped lines after heading/before footing in, 18-19
 - source files for, 3
 - Start Query Manager (STRQM) for, 6, 20
 - Start Query Manager Procedure (STRQMPROC) for, 29-32
 - Start Query Manager Query (STRQMQRy) for, 11, 28-29
 - summaries (Average, Sum, Count, etc.) in, 7, 20
 - Work with Query Manager Queries screen for, 7-9, 9(*t*)
 - Work with Query Manager Tables screen for, 25-28, **25, 26-27(*t*), 27**
 - wrapped text in, 19
- Request.Querysting command, 192

Response.Redirect command, 203
 Response.Write command, 192
 Retrieve Query Manager Query (RTVQMORY), 5
 Retrieve.Querysting command, 200
 Rich Text Format (RTF) files, 183, 217, 225
 as e-mail attachment, 225-238
 RMD command in File Transfer Protocol (FTP), 175
 RNFR command in File Transfer Protocol (FTP), 175
 RNTO command in File Transfer Protocol (FTP), 175
 Roll keys, to navigate Pop-up Calendar, 77
 rotating printed text (TXTRTT), 109, 125
 Rs.Open command, 205
 RUN a query or procedure, 31

S

SAVE DATA from query or report, 31-32
 %SCAN function, 180
 scheduling jobs, Data Transformation Services (DTS), 297, **297**
 scripted FTP sessions (*See also* File Transfer Protocol), 172-177
 scroll bars, 38, 41
 SELECT statement (SQL)
 in Active Server Pages (ASP), 193
 in File Update application, 160
 in File Viewer application, 143
 send command in File Transfer Protocol (FTP), 172-177
 Send Distribution (SNDDST), 221, 223-224, 223(*t*), 281
 Send Network Spooled File (SNDNETSPLF), 238-240, **239**
 Send Report to Email (SNDRPTEML) command, 236-243, **238**
 archiving reports using, 240
 Exchange Public Folders for archiving and, 240-241, **240**, **241**
 extending functionality of, 238-243
 overriding Send Network Spooled File (SNDNETSPLF) for, 238-240, **239**
 separator lines, in menu, 42
 server-type Web connection, 246, 247-248, **247**
 server prefixes, 252-254
 server-side commands, in File Transfer Protocol (FTP), 174, 174-175(*t*)
 SET CONNECTION to database, 32
 Set Variable (SETVAR) in queries, 9-11
 Shipment Tracking example Web connectivity, 251
 shortcut keys, 42, 48

Simple Mail Transfer Protocol (SMTP), 217-218, 220-221, **221**
 Single Choice Field (SNGCHCFLD), 47-48
 SITE command in File Transfer Protocol (FTP), 175
 skipped lines after heading/before footing in reports, 18-19
 sorting data
 in Active Server Pages (ASP) and, 208-210, **211**
 in queries and reports, 8
 source files, queries, 3, 5
 space-before-values, in reports via e-mail, 232
 spamming, 242
 Spooled File List (QGYOLSPL) API, 263, **263**, **264**
 SQL, database connectivity, 133, 134
 SQL queries, 7, 11, 20
 SQL Server and DB2/400, 288-299
 Start Query Manager (STRQM), 6, 20
 Start Query Manager Procedure (STRQMPROC), 29-32
 Start Query Manager Query (STRQMORY), 11, 28-29
 Start Subsystem (STRSBS), 219, 222
 Start TCP/IP Server (STRTCPSVR), 171, 219
 STAT command in File Transfer Protocol (FTP), 175
 STOR command in File Transfer Protocol (FTP), 175
 STOU command in File Transfer Protocol (FTP), 175
 Subfile Change Choice Subfile (SFLCHCCTL)
 keyword, 45
 Subfile Multiple Choice (SFLMLTCH) keyword, 44-45
 Subfile Single Choice (SFLSNGCHC) keyword for menus, 44
 subfiles
 list box using subfile and window combination, 37-41, **41**
 multiple choice fields in, 52
 single choice fields in, 52
 Subfile Choice Control Subfile (SFLCHCCTL) keyword for, 45
 Subfile Multiple Choice (SFLMLTCH) keyword for, 44-45
 Subfile Single Choice (SFLSNGCHC) keyword for, 44
 subprocedures, in user-defined functions, 61, 68
 summaries (Average, Sum, Count, etc.) in queries and reports, 7
 summary separators in reports, 20
 syntax and error checking for SQL queries, 21
 SYST command in File Transfer Protocol (FTP), 175

T

tables

- printing, 119, **119**
- Work with Query Manager Tables screen for, 25-28, **25**, 26-27(*t*), **27**
- TCP/IP (*See also* e-mail), 218
 - Add TCP/IP Host Table Entry (ADDTCPHTE) for, 218
 - Start TCP/IP Server (STRTCPSVR) for, 171, 219
- Telnet 5250 emulator in Web connectivity, 246
- telnet proxy, Web connectivity, 247-248
- text and font keywords, 106-109
- text box in File Update application, 160
- text files, as e-mail attachments, 225-238
- TIME command in File Transfer Protocol (FTP), 175
- titles for windows, using WDWTTITLE, 34-35, 72
- toolbox icons for File Update application, 160, **160**
- translating printer files, using Host Print Transform (HPT), 99-101
- translation tables, ASCII to EBCDIC, FTP, 170, 179
- TreeView object, in File Viewer application, 140, 141(*t*)
- %TRIM function, 65

U

- Uniform Resource Locator (URL), for Web connectivity, 249-252, 252(*t*)
- Update Program (UPDPGM), 68-69
- UPDATE statement
 - in Active Server Pages (ASP), 203
 - in File Update application, 160, 163-165
- updating data from a Web page, ASP, 194-206, **195**
- user-defined functions, 59-97
 - Activation Group (ACTGRP) in, 65
 - activation groups in, 65
 - Call Bound Procedure (CALLB) op code in, 61
 - calling, using EVAL op code, 59-60
 - CHAIN functionality in, 60
 - Convert Date function as, 285-288
 - Create Bound RPG Program (CRTBNDRPG) for, 65
 - Create Program (CRTPGM) for, 68, 97
 - Create RPG Module (CRTRPGMOD) for, 67-68, 97
 - Date Conversion example of, 62-63
 - Default Activation Group (DFTACTGRP) in, 65
 - Entry Module (ENTMOD) for, 68
 - error handling in, 60
 - EVAL statement for, 63
 - functions in, 61
 - ILE RPG creation of, 63

- List Box using, 70
- List Box using, 91-97, **93**
 - main procedure in, 61
- Message Box using, 70, 84-87
- module creation for, 60-70
- multiple-application use of, issues of, 62-63
- NOMAIN modules in, 61-62, 67, 70, 68
- parameters for, 61, 65, 69
- Pop-up Calculator using, 70, 87-91
- Pop-up Calendar using, 70
- prototypes for, 60-61, 69-70
- subprocedures in, 61, 68
- Update Program (UPDPGM) and, 68-69
- Window Tools Functions module example in, 94-95
- user names and ID
 - in e-mail, 220
 - in File Transfer Protocol (FTP), 171

V

- VBScript (*See also* Active Server Pages), 185-188, 194, 203, 205

W

- Web connectivity, 245-274
 - client use of iSeries in, 249-274
 - direct connection in, 246-247, **246**
 - file:// in, 254
 - Hotspot functionality for, 249-251, **250**
 - HTML transformation products in, 246, 248-249, **248**, 249(*t*)
 - Order Information Checking using, 251
 - server connection in, 246, 247-248, **247**
 - server prefixes in, 252-254
 - Shipment Tracking example using, 251
 - Telnet 5250 emulator in, 246
 - telnet proxy in, 247-248
 - Uniform Resource Locator (URL) and, 249-252, 252(*t*)
 - Web-to-host concepts in, 245-249
 - Workstation Gateway in, 248
- Web pages on IIS (*See* Active Server Pages)
- Web query tool using ASP, 206-15, **208**, **214**, **215**
- Websphere Web Server, 183
- WHERE clause in queries, 9-11
- WINDOW keyword, 34
- Window Tools Functions module example
 - header and footer sections of, 95-97
 - user-defined functions and, 94-95

- window displays for green screen, 33-41
 - borders for, using WDWBORDER in, 35-36
 - color in, 35
 - Date and Time Window example for, 36-37, **37**
 - list box using subfile and window combination, 37-41, **41**
 - Message Box, 72-73
 - positioning, 73
 - program to system fields in, 34
 - scroll bars for, 38, 41
 - titles for, using WDWTITLE, 34-35, 72
 - WINDOW keyword for, 34
- Work with Archived Spooled Files (WRKARCSPLF), 272, **272**
- Work with Directory Entry (WRKDIRE), 219, **219**
- Work with Query Manager Queries screen, 7, **7**, 8-9, 9(*t*)
- Work with Query Manager Tables screen, 25-28, **25**, 26-27(*t*), **27**
- Work with Spooled Files (WRKSPLF), 235
- Workstation Gateway, Web connectivity, 248
- World Wide Web Consortium (W3C), 252
- wrapped text, in reports, **19**

