

Index

A

- access paths, 31
 - optimizing SQL and, 135, **135**
- access types, restricting SQL statements, JDBC setup and, 36-37, **37**
- accessing iSeries data from a PC, 280-287, **280**
- accumulate running totals, 192-197, **193**, **194-195**, **196**
- Active X Objects (ADO), 232, 297-302, **298**, **299**, **300**, **301**
 - changing data on iSeries with Excel and, 316-319, **317-318**
 - column headings using Excel and, 302, **302**
 - Excel access to iSeries data and, 295-296
 - Excel use and, 297-302, **298**, **299**, **300**, **301**
 - forms with, 303-307, **303**, **304**, **305-306**, **307**
 - registering within Excel, 296-297, **296**, **297**
 - stored procedures called using, 325-327, **326**
 - tables integrating Word and iSeries data, 321-325, **321-324**, **325**
 - Word and iSeries data using ADO, 319-325, **319**, **320**
- ad hoc queries
 - RunSql tool for ad hoc, 263-267, **263-264**, **265**, **266**
- ADHOC query in QM Query
 - generic format setting for, 256-260, **256**, **257**, **258**, **259**, **260**
 - reports using, 255-256, **255**
- adopted authority, 235, **235**
- advanced SQL, 87-118
- ALIAS statement, 99, **99**, 174
- aliased multimember files, 99, **99**, 174
- ALTER statements, 177-180, **178**, **179**
- AND, constraints and, 164
- Apply Journal Changes (APYJRNCHG)
 - command, 177
- archiving data
 - QM Query to move records between two tables, 250-253, **251**, **252**, **253**, 250
 - stored procedures for, 227-230, **227**
 - parameter markers for, 228, **228-229**, 227, 235-238, **236**, **237-238**

B

back-end/back-office applications, stored procedures for, **230**
backup the database using CL program stored procedure, 231-233, **231**, **232**, **233**
binary large objects (BLOBs), 150*t*, 168-171, **168-169**, **169-170**
binary radix tree, 121, 124-125
bitmap index, 121-122, **122**
BLOB. *See* binary large object
build procedures, 181-182, **181**, **182**

C

calculated fields. *See also* formulas and calculations
JOINs and, 108-109, **108**, **109**
calculations. *See* formulas and calculations
calling procedure from within a procedure in, 221-223, **221-223**
Cartesian joins. *See* cross joins
CASCADE keyword, 179
CASE function, 10, **10**, 111-113
negative numbers and, 13, **13**
packed numbers and, 14, **14**
SELECT and, 112-113, **112**
UPDATE and, 111-112, **111**
WHEN, THEN, and ELSE in, 112
case sensitivity of SQL, 8, **8**
CAST function, 98
parameter markers, 82-83, **82**, **83**
catalogs, 148, 174-176, 175*t*
character values
literals passed from CL programs to QM Query, 249, **249**
literals passed within parameters to QM Query, 248-249, **248**
quoted, 61-62, **61**, **62**
Varchars in, 165-166, **165**
check constraints, 157*t*, 163-164, **164**
CL programs called as stored procedures, 230-235, **230**
backup the database, 231-233, **231**, **232**, **233**
encoded vector index (EVI) in, 139, **139**

end-of-day processes, 234, **234**
Index Scan, Key Selection in, 139, **139**
initialize tape, 230-231, **231**
recalculate item costs, 234-235, **235**
registering, 233, **233**
CL programs, character literals passed to QM Query from, 249, **249**
Client Access. *See* Microsoft Office and SQL
CLOB, 150*t*
CLOSE statement, 65, **65**
COALESCE function, sub-SELECTs and, 103, **103**
Coded Character Set ID (CCSID) translation, JDBC setup and, 38-39, **38**, **39**
collections in, 147-148
column functions, 333-335, **334**
column headings, 151-153, **152**
ADO and Excel for, 302, **302**
columns
ALTER statements for, 178-180, **179**
headings for, 9
modifying, using SELECT, 8-10, **9**
comments
in database, 180-181, **180**
SQL Scripting tool and, 27
COMMIT, 19, 36, 71-72, **72**, 117
Read Committed setting in, 70-71, **71**
Read Uncommitted setting in, 70, **70**
Repeatable Read setting in, 74-75, **74**
stored procedures and, 218
commitment control, 78, 113-117. *See also* COMMIT; isolation levels; ROLLBACK
COMMIT and, 117
JDBC setup and, 36
journaling, journal, journal receiver in, 113-115, **113**, **114**, **115**, 176-177
Read Committed setting in, 70-71, **71**
Read Uncommitted setting in, 70, **70**
Repeatable Read isolation level setting in, 117
ROLLBACK and, 117
stored procedures and, 218-219, **219**
UPDATEs and, grouping together, 115-117, **116**, **117**
compiler options for RPGIV code, 78-86

- allowing copy of data in, 79
 - commitment control in, 78
 - compile type setting in, 79
 - cursors in SQL and, 79
 - debugging and, 79
 - isolation levels in, 78
 - precompiler options in, 79
 - RDB connect method setting in, 79
 - relational databases, 79
 - user profile setting for, 79-80
 - condition testing, 66
 - multiple tests with single QM Query in, 253-255, **254**
 - constants, 331
 - constraints, xi, 157-164, 157*t*
 - ALTER statements for, 179-180
 - AND and OR in, 164
 - check, 157*t*, 163-164, **164**
 - foreign key. *See* referential constraints, 161
 - names for, 158
 - primary key, 157*t*, 158-159, **158-159**
 - referential, 157*t*, 161-163, **161-162**
 - referential, ON UPDATE and ON DELETE
 - rules for, 163
 - unique key, 157*t*, 159-161, **159, 160**
 - correlation names in JOINS, 104
 - CPU cycle time vs. programming time, 144-145
 - CREATE INDEX, 125-126, **125, 126**
 - Create Logical File (CRTLF), 147
 - Create Physical File (CRTPF), 147
 - Create SQL Function Wizard for, 204-211, **205, 206, 207, 208**
 - cross joins, 93-94, **93, 94**
 - currency, user-defined data types in, 171-172, **171, 172**
 - CURRENT DATE, 18
 - current price calculation, 197-200, **198-199, 200**
 - cursors in SQL, 63-65, **63-64, 65**
 - CLOSE statement in, 65, **65**
 - compiler setting for, 79
 - DECLARE statement in, 64, **64**
 - FETCH RELATIVE in, 85
 - FETCH statement in, 65, **65**
 - OPEN statement in, 64-65, **65**
 - return as result tables using stored
 - procedures, 242-243, **242-243**
 - scrolling, 75-76, **75**, 84-85, **85**
 - CYYMMDD date formats, 16-17, **16, 17**
- ## D
- data definition specifications (DDSs), xi, 1, 147
 - optimization and indexing issues in, 133-136
 - data sets. *See also* multimember files and ALIAS, 174
 - data types, 149-150, 149-150*t*
 - unions with inconsistent data types and, 96-98, **96, 97, 98**
 - user-defined, 171-172, **171, 172**
 - database administrators (DBAs), optimizing
 - SQL and, 136-137
 - database statistics
 - optimizing SQL and, 136-137
 - SQL Performance Monitor for, 140-144, **141, 142, 143**
 - databases, 2-6, 147-183
 - ALTER statements for, 177-180, **178, 179**
 - binary large objects (BLOBs) in, 150*t*, 168-171, **168-169, 169-170**
 - build procedures in, 181-182, **181, 182**
 - catalogs for, 174-176, 175*t*
 - character fields, Varchars in, 165-166, **165**
 - collections in, 147-148
 - column headings in, 151-153, **152**
 - comments in, 180-181, **180**
 - common problems with, 10-19
 - constraints in, 157-164, 157*t*
 - data types in, 149-150, 149-150*t*
 - datalinks in, 166-168, 166-167*t*, **167**
 - dates in, 11, 15-19
 - default values in, 155-156, **155, 156**
 - external files in, 5-6, **5**, 11-12, **11, 12**
 - field definitions in, 3-6, **4, 5, 6**
 - identity columns in, 153, **153**
 - journaling in, 176-177
 - libraries and, 147-148
 - multimember files and ALIAS, 174
 - negative numbers for, 13, **13**
 - null values in, 156-157, **156-157**

databases, *continued*

- object creation for, 147-183
- optimizing SQL and, statistics display, 136-137
- packed numbers in, 13-15, **14**
- record format name in, 150-151
- Row IDs in, 154, **154**
- sample for book, 2-6
- schemas in, 147-148
- SQL Performance Monitor for, 140-144, **141**, **142**, **143**
- tables in, 149-150, **149**,
- total columns in, 173
- updating files in, 18-19, **18**, **19**
- user-defined data types in, 171-172, **171**, **172**
- Varchars in, 165-166, **165**
- views in, 172-173, **172**, **173**

DATALINK, 150^t

datalinks, 166-168, 166-167^t, **167**

DATE, 150^t

dates, 11, 15-19

- CYYMMDD formats, 16-17, **16**, **17**
- flat files and, 17, **17**
- functions for format conversion, 186-192, **186**, **187-188**, **189**, **190**, **191**, **192**, 209-210, **209**
- math using date fields, 17-18, **18**
- math using non-date fields for, 18, **18**
- MMDDCCYY formats, 15-16, **15**, **16**
- unions with inconsistent data types and, 96-98, **96**, **97**, **98**

DAYS, 18

DB2 Query Manager, 2

DBCLOB, 150^t

debugging

- compiler setting for, 79
- optimizing SQL and, 119-121, **120**

DECIMAL function, 12, **12**, 149^t

DECLARE, 64, **64**

- DYNAMIC keyword in, 67, **67**
- No Commit setting in, 70
- PREPARE statement in, 66-67, **66**

default values, 155-156, **155**, **156**, 156^t

DELETE, 49, 339, **339**

- referential constraints and, 163
- WHERE clause and, 339, **339**

Display Journal (DSPJRN) command, 177

DoSqlLoop to SELECT and FETCH records in loop, 271-278, **271**, **272**, **273**, **274-276**, **277**

DOUBLE, 150^t

DUMP, 56-57

DYNAMIC keyword, 67, **67**

- No Commit setting in, 70

dynamic SQL, 60-65

- CLOSE statement in, 65, **65**
- cursors in, 63-65, **63-64**, **65**
- DECLARE statement in, 64, **64**
- FETCH statement in, 65, **65**
- INTO clause in, 65, **65**
- OPEN statement in, 64-65, **65**
- PREPARE statement in, 60-61, **60-61**
- quotes around character values in, 61-62, **61**, **62**
- RPG IV code and, 59-66
- SELECT multiple rows in, 62-65, **63-64**, **65**

E

ELSE, CASE function and, 112

embedded SQL and stored procedures, 238-243

- registering, 241, **242**
- return data structures as result tables, 239-242, **239-240**, **241**, **242**
- return SQL cursors as result tables, 242-243, **242-243**
- testing, 243, **243**

encoded vector index (EVI), xi, 121, 124-125

- Visual Explain, 139, **139**

END SQL statements, RPG IV code and, 51

end-of-day processes using CL program stored procedure, 234, **234**

end-of-file and condition testing, RPG IV code and, 66

error handling

- ALTER statements and, 178-180, **178**
- exception joins and, 91-93, **91**, **92**, **93**
- SQL Scripting tool and, 27, 28-30, **28**
- SQLCOD in, 54-57, **56**
- SQLSTATE setting, 197

- SQLSTT in, 54-57, *55t*
 stored procedures and for, 217-218, **218**
 WHENEVER statement in, 57
- Excel access to iSeries data, 287-303, **287-295**
 changing data on iSeries with ADO and,
 316-319, **317-318**
 column headings using ADO and, 302, **302**
 getting started with ADO and, 297-302, **298,**
299, 300, 301
 OLE DB connection and, 302-303
 registering ADO within, 296-297, **296, 297**
 VBA and ADO for, 295-296
- exception joins, 91-93, **91, 92, 93**
- EXEC SQL and END SQL statements, RPG IV
 code and, 51
- EXECUTE IMMEDIATE command, 60
- expressions, 331
- external database files, 5-6, **5, 11-12, 11, 12**
- externally defined data structures, RPG IV code
 and, 53, **53-54**
- ## F
- F specifications, RPG IV code and, 49-50, **50**
- FETCH, 65, **65**
- DoSqlLoop to SELECT and FETCH records
 in loop, 271-278, **271, 272, 273, 274-276,**
277
- jumping around the result set in, 75-76
- No Commit setting in, 70
- options for (NEXT, PRIOR, etc.), 75-76, **75**
- position to fields for subfiles and, 78, **78**
- Read Committed setting in, 70-71, **71**
- RELATIVE option for, 85
- Repeatable Read setting in, 71
- subfile loading with SELECT and FETCH
 loops in, 76-78, **76-77**
- field definitions, 3-6, **4, 5, 6**
- ALTER statements for, 178-180, **178**
- field lists, 331-332, **332, 333**
- file structures, 3
- files defined, 2
- filters, WHERE clause for, 7, 7
- Final Select, 44-48, 140, **140**
- flat files, 3, **3**
- Coded Character Set ID (CCSID) translation
 in, 38-39, **38, 39**
- dates from, 17, **17**
- JDBC setup and, 37-38, **38**
- FLOAT, 149*t*
- foreign key constraint. *See* referential
 constraints, 161
- formatting data
- JDBC setup and, 40, **40**
- record format name in, 150-151
- forms in QM Query, variable headings in,
 260-262, **261, 262**
- forms with ADO, 303-307, **303, 303-307, 303,**
304, 305-306, 307
- formulas within SELECT, 9, **9**
- FROM clause, 332, **332**
- functions and calculations, 185-214, 333-335, **334**
- Create Function statement in, 185
- current price calculation, 197-200, **198-199,**
200
- dates, 17-18, **18**
- converting formats of, 186-192, **186,**
187-188, 189, 190, 191, 192, 209-210,
209
- GetSqlVal to calculate single value from
 SELECT statement, 267-271, **267-268,**
269, 270
- recalculate item costs using CL program
 stored procedure, 234-235, **235**
- registering functions in RPGLE programs,
 185
- RPGLE programs and, 185
- running totals, 192-197, **193, 194-195, 196**
- RunSum, 211-214, **212, 213-214**
- scalar functions in, 333-335, **334**
- sourced, 211-214, **211, 212**
- SQL to create, Create SQL Function Wizard
 for, 204-211, **205, 206, 207, 208**
- SQLSTATE setting, 197
- summary functions in, 333-335, **334, 335**
- table functions with SQL, 210-211, **210, 211**
- user-controlled file opens, 200-204, **201,**
202-203, 204

G

- GetSqlVal to calculate single value from
 - SELECT statement, 267-271, **267-268**, **269**, **270**
- GROUP BY clause, 335-337, **336**, **337**
- GUI scripting tool, iSeries Navigator and, 23, **24**

H

- HAVING clause, 337-338, **337**, **338**
 - sub-SELECTs and, 101
- HEX function, 39
 - packed numbers in, 13-15, **14**
- host variables, RPG IV code and, 52-53, **54**

I

- identity columns, xi, 153, **153**
 - Row IDs vs., 154, **154**
- images and pictures, binary large objects (BLOBs), 150*t*, 168-171, **168-169**, **169-170**
- IN clause, sub-SELECTs and, 100-101, **100**, **101**
- index scan, Visual Explain and, 44-48, 138-139, **139**
- indexes, 119
 - access path maintenance and, 135, **135**
 - binary radix tree in, 121, 124-125
 - bitmap index in, 121-122, **122**
 - build procedures for, 182, **182**
 - combining smaller, 128, **128**
 - constraints in, 157-164, 157*t*
 - CREATE INDEX syntax for, 125-126, **125**, **126**
 - creation of, rule of thumb for, 122-124, **123**
 - encoded vector index (EVI) in, 121, 124-125
 - Index Scan, Key Position in, 138-139
 - key composition and, 136
 - legacy files and, 133-136
 - optimizing using, 119, 121-128
 - ORDER BY clause in, 124
 - order of creation in, 127, **127**
 - order of search in, 128
 - overhead attributed to, 124
 - primary key constraints, 158-159, **158-159**
 - selecting appropriate form for, 122

- UNIQUE keyword in, 126
- Visual Explain and, 44-48, 44
- WHERE clause in, 124
- WITH clause in, 126
- initialize tape, CL programs as stored
 - procedures 230-231, **231**
- inner joins, 88, **88**
- INSERT, 49, 58, **58**, **59**, 338, **338**
 - default values in, 155-156, **155**, **156**
 - Microsoft Office and SQL, uploading data to
 - iSeries in, Update Wizard for, 307-319, **308-315**
 - RPG IV code and, 58, **58**, **59**
 - sub-SELECTs and, 338, **338**
 - VALUES clause in, 58
- INTEGER, 150*t*
- interactive SQLs, 1-21
- INTO clause, 53, 65, **65**
- inventory transaction posting, stored procedures
 - and, 216-219, **216**, **217**
- iSeries Navigator, 23-48, **24**
 - GUI scripting tool in, 23, **24**
 - installing database component of, 24-26, **25**
 - server selection for, 24-25
 - SQL Scripting tool in. *See* SQL Scripting tool, 26
 - STRSQL vs., 23
- isolation levels, 69-72, 78
 - COMMIT and, 71-72, **72**
 - No Commit setting in, 70, 73, **73**
 - Read Committed setting in, 70-71, **71**
 - Read Uncommitted setting in, 70, **70**
 - Repeatable Read setting in, 71, 73-75, **74**
 - ROLLBACK and, 72
 - Serializable setting in, 71

J

- Java, binary large objects (BLOBs) in, 168-171, **168-169**, **169-170**
- Java Database Connectivity (JDBC setup), 35-41, **35**
 - access types, restricting SQL statements in, 36-37, **37**

- Coded Character Set ID (CCSID) translation
in, 38-39, **38, 39**
- COMMIT and, 36
- commitment control in, 36
- flat files and, 37-38, **38**
- format options using, 40, **40**
- library setting in, 148
- result set, 224
- ROLLBACK and, 36
- server selection/connection for, 41, **41**
- STRJRNPf and, 36
- job logs, SQL Scripting tool and, 31, **31**
- joins, 87-99
- calculated fields and, 108-109, **108, 109**
 - correlation names in, 104
 - cross, 93-94, **93, 94**
 - exception, 91-93, **91, 92, 93**
 - inner, 88, **88**
 - JOIN keyword in, 88-89, **88**
 - left outer, 89-90, **89, 90**
 - place holders for unions and, 98-99, **99**
 - right outer, 90-91, **90, 91**
 - sub-SELECTs and, 103-108, **104-107**
 - summary sort in, 104
 - types of, 89
 - unions and, 94-95, **94, 95**
 - sorted by column number and, 95-96, **95, 96**
 - with inconsistent data types and, 96-98, **96, 97, 98**
 - with missing data in, 98-99, **98, 99**
 - vertical joins or unions in, 94-95, **94, 95**
 - WHERE clause and, 88, 89
- journaling, 113-115, **113, 114, 115**, 176-177.
See also commitment control
- Apply Journal Changes (APYJRNCHG)
command in, 177
- Display Journal (DSPJRN) command in, 177
- QSQRJN and QSQRJN0001 in, 148, 176
- Remove Journal Changes (RMCJRNCHG)
command in, 177
- schemas and, 148
- Serializable setting in, 71
- JPEG, binary large objects (BLOBs) in,
168-171, **168-169, 169-170**
- K**
- key composition, indexes for optimizing and,
136
- L**
- left outer join, 89-90, **89, 90**
- legacy files and indexes, optimization issues in,
133-136
- libraries, 3, 147-148
- default search libraries, 36
 - JDBC setup and, 148
 - query attribute file (QAQQINI) in, 129-130,
129
- LIKE keyword, 84
- loading SQL scripts, SQL Scripting tool and,
33-34, **34**
- loops
- DoSqlLoop to SELECT and FETCH records
in loop, 271-278, **271, 272, 273, 274-276,**
277
- M**
- mail merge data, Word and iSeries integration
of, 321
- memory
- paging, 133
 - pools of, 132-133, **132**
 - SETOBJACC and loading files into, 132-133,
132
- Microsoft Data Access Components (MDAC),
232
- Microsoft Office and SQL, 279-327
- accessing iSeries data from a PC and,
280-287, **280**
 - changing data on iSeries with ADO and
Excel in, 316-319, **317-318**
 - Client Access and, 280, **280**
 - Excel access to iSeries and, 287-303, **287, 295**
 - column headings using ADO and, 302, **302**
 - getting started with ADO and, 297-302,
298, 299, 300, 301
 - OLE DB connection and, 302-303
 - registering ADO within, 296-297, **296, 297**

MDAC, *continued*

- VBA and ADO for, 295-296
 - forms with ADO and, 303-307, **303**, 303-307, **303**, **304**, **305-306**, **307**
 - ODBC driver configuration and, 280-286, **281**, **282**, **283**, **284**, **285**, **286**, **287**
 - stored procedures called using ADO in, 325-327, **326**
 - uploading data to iSeries in, Update Wizard for, 307-319, **308-315**
 - Visual Basic (VB) and, 279
 - Word and iSeries data using ADO, 319-325, **319**, **320**
 - mail merge data, 321
 - tables, 321-325, **321-324**, **325**
- MMDDCCYY date formats, 15-16, **15**, **16**
- MONTHS, 18
- multimember files and ALIAS, 99, **99**, 174

N

- naming SQL scripts, SQL Scripting tool and, 34
- negative numbers, 13, **13**
 - CASE statement and, 13, **13**
- NOTFOUND subroutine, 56
- Null Attributes, 86
- null capability, 156-157
- null values, 85-86, 156-157, **156-157**
 - ALTER statements for, 179-180, **179**
 - sub-SELECTs and, 102-103, **103**
- numeric data
 - negative numbers, 13, **13**
 - packed numbers in, 13-15, **14**
- NUMERIC, 149*t*

O

- OLE DB connection, Excel access to iSeries data and, 302-303
- ON UPDATE/ON DELETE, referential constraints and, 163
- Open Database Connectivity (ODBC), 224, 232
 - driver configuration in, 280-286, **281**, **282**, **283**, **284**, **285**, **286**, **287**
 - OLE DB connection and, 302-303
- OPEN statement in, 64-65, **65**
- opening files, user-controlled, 200-204, **201**, **202-203**, **204**
- optimizing SQL, 119-146
 - access paths and, 135, **135**
 - CPU cycle time vs. programming time in, 144-145
 - database statistics and, 136-137
 - Debug utility for, 119-121, **120**
 - GUI tools for, 138-140
 - indexes for, 119, 121-128
 - access path maintenance and, 135, **135**
 - binary radix tree in, 121, 124-125
 - bitmap index in, 121-122, **122**
 - combining smaller, 128, **128**
 - CREATE INDEX syntax for, 125-126, **125**, **126**
 - creation of, rule of thumb for, 122-124, **123**
 - encoded vector index (EVI) in, 121, 124-125
 - key composition and, 136
 - legacy files and, issues of, 133-136
 - ORDER BY clause in, 124
 - order of creation in, 127, **127**
 - order of search in, 128
 - overhead attributed to, 124
 - selecting appropriate form for, 122
 - UNIQUE keyword in, 126
 - WHERE clause in, 124
 - WITH clause in, 126
 - legacy files and indexes in, 133-136
 - machine vs. people in, 144-145
 - paging in memory and, 133
 - parallel processing, 130, 137
 - query attribute file (QAQQINI) in, 119, 129-130, **129**
 - SELECT optimization in, 130-131, **130**, **131**
 - SETOBJACC and loading files into memory in, 132-133, **132**
 - SQL Performance Monitor for, 140-144, **141**, **142**, **143**
 - tips for, 145-146
 - views, 131-132
 - Visual Explain for, 138-140
 - encoded vector index (EVI) in, 139, **139**

- Final Select in, 140, **140**
 - Index Scan, Key Position in, 138-139
 - Index Scan, Key Selection in, 139, **139**
 - Sort in, 140, **140**
 - Table Scan in, 138, **138**
 - OR, constraints and, 164
 - ORDER BY clause, 30, 136, 333, **333**
 - dynamic SQL and, 59
 - indexes for optimizing and, 124
 - output redirection
 - SELECT for, 19-21, **20**
 - SQL Scripting tool for, 41-42, **41, 42**
- P**
- packed numbers, 13-15, **14**
 - HEX function in, 13-15, **14**
 - paging in memory, 133
 - parallel processing, optimizing SQL and, 130, 137
 - parameter markers, 80-84, **80-81**
 - archiving data with, 227-230, **228-229**
 - CAST function and, 82-83, **82, 83**
 - stored procedures and, 227-228
 - variable length character fields and, 83-84, **84**
 - Performance Monitor. *See* SQL Performance Monitor, 140
 - place holders for unions, 98-99, **99**
 - position to fields for subfiles, 78, **78**
 - precompiler options, RPG IV code and, 51, 79
 - PREPARE statement, 60-61, **60-61, 66-67, 66**
 - price calculation, 197-200, **198-199, 200**
 - primary key constraints, 157*t*, 158-159, **158-159**
 - procedures, calling procedure from within a
 - procedure in, 221-223, **221-223**. *See also* stored procedures
- Q**
- QM Query, 245-262
 - ADHOC query, 255-256, **255**
 - defining generic format for, 256-260, **256, 257, 258, 259, 260**
 - character literals passed from CL programs to, 249, **249**
 - character literals passed within parameters to, 248-249, **248**
 - create queries in, 246, **246**
 - launching, 246, **246**
 - moving records between two tables using, 250-253, **251, 252, 253**
 - multiple parameters passed to, 250, **250**
 - multiple tests with single query in, 253-255, **254**
 - perform any SQL statement using, 247-248, **247**
 - variable headings to forms in, 260-262, **261, 262**
 - Work with Queries in, 246, **246**
 - QSQRN and QSQRN0001, 148, 175, 176
 - query attribute file (QAQQINI), 119, 129-130, **129**
 - Query Management (QM) queries. *See* QM Query
 - quotes, 8, **8**
 - around character values, 61-62, **61, 62**
- R**
- Read Committed setting in, 70-71, **71**
 - Read Uncommitted setting in, 70, **70**
 - recalculate item costs using CL program stored procedure, 234-235, **235**
 - record format name, 150-151
 - record lock, 69-72. *See also* isolation levels
 - records
 - DoSqlLoop to SELECT and FETCH records in loop, 271-278, **271, 272, 273, 274-276, 277**
 - QM Query to move records between two tables, 250-253, **251, 252, 253**
 - redirecting output
 - SELECT for, 19-21, **20**
 - SQL Scripting tool for, 41-42, **41, 42**
 - referential constraints, 157*t*, 161-163, **161-162**
 - ON UPDATE and ON DELETE rules for, 163
 - registering
 - ADO within Excel, 296-297, **296, 297**
 - stored procedures, 233, **233, 241, 242**
 - relational databases, 79

- Remove Journal Changes (RMCJRNCHG)
 - command, 177
- Repeatable Read setting, 71, 73-75, **74**, 117
- reports
 - ADHOC query format setting for, 256-260, **256, 257, 258, 259, 260**
 - ADHOC query in QM Query for, 255-256, **255**
 - DoSqlLoop to SELECT and FETCH records
 - in loop, 271-278, **271, 272, 273, 274-276, 277**
 - RunSql tool for ad hoc queries, 263-267, **263-264, 265, 266**
- result set/tables/windows
 - stored procedures for, 223-224, **223**
 - that return data structures as, 239-242, **239-240, 241, 242**
 - that return SQL cursors as, 242-243, **242-243**
 - SQL Scripting tool and, 27, 29, **29**
- right outer join, 90-91, **90, 91**
- ROLLBACK, 19, 36, 72, 117
 - Read Committed setting in, 70-71, **71**
 - Read Uncommitted setting in, 70, **70**
 - Repeatable Read setting in, 73-75, **74**
 - stored procedures and, 218
- Row IDs, 154, **154**
- RPG IV and SQL, 49-86
 - assembling SQL statement in, 59-60, **59-60**
 - CAST function and parameter markers in, 82-83, **82, 83**
 - compile options in, 78-86
 - compiler options in, 78-80
 - allowing copy of data in, 79
 - commitment control in, 78
 - compile type setting in, 79
 - cursors in SQL and, 79
 - debugging in, 79
 - isolation levels in, 78
 - precompiler options in, 79
 - RDB connect method setting in, 79
 - relational databases, 79
 - user profile setting for, 79-80
 - cursors in, 63-65, **63-64, 65**
 - DYNAMIC keyword in, 67, **67**
 - dynamic SQL in, 59-66
 - CLOSE statement in, 65, **65**
 - cursors in, 63-65, **63-64, 65**
 - DECLARE statement in, 64, **64**
 - FETCH statement in, 65, **65**
 - INTO clause in, 65, **65**
 - OPEN statement in, 64-65, **65**
 - PREPARE statement in, 60-61, **60-61**
 - quotes around character values in, 61-62, **61, 62**
 - SELECT multiple rows in, 62-65, **63-64, 65**
 - embedding SQL within, 49-65
 - end-of-file and condition testing in, 66
 - EXEC SQL and END SQL statements for, 51
 - EXECUTE IMMEDIATE command in, 60
 - externally defined data structures in, 53, **53-54**
 - F specifications and, 49-50, **50**
 - host variables and, 52-53, **54**
 - INSERT in, 58, **58, 59**
 - jumping around the result set in, 75-76
 - No Commit isolation level setting in, 70, 73, **73**
 - null values and, 85-86
 - parameter markers in, 80-84, **80-81**
 - position to fields for subfiles in, 78, **78**
 - precompiling of, 51
 - PREPARE statement in, 60-61, **60-61**, 66-67, **66**
 - quotes around character values in, 61-62, **61, 62**
 - Source Entry Utility (SEU) and F4 prompt in, 51, **52**
 - source file and Source type for, 51
 - static SQL in, 52-54
 - subfile loading with SELECT and FETCH
 - loops in, 76-78, **76-77**
 - subfiles in, single-page, 84-85, **85**
 - testing for failed SQL statements, 54-57
 - NOTFOUND subroutine in, 56
 - SQLCOD in, 54-57, **56**
 - SQLERROR subroutine and DUMP in, 56-57
 - SQLSTT in, 54-57, *55t*
 - UPDATE in, 57-58, **57-58**, 67-78
 - record locks and, 69-72
 - SCROLL keyword in, 68

- separate statements for, without SELECT, 68-69, **68-69**
 - transaction isolation levels and, 69-72
 - WHERE CURRENT OF clause in, 67-68, **68**, 69
 - VALUES clause in, 58
 - running totals, 192-197, **193**, **194-195**, **196**
 - RunSql tool for ad hoc queries, 263-267, **263-264**, **265**, **266**
 - RUNSQLSTM, 2
 - RunSum function, 211-214, **212**, **213-214**
- S**
- saving SQL scripts, SQL Scripting tool and, 33-34, **33**
 - scalar functions, 333-335, **334**
 - scheduling using stored procedures, 224-227, **224-225**, **226**
 - schemas, 147-148
 - catalogs for, 148, 174-176, 175*t*
 - creation of, 148
 - journaling and, 148
 - SCROLL keyword, 68, 75-76, **75**
 - searching
 - indexes, 128
 - libraries in, default search libraries, 36
 - SELECT, 1, 19, 49, 330-331
 - basic forms of, 2-6, 2
 - CASE function and, 112-113, **112**
 - case sensitivity in, 8, **8**
 - CASE statement and, 10, **10**
 - DoSqlLoop to SELECT and FETCH records in loop, 271-278, **271**, **272**, **273**, **274-276**, **277**
 - field lists and, 331-332, **332**, **333**
 - filtering records using, 7
 - formulas and calculations within, 9, **9**
 - GetSqlVal to calculate single value from, 267-271, **267-268**, **269**, **270**
 - GROUP BY clause, **337**
 - HAVING clause, 337-338, **337**, **338**
 - INTO clause for, 53
 - JOIN and, 87-99. *See also* joins
 - jumping around the result set in, 75-76
 - modifying selected columns using, 8-10, **9**
 - multiple rows, 62-65, **63-64**, **65**
 - No Commit setting in, 70
 - optimizing, 130-131, **130**, **131**
 - ORDER BY clause and, 30, 333, **333**
 - parameter markers in, 80-84, **80-81**
 - position to fields for subfiles and, 78, **78**
 - PREPARE statement in, 66-67, **66**
 - quotes used in, 8, **8**
 - Read Committed setting in, 70-71, **71**
 - Read Uncommitted setting in, 70, **70**
 - redirecting output from, 19-21, **20**
 - Repeatable Read setting in, 73-75, **74**
 - sub-. *See* sub-SELECTs, 100
 - subfile loading with SELECT and FETCH loops in, 76-78, **76-77**
 - views in, 172-173, **172**, **173**
 - WHERE clause for, 7, **7**, 333, **333**
 - WITH clause and, 109-110, **109**, **110**
 - Serializable setting, 71
 - servers
 - iSeries Navigator and, 24-25
 - JDBC setup and, 41, **41**
 - parallel processing and, 130, 137
 - SET clause, sub-SELECTs and, 101-102, **101**, **102**
 - SETOBJACC and loading files into memory in, 132-133, **132**
 - sorting
 - ORDER BY clause and, 30, 333, **333**
 - SQL Scripting tool and, 30, **30**
 - unions, by column number, 95-96, **95**, **96**
 - Visual Explain, 140, **140**
 - Source Entry Utility (SEU) and F4 prompt, RPG IV code and, 51, **52**
 - source files, RPG IV code and, 51
 - sourced functions, 211-214, **211**, **212**
 - SQL basics for beginners, 329-339
 - SQL DevKit, 2
 - SQL Performance Monitor, 140-144, **141**, **142**, **143**
 - SQL Scripting tool
 - access paths and, 31
 - comments in, 27

- SQL Scripting tool, *continued*
- configuring environment of, 27-31, **27**
 - debug messages in, 27-28
 - double click to run option in, 28
 - error handling in, 27, 28-30, **28**
 - executing SQL statements in, 28
 - JDBC setup in, 35-41, **35**
 - access types, restricting SQL statements in, 36-37, **37**
 - Coded Character Set ID (CCSID)
 - translation in, 38-39, **38, 39**
 - COMMIT and, 36
 - commitment control in, 36
 - flat files and, 37-38, **38**
 - format options using, 40, **40**
 - libraries in, default search libraries, 36
 - ROLLBACK and, 36
 - server selection/connection for, 41, **41**
 - STRJRNPf and, 36
 - job logs in, 31, **31**
 - launching, **26**
 - loading SQL scripts in, 33-34, **34**
 - multiple SQL statements running in, Run All icon, 31-33, **32**
 - naming SQL scripts in, 34
 - redirecting output from, 41-42, **41, 42**
 - result windows in, 27, result windows in, 29, **29**
 - saving SQL scripts in, 33-34, **33**
 - selected SQL statements running in, Run from Selected, 32-33, **32, 33**
 - smart statement selection in, 27
 - sorting results in, 30, **30**
 - Visual Explain in, 42-48
 - final select in, 44-48
 - index scan in, 44-48
 - launching, 43-44, **43**
 - table properties setting in, 46, **46, 47**
 - temporary index in, 44-48, **45**
- SQLCOD, 54-57, **56**
- end-of-file and condition testing in, 66
- SQLERROR subroutine and DUMP, 56-57
- SQLSTATE setting, 197
- SQLSTT, 54-57, 55*t*
- state, SQLSTATE setting, 197
- static SQL, RPG IV code and, 52-54
- stored procedures, 215-244
- adopted authority in, 235, **235**
 - applications for, 215
 - archiving data with, 227-230, **227**, 235-238, **236, 237-238**
 - back-end/back-office applications using, 230
 - calling CL program as, 230-235, **230**
 - backup the database, 231-233, **231, 232, 233**
 - end-of-day processes, 234, **234**
 - initialize tape, 230-231, **231**
 - recalculate item costs, 234-235, **235**
 - registering, 233, **233**
 - calling procedure from within a procedure in, 221-223, **221-223**
 - commitment control in, 218-219, **219**
 - embedded SQL and, 238-243
 - registering, 241, **242**
 - return data structures as result tables, 239-242, **239-240, 241, 242**
 - return SQL cursors as result tables, 242-243, **242-243**
 - testing, 243, **243**
 - error handling routines in, 217-218, **218**
 - inventory transaction posting using, 216-219, **216, 217**
 - Microsoft Office and SQL, call using ADO, 325-327, **326**
 - parameter markers in, 227-228
 - registering, 233, **233**, 241, **242**
 - scheduling with, 224-227, **224-225, 226**
 - testing, 243, **243**
 - transaction file processing with, 219-244, **219-220**
 - calling procedure from within a procedure in, 221-223, **221-223**
 - result set return using, 223-224, **223**
- STRJRNPf, 36
- STRSQL, xii, 1, 2, 6-10, **6, 19**
- iSeries Navigator and vs., 23
- subfiles
- loading with SELECT and FETCH loops in, 76-78, **76-77**

- position to fields in, 78, **78**
 - single-page, 84-85, **85**
 - sub-SELECTs, 100-110
 - COALESCE function and, 103, **103**
 - HAVING clause and, 101
 - IN clause and, 100-101, **100, 101**
 - INSERT, 338, **338**
 - JOINS and, 103-108, **104-107**
 - calculated fields in, 108-109, **108, 109**
 - null values and, 102-103, **103**
 - SET clause and, 101-102, **101, 102**
 - WHERE clause and, 101
 - WITH clause and, 109-110, **109, 110**
 - SUBSTR function, 11-12, **12**
 - packed numbers and, 14, **14**
 - UPDATE and, 19
 - summary columns, RunSum function, 211-214, **212, 213-214**
 - summary functions, 333-335, **334, 335**
 - summary sort in JOINS, 104
 - summary views, 173, **173**
 - SYSCATALOGS, 175*t*
 - SYSCHKCT, 175*t*
 - SYSCOLUMNS, 175*t*
 - SYSCST, 175*t*
 - SYSCSTDEP, 175*t*
 - SYSCTCOL, 175*t*
 - SYSINDEXE, 175*t*
 - SYSKEY, 175*t*
 - SYSKEYCST, 175*t*
 - SYSPACKAGE, 175*t*
 - SYSREFCST, 175*t*
 - SYSTABLES, 175*t*
 - SYSTRGGERS, 175*t*
 - SYSTRIBCOL, 175*t*
 - SYSTRIGDEP, 175*t*
 - SYSTRIGUPD, 175*t*
 - SYSVIEWDEP, 175*t*
 - SYSVIEWS, 175*t*
- T**
- table functions with SQL, 210-211, **210, 211**
 - table properties setting, Visual Explain and, 46, **46, 47**
 - Table Scan, Visual Explain, 138, **138**
 - tables, 2, 149-150, **149**
 - ALTER statements for, 178-180, **178**
 - QM Query to move records between, 250-253, **251, 252, 253**
 - table functions with SQL, 210-211, **210, 211**
 - Word and iSeries data integration in, 321-325, **321-324, 325**
 - tape, initialize tape with CL program as stored procedure, 230-231, **231**
 - temporary index, Visual Explain and, 44-48, **45**
 - testing for failed SQL statements, 54-57
 - NOTFOUND subroutine in, 56
 - SQLCOD in, 54-57, **56**
 - SQLERROR subroutine and DUMP in, 56-57
 - SQLSTT in, 54-57, 55*t*
 - THEN, CASE function and, 112
 - TIME, 150*t*
 - TIMESTAMP, 150*t*
 - tools in SQL using RPGLE, 262-278
 - DoSqlLoop to SELECT and FETCH records in loop, 271-278, **271, 272, 273, 274-276, 277**
 - GetSqlVal to calculate single value from SELECT statement, 267-271, **267-268, 269, 270**
 - RunSql tool for ad hoc queries, 263-267, **263-264, 265, 266**
 - tools using SQL, 245-262. *See also* QM Query
 - total columns, 173
 - running totals, 192-197, **193, 194-195, 196**
 - RunSum function, 211-214, **212, 213-214**
 - training programmers for performance, 144-145
 - transaction file processing
 - calling procedure from within a procedure in, 221-223, **221-223**
 - result set return using, 223-224, **223**
 - stored procedures and for, 219-244, **219-220**
 - transaction isolation levels, 69-72. *See also* commitment control
 - translation, Coded Character Set ID (CCSID), JDBC setup and, 38, **38**

U

unions, 94-95, **94**, **95**. *See also* joins
 inconsistent data types in, 96-98, **96**, **97**, **98**
 missing data in, 98-99, **98**, **99**
 place holders for, 98-99, **99**
 sorted by column number and, 95-96, **95**, **96**
unique key constraints, 157*t*, 159-161, **159**, **160**
UNIQUE keyword, indexes for optimizing, 126
universal resource locators (URLs). *See also*
 datalinks, 166
UPDATE, 18-19, **18**, **19**, 49, 57-58, **57-58**,
 67-78, 339, **339**
 CASE function and, 111-112, **111**, 111
 commitment control and, grouping together,
 115-117, **116**, **117**, 115
 in Microsoft Office
 changing data on iSeries with ADO and
 Excel in, 316-319, **317-318**
 uploading data to iSeries in, Update
 Wizard for, 307-319, **308-315**
 No Commit isolation level setting in, 73, **73**
 parameter markers in, 81, **81-82**
 Read Committed setting in, 70-71, **71**
 Read Uncommitted setting in, 70, **70**
 record locks and, 69-72
 referential constraints and, 163
 Repeatable Read setting in, 74-75, **74**
 RPG IV code and, 57-58, **57-58**
 SCROLL keyword in, 68
 separate statements for, without SELECT,
 68-69, **68-69**
 SUBSTR and, 19
 transaction isolation levels and, 69-72
 WHERE clause and, 18-19, **18**, **19**, 339, **339**
 WHERE CURRENT OF clause in, 67-68, **68**,
 69
 uploading data to iSeries, Update Wizard for,
 307-319, **308-315**
 user profile setting, compiler options, 79-80
 user-controlled file opens, 200-204, **201**,
 202-203, **204**
 user-defined data type, 150*t*, 171-172, **171**, **172**
 USING clause, parameter markers in, 80-84,
 80-81

V

VALUES clause, 58
VARCHAR, 149*t*
variables, host variables and, 52-53, **54**
vertical joins or unions in, 94-95, **94**, **95**
views, 131-132, 172-173, **172**, **173**
 summary type, 173, **173**
 SYS tables and catalogs and, 176
Visual Basic (VB), 232, 279
Visual Explain, 42-48
 encoded vector index (EVI) in, 139, **139**
 Final Select in, 44-48, 140, **140**
 Index Scan in, 44-48, 138-139, **139**
 launching, 43-44, **43**
 optimizing SQL and, 138-140
 Sort in, 140, **140**
 table properties setting in, 46, **46**, **47**
 Table Scan in, 138, **138**
 temporary index in, 44-48, **45**

W

WHEN, CASE function and, 112
WHENEVER statement, 57
WHERE BY, 136
WHERE clause, 7, **7**, 333, **333**
 DELETE and, 339, **339**
 dynamic SQL and, 59
 indexes for optimizing and, 124
 JOINS and, 88, 89
 sub-SELECTs and, 101
 UPDATE and, 18-19, **18**, **19**, 339, **339**
WHERE CURRENT OF clause, 67-68, **68**, 69
WITH clause
 indexes for optimizing and, 126
 sub-SELECTs and, 109-110, **109**, **110**
Word and iSeries data using ADO, 319-325,
 319, **320**
 mail merge data, 321
 tables, 321-325, **321-324**, **325**

Y

YEARS, 18