

## A

access paths, saving, backup and recovery, 71–72  
activation schedules, 229–230  
Add Library List Entry (ADDLIBL), 312  
Add Logical File Member (ADDLFM), 322  
Add Physical File Member (ADDPFM), 319  
administration-related manuals, 276–277, 276  
adopting objects, 231  
air conditioning, computer room, 4  
AIX environment, 298  
Apply PTF (APYPTF), 285–286  
AQTNPGM, 190  
ASSIST menu for Operational Assistant, 85,  
86–87, **87**  
attended IPL, 18  
auditing, 231  
Auditing and Reports section of Security Tools  
menu, 228, **229**  
authorities, 205–211  
combined, 207, 207*t*  
command, 232  
document, 232  
Edit Object Authority (EDTOBJAUT) and, 244  
file, 232  
folder, 233  
Grant Object Authority (GRTOBJAUT) and, 244  
job, 234  
job description, 233  
library, 233  
object type, 206, 206*t*, 233  
output queue, 234, 244–245  
private, 207, 233  
program, 233  
public, 207–208  
Restore Authority (RSTAUT) and, 78  
Revoke Object Authority (RVKOBJAUT), 244  
revoking, Revoke Object Authority  
(RVKOBJAUT) and, 237, **237–240**, 244  
special, 208, 208–209*t*  
subsystem, 234  
user profile, 233

authorization lists, 164–165, **165**, 216–217,  
231–232, 305  
public authority, default upon creation of, 181–182  
automatic power schedule, 25–26, **26**, **27**, 189

## B

backup and recovery, 67–84  
access paths, 71–72  
backing up process in, 69–78  
backward recovery and, 257, **258**  
checkpoints in, 74  
configuration objects, 78, 81–82  
differential backups and, 73  
disaster recovery planning in, 82  
documents and folders, 75–76, 81  
forward recovery in, 256–257, **257**  
incremental backups and, 73  
initializing process in, 68–69  
integrated file system (IFS) objects and,  
76–77, 81  
iSeries Navigator and, 172, **172**  
journaling and, 256–258  
libraries, 71, 79–80  
objects, 72, 73–74, 80  
Operational Assistant (OA) and, 87–88, **88**,  
95–96, **95**, 97–98, **97**  
policies for, 172, **172**, **173**, **174**  
restoring process in, 78–82  
SAVE command parameters for, 69–70  
save files and, 83–84  
save outage and, 74  
save-while-active function in, 74–75  
security data and, 78  
storage and, current system, 283–284  
system saves in, 77  
system-defined synchronization and, 74–75  
Working with Journals (WRKJRN) and, 256–257  
backward recovery and, 257, **258**  
batch jobs, QBATCH, 46  
break messages, 106–109

## C

- cabling, 6
- case sensitivity in commands, 113
- Change Command Default (CHGCMDDFT), 120
- Change Current Library (CHGCURLIB), 311
- Change Device Description (CHGDEVxxx), 220
- Change Job Description (CHGJOBDD), 39, 225
- Change Journal (CHGJRN), 255
- Change Message Queue (CHGMSGQ), 107–109
- Change Output Queue (CHGOUTQ), 243–244
- Change Physical File (CHGPF), 319
- Change Profile (CHGPRF), 190
- Change Spool File Attributes (CHGSPLFA), 55–56, 57–59, **58, 59**
- Change System Library List (CHGSYSLBL), 312
- Change System Value (CHGSYSVAL), 10, 20, **20**, 119, 177–178
- Change System/36 (CHGS36), 340, **340**, 340
- Change User Profile (CHGUSRPRF), 9, 190, 212
- Change Writer (CHGWTR), 63–64
- checkpoints, 74
- checksum, 292
- CL language, OCL, 343–347
- Cleanup Tasks menu in OA, 88–89, **89**
- Clear Physical File Member (CLRPFM), 319
- CODE Designer, 327
- collection services, 163
- Color Mapping, iSeries Access, 196, **196**
- combined authorities, 207, 207*t*
- command (CMD) object, 306
- command authorities, 232
- commands, 111–127
  - abbreviations used in, 112, 112*t*
  - case sensitivity in, 113
  - Change Command Default (CHGCMDDFT) and, 120
  - customizing, 120–122
  - finding, 114–118
  - function keys and, 125–127
  - help with, 125
  - keywords and, 119
  - menus of, 114, 115–118, **116, 117, 118**
  - name structure of, OS/400, 111–114, 112*t*, 113*t*
  - nested prompting in, 126, **126**
  - parameters for, 119, 123–125
    - parts of, **114**
    - prompter for, 122–131, **123**
    - Select Command (SLTCMD) and, 114, 115
    - System/36 environment and, 339
- COMMIT, commitment control, 259–260
- commitment control, 258–260
  - COMMIT and ROLLBACK in, 259–260
  - End Commitment Control (ENDCMTCTL) and, 259
  - prerequisites for, 259
  - Start Commitment Control (STRCMTCTL) and, 259
- communications, security and settings, 232
- Communications Configurations Tasks menu in OA, 89, **90**
- compressing objects, 268
- computer room design and layout, 3–7
- configuration
  - iSeries Navigator and, 159–163, **159**
  - QAUTOCFG and, 188
  - Restore Configuration (RSTCFG) and, 81–82, 287
  - Save Configuration (SAVCFG) and, 78
  - security and, 235, **236–237**
  - Setup menu in OA and, 96–97, **96**
  - storage and, saving current, 284
  - verifying, after upgrade, 287
- connections, iSeries Navigator, setting up, 141–144, **141**, 142*t*, **143, 144, 145**
- Control Language (CL), 19
- controller description (CTLD) object, 306
- controlling the system, 29–41
  - checking system activity in, 34–36
  - hardware management console (HMC) for, 30
  - QHST system log and, 40–41, **40**
  - QSYSOPR and, 30–33
  - system console for, 29–30
- Copy File (CPYF), 319, 320
- Copy Source File (CPYSRCF), 320
- Create Data Area (CRTDTAARA), 182
- Create Device (CRTDEVxxx), 220
- Create Device Printer (CRTDEVPRN), 226
- Create Display File (CRTDSPF), 326
- Create Duplicate Object (CRTDUPOBJ), 48
- Create Job Description (CRTJOBDD), 225

- Create Journal (CRTJRN), 252  
 Create Journal Receiver (CRTJRNRCV), 252  
 Create Library (CRTLIB), 293, 299–300  
 Create Logical File (CRTLF), 321–322, 321  
 Create Output Queue (CRTOUTQ), 226, 243–244  
 Create Physical File (CRTPF), 318  
 Create Printer Device (CRTDEVPRT), 241–242  
 Create Printer File (CRTPRPF), 327  
 Create Save File (CRTSAVF), 83  
 Create Source Physical File (CRTSRCPF), 320  
 Create Subsystem Description (CRTSBSD), 47  
 Create User Profile (CRTUSRPRF), 9, 190, 212–214  
 cumulative PTF, 282, 286  
 current library, 311
- D**
- DASD. See Direct Access Storage Device (DASD)  
 data area (DTAARA) object, 306  
 data queue (DTAQ) object, 306  
 database files, 318–320  
   Add/Remove Physical File Member (ADDPFM/RMVM) and, 319  
   arrival sequence, 318  
   Change Physical File (CHGPF) and, 319  
   Clear Physical File Member (CLRPFM), 319  
   Copy File (CPYF) and, 319, 320  
   Create Physical File (CRTPF) and, 318  
   DDS and, 318  
   Delete File (DLFT) and, 318  
   Display File Field Description (DSPFFD), 316  
   Display Physical File Member (DSPPFM), 319  
   file (FILE) object, 307  
   flat files and, 318  
   iSeries Navigator and, 168–170, **168**  
   JDBC drivers for, 169  
   keyed sequence, 318  
   maintenance and, 267  
   Override with Database File (OVRDBF) and, 329–330  
   physical files and, 318–320  
   Rename Member (RNMM) and, 319  
   Reorganize Physical File Member (RGZPFM) and, 319  
   source files and, 320–321  
   SQL statements and, 168–169, **169**  
   Visual Explain and, 170  
   date system values, 178–179  
   DDS, databases, 318  
   Dedicate Service Tools (DST), 30  
   Delete Device Description (DLTDEVD), 220  
   Delete File (DLTF), 295, 318  
   Delete Library (DLTLIB), 268, 293–294, 301–303, **302**  
   Delete Licensed Program (DLTLICPGM), 302, **302, 303**  
   Delete Override (DLTOVR), 331  
   Delete User Profile (DLTUSRPRF), 294–295  
   device description (DEVD) object, 306  
   device descriptions, 10–11  
     Rename Object (RNMOBJ) and, 11  
   device files, file (FILE) object, 307, 316  
   device management, 217–223  
     Change Device Description (CHGDEVxxx) and, 220  
     controller description (CTLD) object and, 306  
     Create Device (CRTDEVxxx) and, 220  
     Create Printer Device (CRTDEVPRT) and, 241–242  
     Delete Device Description (DLTDEVD), 220  
     device description (DEVD) object and, 306  
     device files and, 316  
     Display Object Description (DSPOBJD), 222  
     listing device descriptions for, 222–223  
     maintaining and updating, 219–222  
     naming device descriptions for, 217–219, 218–219*t*  
     Print Device Address (PRTDEVADR), 222  
     printers and, 221  
     QAUTOCFG value and, 219–220  
     Rename Object (RNMOBJ) and, 220  
     System/36 environment and, 340–341, **341, 342**  
     Work with Configuration Status (WRKCFGSTS) and, 223  
     Work with Device Description (WRKDEVD) and, 221  
     workstations and, 247–249  
   device names, prefixes and suffixes, 195  
   Device Status menu in OA, 90–91, **90**  
   device-related system values, 187–189

differential backups, 73  
Direct Acces Storage Device (DASD), 263,  
265–268, 291–293  
disaster recovery planning, 82  
Disk Space Tasks menu in OA, 91–92, **91**  
disk space, recovering, 266–268  
Display Setup, iSeries Access, 196, **197, 198**  
Display File Description (DSPFD), 316  
Display File Field Description (DSPFFD), 316  
display files, 325–327  
    Create Display File (CRTDSPF) and, 326  
    Screen Design Aid (SDA) and, 326  
Display Job (DSPJOB), 36–37, **37**  
Display Job Description (DSPJOB), 225  
Display Job Log (DSPJOBLOG), 37–39, **38**  
Display Journal (DSPJRN), 254  
Display Library (DSPLIB), 300–301  
Display Log (DSPLOG), 40, **40**  
Display Message (DSPMSG), 31, 104–106, **105**  
Display Object Description (DSPOBJD), 222  
Display Physical File Member (DSPPFM), 319  
Display Spooled File (DSPSPLF), 56–57, **57**  
display stations, Work with Configuration  
    Status (WRKCFGSTS), 13  
Display System Status (DSPSYSSTS), 265–266  
Display System Value (DSPSYSVAL), 19, 177  
Display Tape (DSPTAP), 281–282  
Display User Profile (DSPUSRPRF), 212  
document authority, 232  
documentation, User Help menu in OA,  
    99–100, **99**  
documents  
    Reclaim Documents (RCLDLO) and, 264–265  
    restoring, 81  
    saving, 75–76  
downloads and file transfer, iSeries Access,  
    202–203, **202, 203**  
downtime for upgrades, 282

## E

Edit Library List (EDTLIBL), 312  
Edit Object Authority (EDTOBJAUT), 244  
Electronic Customer Support (ECS), 5  
End Journal Physical File (ENDJRNP), 254

End Subsystem (ENDSBS), 23–25  
End System/36 (ENDS36), 339  
End Writer (ENDWTR), 62–63  
Enterprise Identity Mapping, 143, **143**  
environments, special, 298  
error message display  
    iSeries Access and, 197  
    printing and, 247  
expiration schedules, 230  
external interference, 6

## F

fields. See also database files  
    Display File Field Description (DSPFFD), 316  
file (FILE) object, 307  
file authority, 232  
file members, 317  
file systems  
    iSeries Navigator and, 170–172, **170**  
    mapping network drives and, 171, **172**  
    shared folders, 171, **171**  
file transfer, iSeries Access, 202–203, **202, 203**  
FILELIB, System/36 environment, 345  
files. See also database files; logical files;  
    physical files  
    classification of, 315–316  
    Display File Description (DSPFD) and, 316  
    Display File Field Description (DSPFFD), 316  
    flat, 318  
    members in, 317  
    open data paths (ODPs) and, 327, 329  
    overriding, 329–333  
    RPG II, 348–349  
    sharing, 327–329  
fire prevention measures, 6  
fixes inventory, 162–163  
flooring in computer room, 5–6  
folder authority, 233  
folders  
    restoring, 81  
    saving, 75–76  
    shared folders, 171, **171**  
forward recovery, 256–257, **257**  
function keys, 125–127

**G**

General Functions section of Security Tools menu, 228, **230**  
 Grant Object Authority (GRTOBJAUT), 244  
 group profiles, 166–168, **167**, 214–217

**H**

hardware installation, IBM technicians, 7  
 hardware management console (HMC), 30  
 help  
   Infocenter, 270, **270–273**  
   messages and QSYSOPR messages, 33–34, **33**  
   QHLPSYS and, 295  
 history logs, 266–267  
 Hold Output Queue (HLDOUTQ), 53  
 Hold Spool File (HLDSPLF), 60–61  
 Hold Writer (HLDWTR), 60, 63  
 host files within Windows, 142, 142*t*  
 hot spots, iSeries Access, 198, **198**  
 humidity, computer room, 4

**I**

IBM technicians for installation/maintenance, 7–8, 261–262  
 idle display station timeout, 182–183  
 ILE, overrides, 330  
 IMMED option, in job management, 24  
 incremental backups, 73  
 INFO, Options menu in OA, 92–93, **92**  
 Infocenter, 270, **270–273**  
 Infoseeker, 129–131, **130**. See also system help  
 Initial Library List (INLLIBL), 224  
 initial program load (IPL), 17–27  
   attended, 18  
   Dedicate Service Tools (DST) and, 30  
   maintenance and, 263  
   NORMAL and SECURE modes for, 17  
   unattended, 17–18, 263  
 inquiry messages, 103–104  
 installation and setup, 7–13  
 Integrated File System (IFS)  
   iSeries Navigator and, 170–172, **170**  
   journaling and, 254  
   restoring objects in, 81  
   saving objects in, 76–77  
   storage and, 293  
   stream files and, 316  
 integrity checking, object, 240  
 interference, external, 6  
 iSeries Access, 191–204  
   accessing, 192–193, **192**  
   Appearance setting in, 196–197  
   Bypass Signon option for, 196  
   Color Mapping in, 196, **196**  
   Computer Name setup in, prefixes and suffixes in, 195  
   configuring, 193–201  
   Display Setup in, 196, **197, 198**  
   error message display in, 197  
   file transfer in, 202–203, **202, 203**  
   hot spots in, 198, **198**  
   Keyboard Setup in, 199–200, **199**  
   licensed program and, 191  
   macros in, 203–204, **203, 204**  
   menus and icons in, 192–193, **192**  
   Pop-Up Keypad setting in, 200, **200, 201**  
   preferences setting in, 196  
   Printer Setup in, 193–194, **194**  
   sign-on screen for, **192**  
   Window Setup in, 197, **197**  
 iSeries Navigator, 135–174  
   authorization lists and, 164–165, **165**  
   backup tasks and, 172, **172**  
   basic operations of, 148–156  
   Basic Operations subtasks for, 146, **146**  
   collection services in, 163  
   configuration and services in, 159–163, **159**  
   connections in, 141–144, **141, 142*t*, 143, 144, 145**  
   databases tasks in, 168–170, **168**  
   file system and, 170–172, **170**  
   fixes inventory and, 162–163  
   hardware requirements for, 137  
   installing on iSeries Server, 136–137, **136**  
   installing on Windows client, 137–141, **138, 139, 140**  
   job management in, 151–156, **152–156**  
   job performance statistics on, 155, **155**

iSeries Navigator, *continued*  
  launching, 141, **141**  
  locked objects and, 154, **154**  
  logical partitioning in, 163  
  memory pool allocation and, 158, **158**, **159**  
  memory requirements for, 137  
  messages and, 148–149, **149**  
  network tasks and, 163, **163**  
  operating systems supported by, 137  
  panes of, 146  
  printers and printer output in, 150–151, **150**  
  security and, 164–165, **164**  
  SQL statements and, 155–156, **156**, 168–169, **169**  
  standard actions for, 147–148  
  standard features available for, 145–146, **146**  
  subsystems and, 157, **158**  
  system values and, 159, **160**  
  tape formats and devices in, 162, **162**  
  TCP/IP and, 163, **164**  
  time zone management in, 160, **160**, **161**  
  user and group management in, 166–168, **166**  
  Visual Explain and, 170  
  work management in, 156–159, **157**, **158**  
iSeries Server, iSeries Navigator, installation  
  on, 136–137, **136**

## J

JDBC drivers, 169  
job description (JOBDD) object, 307  
job management, 34–36, 223–225  
  authorities and, job description, 233, 234  
  batch jobs and, 46  
  benefits of job descriptions in, 224  
  Change Job Description (CHGJOBDD), 39, 225  
  Create Job Description (CRTJOBDD) and, 225  
  Display Job (DSPJOB) and, 36–37, **37**  
  Display Job Description (DSPJOBDD) and, 225  
  Display Job Log (DSPJOBLOG) for, 37–39, **38**  
  ending or canceling jobs in, 154, **155**  
  IMMED option for, 24  
  Initial Library List (INLLIBL) and, 224  
  interactive job system values in, 190  
  iSeries Navigator and, 151–156, **152–156**  
  job description (JOBDD) object, 223–225, 307

  job queue (JOBQ) object and, 307–308, 223  
  locked objects and, 154, **154**  
  logs for, 37–39  
  maintaining and updating job descriptions, 225  
  Message Logging (LOG) and, 224  
  naming job descriptions for, 224–225  
  output queues (OUTQ) and, 223–224  
  performance statistics on, 155, **155**  
  printing and, 54–55  
  QBATCH, 46  
  QTEMP and, and Submit Job (SBMJOB)  
    and, 305  
  Submit Job (SBMJOB) and, 305  
  subsystems and, 35, 49–50  
  Work with Active Jobs (WRKACTJOB) and,  
    22–23, 34, **34**  
  Work with Job (WRKJOB) and, 54–55  
  Work with Job Description (WRKJOBDD), 225  
  Work with Submitted Jobs (WRKSBMJOB)  
    and, 54–55  
  Work with Subsystem Job (WRKSBSJOB)  
    and, 35, **35**, 54–55  
  Work with User Jobs (WRKUSRJOB) and,  
    23, 35–36, **36**, 54–56  
job queue (JOBQ) object, 223, 307–308  
join logical files, 323–325, 324*t*  
journaling, 251–260  
  auditing, 231  
  backup and recovery using, 256–257, **257**, **258**  
  Change Journal (CHGJRN) and, 255  
  Create Journal (CRTJRN) and, 252  
  Create Journal Receiver (CRTJRNRCV), 252  
  Display Journal (DSPJRN) and, 254  
  End Journal Physical File (ENDJRNPF), 254  
  Integrated File System (IFS) and, 254  
  journal and journal receiver (JRN/JRNRCV)  
    objects, 241–258, 308  
  maintaining journal receivers for, 255  
  objects other than physical files, 254  
  physical files and, 252–254  
  recovery accomplished from, 256–258  
  Save Changed Object (SAVCHGOBJ), 253  
  Send Journal Entry (SNDJRNE) and, 254–255  
  Start Journal (STRJRN) and, 254  
  Start Journal Object (STRJRNOBJ) and, 254

Start Journal Physical File (STRJRNPF), 253  
Working with Journals (WRKJRN), 256–257

## K

Kerberos, 143  
Keyboard Setup, iSeries Access, 199–200, **199**  
keywords in commands, 119

## L

layout of computer room, 6–7  
levels of security, 9–10, 180–181, 209–211  
libraries, 292, 293–298  
    Add Library List Entry (ADDLIBL) and, 312  
    Change Current Library (CHGCURLIB), 311  
    Change System Library List (CHGSYSLBL) and, 312  
    Create Library (CRTLIB) and, 293, 299–300  
    current, 311  
    Delete Library (DLTLIB) and, 268, 293–294, 301–303, **302**  
    Delete Licensed Program (DLTLICPGM) and, 302, **302**, **303**  
    Display Library (DSPLIB) and, 300–301  
    Edit Library List (EDTLIBL) and, 312  
    IBM-supplied (Qxxx), 293–298, 302  
    library (LIB) object, 308  
    library lists and, 310–314, **310**  
    maintenance and, 267–268  
    naming, 19  
    new procedure (FLIB) in, 344, 345  
    objects within, Work with Objects (WRKOBJ/WRKOBJPDM) and, 301  
    product-type, 297–298, 311  
    production-type, 300  
    QGPL, 295–297, 295  
    QHLPYSYS, 295  
    QSYS, 292, 294–295  
    QSYSLIBL and, 186–187  
    QTEMP, 303–305  
    QUSRSYS, 295  
    Remove Library List Entry (RMVLIBLE), 312  
    Restore Library (RSTLIB) and, 79–80, 294  
    Restore Object (RSTOBJ) and, 294  
    restoring, 79–80

Save Changed Objects (SAVCHGOBJ), 294  
Save Library (SAVLIB) and, 71, 294  
Save Object (SAVOBJ) and, 294  
Save System (SAVSYS) and, 294  
saving, for backup and recovery, 71  
special environments and, 298  
system values and, lists, 186–187  
System/36 environment and, 335–337, 344, 345  
system-type, 296, 296–297*t*  
user objects in, 234  
user, 186, 299–301  
Work with Libraries (WRKLIB) and, 299  
Work with Libraries using PDM (WRKLIBPDM) and, 299  
library authorities, 233  
library (LIB) object, 308  
library lists, 310–314, **310**  
    Add Library List Entry (ADDLIBL) and, 312  
    Change Library List (CHGLIBL) and, 312  
    Change System Library List (CHGSYSLBL) and, 312  
    Edit Library List (EDTLIBL) and, 312  
    Remove Library List Entry (RMVLIBLE), 312  
    system and user portion in, 310–312, **310**  
    using, 313–314  
licensed programs, Delete Licensed Program (DLTLICPGM) and, 302, **302**, **303**  
line description (LIND) object, 308  
Load PTF (LODPTF), 286  
locked objects, 154, **154**  
logging, history logs, 266–267  
logical files, 315, 321–323  
    Add/Remove Logical File Member (ADDLFM/RMVM) and, 322  
    Create Logical File (CRTLF) and, 321–322  
    file (FILE) object and, 307  
    join type, 323–325, 324*t*  
    keys for keyed files from, 322–323  
    members within, 322  
    sequencing in, 322  
    use of, 322–323  
logical partitioning, 163  
logs, job, 37–39. See also job management  
    Display Log (DSPLOG) and, 40, **40**  
    QHST system log and, 40–41, **40**

**M**

macros, iSeries Access, 203–204, **203**, **204**  
maintenance. See storage and maintenance  
maintenance agreements, 262  
manuals, 269–277  
mapping network drives, 171, **172**  
memory pool allocation, iSeries Navigator, 158, **158**, **159**  
menu (MENU) object, 308  
menus of commands, 114, 115–118, **116**, **117**, **118**  
message file (MSGF) object, 308, 316  
Message Logging (LOG), 224  
message queue (MSGQ) object, 308  
    data queue (DTAQ) object and, 306  
    printers, 221–222, 245–246  
messages  
    automatic display of, 65  
    break type, 106–109  
    Change Message Queue (CHGMSGQ) and, 107–109  
    Display Message (DSPMSG) for, 31  
    displaying, Display Message (DSPMSG) and, 104–106, **105**  
    erasing, 32  
    function keys in the DSPMSG panel for, 105–106  
    help with, 33–34, **33**  
    inquiry type, 103–104  
    iSeries Navigator and, 148–149, **149**  
    message file (MSGF) object, 308  
    message files and, 316  
    message queue (MSGQ) object, 308  
    printer type, replying to, 64–65, **65**  
    QSYSOPR and, 30–32, **31**  
    replying to, 32–33  
    Send Break Message (SNDBRKMSG) and, 23, 106–107  
    Send Message (SNDMSG) and, 40, 102  
    sending, 101–104  
    user, 101–109  
module (MODULE) object, 309  
monitoring available storage space, 265–266

**N**

naming conventions  
    devices, 217–219, 218–219*t*  
    program and library names, 19  
    System/36 environment and, 336  
network tasks, iSeries Navigator, 163, **163**  
new procedure (FLIB), 344, 345  
NORMAL vs. SECURE mode IPLs, 17

**O**

object authorities, 206, 206*t*, 233  
objects, 292, 301–310  
    adoption of, 231  
    authorization list (AUTL), 305  
    command (CMD), 306  
    compressing, 268  
    configuration type, saving, 78, 81–82  
    controller description (CTLD), 306  
    Create Duplicate Object (CRTDUPOBJ), 48  
    data area (DTAARA), 306  
    data queue (DTAQ), 306  
    device description (DEVDD), 306  
    file (FILE), 307  
    identifiers for, 292, 305  
    integrated file system (IFS) and, 76–77, 81  
    integrity checking, 240  
    job description (JOBDD), 307  
    job queue (JOBQ), 307–308  
    journal and journal receiver (JRN/JRNRCV), 254, 308  
    library (LIB), 308  
    library lists and, 310–314, **310**  
    line description (LIND), 308  
    locked, 154, **154**  
    menu (MENU), 308  
    message file (MSGF), 308  
    message queue (MSGQ), 308  
    module (MODULE), 309  
    output queue (OUTQ), 309  
    panel group (PNLGRP), 309  
    program (PGM), 309  
    Restore Configuration (RSTCFG) and, 81–82  
    Restore Document Library Object (RSTDLO) and, 81



- Restore Object (RSTOBJ) and, 80
  - restoring, 80
  - Save Changed Objects (SAVCHGOBJ) and, 73, 253
  - Save Configuration (SAVCFG), 78
  - Save Document Library Object (SAVDLO) and, 75–76
  - Save Object (SAVOBJ) and, 72
  - saving, 72, 73–74
  - service program (SRVPGM), 309
  - subsystem description (SBSD), 309
  - System/36 environment and, 335–336
  - user, 234
  - user profile (USRPRF), 310
  - Work with Objects (WRKOBJ) and, 301
  - Work with Objects using PDM (WRKOBJPDM) and, 301
  - online manuals, 270–273, **270–273**
  - ONLINE setting, printing, 245
  - open data paths (ODPs), 327, 329
  - operation codes, RPG II, 348–349
  - Operation Control Language (OCL)
    - CL mixed with, 343–347
    - statements in, 345–346
    - System/36 environment and, 343–347
  - Operational Assistant (OA), 85–100
    - accessing, through ASSIST menu, 85
    - ASSIST menu for, 86–87, **87**
    - automatic power schedule for, 25–26, **26, 27**, 189
    - Backup Tasks menu for, 87–88, **88**
    - Cleanup Tasks menu in, 88–89, **89**, 268, **268**
    - Communications Configurations Tasks menu in, 89, **90**
    - Device Status menu in, 90–91, **90**
    - Disk Space Tasks menu in, 91–92, **91**
    - INFO, Options menu in, 92–93, **92**
    - maintenance and, 268
    - menus in, 86
    - Power On/Off Tasks menu in, 94–95, **94**
    - Run Backup menu in, 95–96, **95**
    - Set Up Backup menu in, 97–98, **97**
    - Setup menu in, 96–97, **96**
    - starting, 86
    - System Management menu in, 93–94, **93**
    - Technical Support Tasks menu in, 98–99, **98**
    - User Help menu in, 99–100, **99**
  - operations- and administration-related manuals, 276–277
  - output queue (OUTQ), 223–228, 309
    - assigning to users, 227–228, **227**, 247
    - authorities for, 234, 244–245
    - Change Output Queue (CHGOUTQ), 243–244
    - Create Device Printer (CRTDEVPRT), 226
    - Create Output Queue (CRTOUTQ) and, 226, 243–244
    - Create Printer Device (CRTDEVPRT) and, 241–242
    - Hold Output Queue (HLDOUTQ) and, 53
    - location of, 242–243
    - maintaining and updating, 226–227
    - naming, 226
    - printing and, 51–53, 225–228, 241–245
    - QPRINT and, 225, 241
    - Release Output Queue (RLSOUTQ) and, 53
    - security for, 243–245
    - Work with Output Queue (WRKOUTQ) and, 52–53, **52, 53**, 54, 226
    - Work with Output Queue Description (WRKOUTQD) and, 227
    - workstations and, 247–249
  - Override with Database File (OVRDBF), 329–330
  - overriding files, 329–333
    - accumulating, 330–331
    - Delete Override (DLTOVR) and, 331
    - problems with, 331
    - scope of, 330
    - uses for, 331–333
- P**
- panel group (PNLGRP) object, 309
  - parameters of commands, 119, 123–124
  - PASE. See Portable Application Solutions Environment (PASE)
  - passwords
    - analyze default password option for, 228
    - iSeries Navigator and, connections in, 143
    - setting up, 12
    - system values and, 183–185
  - performance statistics, 155, **155**

- peripherals installation, 8
- physical files, 315, 316–320
  - Add/Remove Physical File Member (ADDPFM/RMVM) and, 319
  - Change Physical File (CHGPF) and, 319
  - Clear Physical File Member (CLRPFM), 319
  - Copy File (CPYF) and, 319, 320
  - Create Physical File (CRTPF) and, 318
  - database files as, 318–320
  - Delete File (DLFT) and, 318
  - Display File Description (DSPFD) and, 316
  - Display File Field Description (DSPFFD), 316
  - Display Physical File Member (DSPPFM), 319
  - file (FILE) object and, 307
  - file members in, 317
  - flat files and, 318
  - journaling and, 252–254
  - record formats and, 316–317
  - Rename Member (RNMM) and, 319
  - Reorganize Physical File Member (RGZPFM) and, 266, 267, 319
  - source files and member in, 319
- physical space, 3–7
- Pop-Up Keypad, iSeries Access, 200, **200**, **201**
- Portable Application Solutions Environment (PASE), 298
- Power Down System (PWRDWN SYS), 25
- Power On/Off Tasks menu in OA, 94–95, **94**
- power supplies, computer room, 4
- powering up/down, 17–27
  - announcing power down in, using Send Break Message (SNDBRKMSG) for, 23
  - attended IPL in, 18
  - automatic power schedule for, 25–26, **26**, **27**, 189
  - Operational Assistant (OA) and, 25–27, 94–95, **94**
  - Power Down System (PWRDWN SYS) in, 25
  - start-up program for, 18–22
  - subsystems and, 22–25
  - system values and, 189–190
  - unattended IPL in, 17–18
- prefixes in naming, 195
- Print Device Address (PRTDEVADR), 222
- Printer File (PRTFILE), 248–249
- printer files, 325–327
- printing, 51–65, 241–250
  - Change Spool File Attributes (CHGSPLFA) and, 55–59, **58**, **59**
  - Change Writer (CHGWTR) and, 63–64
  - changing a report for, 57–59
  - CODE Designer and, 327
  - commands for, 54–61
  - Create Printer Device (CRTDEVPRT) and, 241–242
  - Create Printer File (CRTPRTF) and, 327
  - Delete Spool File (DLTSPLF) and, 59–60, **60**
  - deleting a report from, 59–60
  - destination of reports in, tracing the path of, 249–250
  - device-related system values, 187–189
  - Display Spooled File (DSPSPLF), 56–57, **57**
  - displaying a report for, 56–57
  - End Writer (ENDWTR) and, 62–63
  - error messages related to, 247
  - Hold Output Queue (HLDOUTQ) and, 53
  - Hold Spool File (HLDSPLF) and, 60–61
  - Hold Writer (HLDWTR) and, 60, 63
  - iSeries Access and, 193–194, **194**
  - iSeries Navigator and, 150–151, **150**
  - message queues (MSGQ) for, 221–222, 245–246
  - messages and, 64–65, **65**
  - ONLINE setting for, 245
  - output queue assigned to user for, 227–228, **227**, **247**
  - output queues and. See output queue (OUTQ)
  - partial report, PAGERANGE in, 61
  - Printer Device (PRTDEV) and, 247–249
  - Printer File (PRTFILE) and, 248–249
  - printer files and, 325–327
  - printer setup for, 221–222, 245–247
  - QPRINT and, 225, 241
  - QSYSOPR and, 246
  - redirecting output to printer in, 55–56
  - Release Output Queue (RLSOUTQ) and, 53
  - Release Spool File (RLSSPLF) and, 60–61
  - Release Writer (RLSWTR) and, 60, 63
  - Report Layout Utility (RLU) and, 327
  - restarting a report for, 61
  - Source Entry Utility (SEU) and, 327
  - spooled files and, 51–52

- Start Printer Writer (STRPRTWTR), 62–63  
 System/36 environment and, 341, **342**  
 Work with Job (WRKJOB) and, 54–55  
 Work with Output Queue (WRKOUTQ) and,  
 52–54, **52, 53**  
 Work with Spooled files (WRKSPLF) and, 54  
 Work with Submitted Jobs (WRKSBJOB)  
 and, 54–55  
 Work with Subsystem Job (WRKSBSJOB)  
 and, 54–55  
 Work with User Jobs (WRKUSRJOB) and,  
 54–55, 56  
 workstations and, 247–249  
 private authorities, 207, 233  
 problem handling, User Help menu in OA,  
 99–100, **99**  
 problem logs, maintenance, 267  
 product libraries, 297–298, 311  
 program (PGM) object, 309  
 program authorities, 233  
 program temporary fixes (PTFs), 162–163, 280–281  
   Apply PTF (APYPTF) and, 285–286  
   cumulative, 282, 286  
   Load PTF (LODPTF) and, 286  
   maintenance and, 267  
 Programming Development Manager (PDM),  
   Work with Libraries using PDM  
   (WRKLBPDM), 299  
 programming-related manuals, 273–276  
 prompter for commands, 122–131, **123**  
 public authorities, 207–208  
   default upon creation of, 181–182  
   revoking, 237, **237–240**
- Q**
- QABNORMSW, 187  
 QASTLVL, 190  
 QAUTOCFG, 188, 219–220  
 QBASE, 12, 43–45  
 QBATCH, 46  
 QCCA, 296*t*  
 QCLUSTER, 296*t*  
 QCONSOLE, 187, 188  
 QCTL, 45  
 QCTLSBSD, 189  
 QCURSYSTM, system values, 180  
 QDATE, 177, 178  
 QDATFMT, 178–179  
 QDATSEP, 178–179  
 QDAY/MONTH/YEAR/etc., 178  
 QDECFMT, system values, 180  
 QDEVNAMING, 188  
 QDNS, 296*t*  
 QDSCJOBITV, 183, 188  
 QDSPSGNINF, 185  
 QFNTCPL, 296*t*  
 QFNTWT, 296*t*  
 QFPNTWE, 296*t*  
 QGDDM, 296*t*  
 QGPL, 295–297  
 QHLPSYS, 295  
 QHST system log, 40–41, **40**  
 QICSS, 296*t*  
 QICU, 296*t*  
 QINACTITV, 182–183  
 QINACTMSGQ, 182, 183  
 QINTER, 45–46, 48  
 QIPLDATTIM, 189  
 QIPLSTS, 187  
 QIWS, 296*t*  
 QJRNL, 296*t*  
 QLMTDEVSSN, 185  
 QLMTSECOFR, 185  
 QMAXSGNACN, 185–186  
 QMAXSIGN, 185  
 QMINUTE/SECOND/HOUR, etc., 179  
 QMODLE, 187  
 QMSE, 296*t*  
 QPASE, 296*t*  
 QPDA, 298  
 QPFRDATA, 297*t*  
 QPGMR, 47  
 QPRTDEV, 189  
 QPRTKEYFMT, 190  
 QPWDEXPITV, 184  
 QPWDLMTREP, 184  
 QPWDMINLEN/MAXLEN, 184  
 QPWDMTAJC, 184  
 QPWDMTCHR, 184

QPWDPOSIDIF, 184  
QPWDRQDDGT, 184  
QPWDRQDDIF, 184  
QPWDVLDPGM, 185  
QPWRDWNLMT, 189  
QQALIB, 297*t*  
QRCL, 297*t*  
QRECOVERY, 297*t*  
QRPQ, 298  
QRPLOBJ, 297*t*  
QSCXXX, 297*t*  
QSECOFR, 182  
QSECURITY, 210–211  
QSHELL, 297*t*  
QSMP, 297*t*  
QSOC, 297*t*  
QSPCENV, 190  
QSPL, 297*t*  
QSR, 297*t*  
QSRLNBR, 187  
QSRV, 297*t*  
QSTRPRTWTR, 187  
QSTRUPGRM, 19, 189  
QSYS, 41, 183, 292, 294–295  
    Delete File (DLTF) and, 295  
    Save System (SAVSYS) and, 294  
    storage and, reapplying changes to, 287  
QSYS2, 297*t*  
QSYSCGI, 297*t*  
QSYSDIR, 297*t*  
QSYSINC, 297*t*  
QSYSLOCALE, 297*t*  
QSYSNLS, 297*t*  
QSYSOPR, 30–33  
QSYSVXRXX, 297*t*  
QTEMP, 297*t*, 303–305  
QTIME, 179  
QTIMSEP, 178–179  
QUSRSYS, 295  
QUSRTEMP, 297*t*  
QUSRTOOL, 297*t*

**R**  
Reclaim Documents (RCLDLO), 264–265  
Reclaim Storage (RCLSTG), 263–264, 293

record formats, 316–317, 320  
redundant array of inexpensive disks (RAID), 292  
references, in system values, 175–176  
Release Output Queue (RLSOUTQ), 53  
Release Spool File (RLSSPLF), 60–61  
Release Writer (RLSWTR), 60, 63  
Remove Library List Entry (RMVLIBLE), 312  
Remove Logical File Member (RMVM), 322  
Remove Physical File Member (RMVM), 319  
Rename Member (RNMM), 319  
Rename Object (RNMOBJ), 11, 220  
Reorganize Physical File Member (RGZPFM),  
    266, 267, 319  
Report Layout Utility (RLU), 327  
reports. See printing  
Restore Authority (RSTAUT), 78  
Restore Configuration (RSTCFG), 81–82, 287  
Restore Document Library Object (RSTDLO), 81  
Restore Library (RSTLIB), 79–80, 294  
Restore Object (RSTOBJ), 80, 294  
Restore User Profile (RSTUSRPRF), 78  
Revoke Object Authority (RVKOBJAUT), 244  
ROLLBACK, commitment control, 259–260  
RPG II and RPG III, 298  
    System/36 environment and, 348–349  
Run Backup menu in OA, 95–96, **95**

## S

Save Changed Objects (SAVCHGOBJ), 73,  
    253, 294  
Save Configuration (SAVCFG), 78  
Save Document Library Object (SAVDLO), 75–76  
save files, 83–84  
Save Library (SAVLIB), 71, 294  
Save Object (SAVOBJ), 72, 294  
save outage, 74  
Save Save File Data (SAVSAVFDTA), 83  
Save Security Data (SAVSECDCCTA), 78  
Save System (SAVSYS), 77, 294  
save-while-active function, 74–75  
scope, in overrides, 330  
Screen Design Aid (SDA), 326  
search index, 127, **128**, 129–131, **129**, **130**  
security, 9–10, 205–240  
    activation schedules and, 229–230

- adopting objects and, 231
- auditing and, 231
- Auditing and Reports section of Security Tools menu, 228, **229**
- authorities in. See authorities
- authorization lists and, 164–165, **165**, 216–217, 231–232
- backup and recovery, 78
- Change System Value (CHGSYSVAL) and, 10
- Change User Profile (CHGUSRPRF) and, 9
- communications and, 232
- computer room, 5
- configuring, 235, **236–237**
- Create User Profile (CRTUSRPRF) and, 9
- device descriptions in, 217–223. See also device management
- expiration schedules and, 230
- General Functions section of Security Tools menu, 228, **230**
- iSeries Navigator and, 164–165, **164**
- job descriptions and, 223–225
- journaling and, auditing, 231
- levels of, 9–10, 180–181, 209–211
- object integrity and, 240
- output queues and, 225–228, 243–245
- passwords and, analyze default password option for, 228
- public authority, default upon creation of, 181–182
- QSECURITY value and, 210–211
- QTEMP and, 303–304
- related-task options for, 240
- reports about, security report scheduling, 231
- Restore Authority (RSTAUT) and, 78
- Restore User Profile (RSTUSRPRF) and, 78
- Save Security Data (SAVSECDCTA), 78
- Security Tools menu for, 228–240, **228**
- system security attribute setting in, 234
- system values and, 180
- tools for, 228–240
- trigger programs and, 234
- user objects in, 234
- user profiles and. See user profiles
- Select Command (SLTCMD), 114, 115
- Send Break Message (SNDBRKMSG), 23, 106–107
- Send Journal Entry (SNDJRNE), 254–255
- Send Message (SNDMSG), 40, 102
- sequencing, in database files, 318
- sequencing, logical files, 322
- sequencing, source file, 320
- service program (SRVPGM) object, 309
- Set Up Backup menu, 97–98, **97**
- Setup menu in OA, 96–97, **96**
- shared folders, 171, **171**
- sharing files and, 327–329
- sign-on control, 13, 185–186
- single sign-on (Enterprise Identity Mapping), 143, **143**
- single-level storage, 291–292
- Source Entry Utility (SEU), 22, 327
- source files, 320–321
  - Copy Source File (CPYSRCF) and, 320
  - Create Source Physical File (CRTSRCPF) and, 320
  - naming, 321
  - record formats in, 320
  - sequencing in, 320
- special authorities, 208, 208–209*t*
- special environments, 298
- spool files
  - Change Spool File Attributes (CHGSPLFA) and, 55–59, **58, 59**
  - Delete Spool File (DLTSPLF) and, 59–60, **60**
  - Display Spooled File (DSPSPLF), 56–57, **57**
  - Hold Spool File (HLDSPLF) and, 60–61
  - maintenance and, 267
  - printing and, 51–52
  - Release Spool File (RLSSPLF) and, 60–61
  - Work with Spooled files (WRKSPLF) and, 54
- SQL statements, 155–156, **156**, 168–169, **169**
- SSP procedures, 343
- Start Journal (STRJRN), 254
- Start Journal Object (STRJRNOBJ), 254
- Start Journal Physical File (STRJRNPF), 253
- Start Printer Writer (STRPRTWTR), 62–63
- Start S/36 Procedure (STRS36PRC), 338
- Start Search Index (STRSCHIDX), 129
- Start SEU (STRSEU), 22
- Start System/36 (STRS36), 337–338

- start-up program, 18–22
  - changing IBM-provided, 21–22
  - changing system value for, 20
  - Control Language (CL) in, 19
  - marking a program as, 19–21
  - QSTRUPPGRM and, 19
  - subsystems and, changing, 50
- static electricity and shocks, 5–6
- storage and maintenance, 261–268
  - checksum, 292
  - compressing objects and, 268
  - database files and, 267
  - Delete Library (DLTLIB) and, 268
  - Direct Acces Storage Device (DASD) and, 263, 265–268, 291–292, 293
  - Display System Status (DSPSYSSTS) and, 265–266
  - file systems other than libraries and, 293
  - history logs and, 266–267
  - IBM vs. third-party maintenance in, 261–262
  - initial program load (IPL) and, 263
  - Integrated File System (IFS) and, 293
  - libraries and, 267–268, 292, 293–298
  - maintenance agreements and, 262
  - monitoring available space in, 265–266
  - objects and, 292
  - Operational Assistant (OA) and, 268
  - problem logs and, 267
  - program temporary fixes (PTFs) and, 267
  - Reclaim Documents (RCLDLO) and, 264–265
  - Reclaim Storage (RCLSTG) and, 263–264, 293
  - recovering disk space in, 266–268
  - redundant array of inexpensive disks (RAID), 292
  - Reorganize Physical File Member (RGZPFM) and, 266, 267
  - single-level architecture of, 291–292
  - spool files and, 267
  - System/36 environment and, 340
  - Work with System Status (WRKSYSSTS) and, 265–266, **265**, 293
- stream files, 316
- STRTUP1 and #STRTUP2, 344
- Submit Job (SBMJOB), 305
- substitution expressions, System/36
  - environment, 347
- subsystem description (SBSD) object, 12, 309
- subsystems, 22–25, 43–50
  - authorities, 234
  - Create Duplicate Object (CRTDUPOBJ), 48
  - Create Subsystem Description (CRTSBSD) and, 47
  - creating, 47–48
  - End Subsystem (ENDSBS) and, 23–25, 23
  - iSeries Navigator and, 157, **158**
  - jobs and job queue entries for, 35, 49–50
  - maintaining your own, 47–50
  - multiple, 44–46
  - QBASE, 43–45
  - QBATC, 46
  - QCTL, 45
  - QINTER, 45–46, 48
  - QPGMR and, 47
  - Restore Configuration (RSTCFG) and, 287
  - start-up program and, changing for, 50
  - storage and, saving current, 284–285
  - subsystem description (SBSD) object, 309
  - verifying, after upgrade, 287
  - Work with Active Jobs (WRKACTJOB) and, 22–23
  - Work with Subsystem Descriptions (WRKSBSD) and, 284–285
  - Work with Subsystem Jobs (WRKSBSJOB) and, 35, **35**, 54–55
  - Work with System Values (WRKSYSVAL), 45
  - Work with User Jobs (WRKUSRJOB), 23
  - workstation entries for, 48–49
- suffixes in naming, 195
- Support menu, 127–128, **127**, **128**
- system activity, 34–36. See also job management
- system console, 29–30
- system help, 127–131
  - Infoseeker and, 129–131, **130**
  - search index in, 127, **128**, 129–131, **129**, **130**
  - Start Search Index (STRSCHIDX) and, 129
  - Support menu in, 127–128, **127**, **128**
- system libraries, 296, 296–297*t*
- system log. See QHST system log

- System Management menu in OA, 93–94, **93**  
 system saves, 77  
 system values, 159, 1601, 175–190  
   Change System Value (CHGSYSVAL) and, 10, 20, **20**  
   changing, Change System Values (CHGSYSVAL) and, 177–178  
   date, 178–179  
   device-related, 10–11, 187–189  
   Display System Value (DPSYSVAL), 19  
   displaying, Display System Values (DPSYSVAL) and, 177  
   editing, 180  
   idle display station timeout, 182–183  
   interactive job, 190  
   iSeries Navigator and, 159, **160**  
   library list, 186–187  
   listing, Work with System Values (WRKSYSVAL) and, 176  
   managing, 176–178  
   password management, 183–185  
   power up/down, 189–190  
   public authority, default upon creation of, 181–182  
   QCURSYSM to edit, 180  
   QDATFMT, QDATSEP, and QTIMSEP in, 178–179  
   QDECFMT to edit, 180  
   QSTRUPPGRM and, 19  
   references for, 175–176  
   Restore Configuration (RSTCFG) and, 287  
   security level and, 180–181, 180  
   sign-on control, 185–186  
   storage and, saving current, 284  
   time, 179  
   unchangeable values in, 187  
   verifying, after upgrade, 287  
   Work with System Value (WRKSYSVAL) and, 19–20, **20**, 45, 176  
 System/36 environment, 298, 335–349  
   Change System/36 (CHGS36) and, 340, **340**  
   commands accepted from, 339  
   device management in, 340–341, **341**, **342**  
   End System/36 (ENDS36) and, 339  
   entering, 337–339  
   environment values in, changing, 342–343, **342**  
   FILELIB in, 345  
   leaving, 339  
   libraries and objects in, 335–337, 344, 345  
   maintaining, 340  
   naming conventions in, 336  
   new procedure (FLIB) in, 344, 345  
   OCL and CL mix in procedures for, 346–347  
   OCL statements in, 345–346  
   Operation Control Language (OCL) in, 343–347  
   #STRTUP1 and #STRTUP2 in, 344  
   printing and, 341, **342**  
   RPG II support and, 348–349  
   sign-on access to, 338–339  
   SSP procedures in, 343  
   Start S/36 Procedure (STRS36PRC) and, 338  
   Start System/36 (STRS36) and, 337–338  
   structure of, 336–337  
   substitution expressions and, 347  
   TIMERSET in, 345  
 System/38 environments, 298  
 system-defined synchronization, 74–75
- T**  
 tape formats and devices, 162, **162**  
   Display Tape (DSPTAP) and, 281–282  
   initializing of, 68–69, 283  
 TCP/IP, 163, **164**  
 Technical Support Tasks menu in OA, 98–99, **98**  
 telephone service to computer room, 5  
 third-party maintenance providers, 261–262  
 time system values, 179  
 time zone management, 160, **160**, **161**  
 timeout, idle display station, 182–183  
 TIMERSET, System/36 environment, 345  
 trigger programs, 234  
 troubleshooting, User Help menu in OA, 99–100, **99**
- U**  
 unattended IPL, 17–18, 263  
 upgrading to new release, 279–287

- uploads and file transfer, iSeries Access, 202–203, **202**, **203**
  - user and group management, 166–168, **166**. See also user profiles
  - User Help menu in OA, 99–100, **99**
  - user libraries, 299–301
  - user messages, 101–109
  - user objects, security, 234
  - user profile (USRPRF) object, 310
  - user profiles, 167–168, **167**, 211–214, 235
    - analyze activity by, 229
    - authorities for, 233
    - authorization lists and, 216–217, 231–232
    - change, 229
    - Change User Profile (CHGUSRPRF) and, 212
    - Create User Profile (CRTUSRPRF), 212–214
    - Delete User Profile (DLTUSRPRF), 294–295
    - Display User Profile (DSPUSRPRF), 212, 229
    - group type, 214–217
    - iSeries Navigator and, connections in, 143
    - maintaining and updating, 212–214
    - naming, 211–212
    - output queue assignment to, 227–228, **227**, 247
    - print entries contained in, 230
    - QSYSOPR and, 30
    - QUSRSYS and, 295
    - Restore User Profile (RSTUSRPRF) and, 78
    - setting up, 11
    - sharing, 211
    - System/36 environment and, sign-on access to, 338–339
    - user profile (USRPRF) object and, 310
    - Work with User Profile (WRKUSRPRF), 212
- V**
- Visual Explain, 170
- W**
- Window Setup, 197, **197**
  - Windows workstations, iSeries Navigator, installation on, 137–141, **138**, **139**, **140**
  - work files, in QTEMP, 304
  - work management, iSeries Navigator, 156–159, **157**, **158**
  - Work with Active Jobs (WRKACTJOB), 22–23, 34, **34**
  - Work with Configuration Status (WRKCFGSTS), 13, 223
  - Work with Device Description (WRKDEVD), 221
  - Work with Job (WRKJOB), 54–55
  - Work with Job Description (WRKJOB), 225
  - Work with Libraries (WRKLIB), 299
  - Work with Libraries using PDM (WRKLIBPDM), 299
  - Work with Objects using PDM (WRKOBJPDM), 301
  - Work with Output Queue (WRKOUTQ), 52–53, **52**, **53**, 54, 226
  - Work with Output Queue Description (WRKOUTQD), 227
  - Work with Spooled files (WRKSPLF), 54
  - Work with Submitted Jobs (WRKSBJOB), 54–55
  - Work with Subsystem Descriptions (WRKSBSD), 284–285
  - Work with Subsystem Jobs (WRKSBSJOB), 35, **35**, 54–55
  - Work with System Status (WRKSYSSTS), 265–266, **265**, 293
  - Work with System Value (WRKSYSVAL), 19–20, **20**, 45, 176
  - Work with User Jobs (WRKUSRJOB), 23, 35–36, **36**, 54–55, 56
  - Work with User Profile (WRKUSRPRF), 212
  - Working with Journals (WRKJRN), 256–257
  - workstation management, 247–249
    - idle display station timeout, 182–183
    - output queues and, 247–249
    - printing and, printer device setting, 247–249
    - subsystems and, entries for, 48–49
  - writers. See printing