
Index

A

access control to iSeries Navigator, xi-xiv, **xii**, **xiii**, **xiv**, 5
file systems and, 66
Active Jobs option in Work Management, 50, **50**
Add Physical File Trigger (ADDPFTRG), 159, 162
Administrators and iSeries Navigator, xi-xiv
AFP Manager, x
APIs, 62
Application Development, x
ASCII vs. EDCDIC files, file systems, 72-73, 78, **78**
assigning folders to network drives, file systems, 81
Assist feature, SQL, prompting for new statements,
123-129, **123 -129**
authorities, for iSeries Navigator use, xi-xiv, **xii**, **xiii**, **xiv**
Auto Refresh option, 14-15, **15**

B

Backup, x
Basic Operations, 19-20
Jobs function in, 33-43, **34**. *See also* Jobs function
Messages function in, 30-33, **30**. *See also*
Messages function
Printer Output function in, 20-30, **21**. *See also*
Printer Output function

Run Command in, 43-50, **44**. *See also* Run
Command
break messages, 32

C

calculated column joins, 141
call stack for jobs, 37, **37**
cancelling requests, 17
casting, in Databases, 144
catalog views in SQL, 90-92, 90-91*t*
CCSID 65535 files, SQL translation, 132, **133**
CD-ROM installation, 318-319, **319**
Change Object Owner (CHGOBJOWN), 66
Change Object Primary Group (CHGOBJGP), 66
Change Physical File Trigger (CHGPFTRG), 167
Change Spool File Attributes (CHGSPLFA), 24-26, **25**
check constraints, 175-178, **176**, **177**, **178**, 268. *See
also* referential integrity
CL commands and SQL, 119
Client Access, v
CODE, v, 70, 81
column definition using UDF, 206-207, **207**
column validation, 168, 268-269

- columns in database, 94-97, **95**
 - derived, 150-154, 150-**154**, 268
 - Command Definitions, Management Central, 277-280, **277-280**
 - computer minimum requirements, viii
 - Configuration and Service, ix
 - configuring iSeries Navigator, 317-328
 - connection configuration, 324-328, **325**, **326**, **327**, **328**
 - constraints, 168-169, 245, **245**, 266, 268
 - Databases and, 97
 - context-sensitive help, 10, **10**
 - Copy from Import File (CPYFRMIMPF), 85
 - Copy from Stream File (CPYFRMSTMF), 84
 - Copy to Import File (CPYTOIMPF), 85
 - Copy to Stream File (CPYTOSTMF), 84
 - copy, cut and paste in file systems, 72-73, **73**, 81-82, 84-86
 - correlation names, triggers, 164
 - CREATE FUNCTION, 236
 - CREATE PROCEDURE, 236
 - CREATE VIEW statement, 147, **148**
 - cross joins, 141
 - cursor in results sets, stored procedures, 227, **227**
 - customizing the view, 14-15, **14**. *See also* views in databases
 - Messages function and, 33, **33**
 - Printer Output function and, 26-29
- D**
- Data Definition Language (DDL), 87-88, 109-110, 135-136, 156
 - joins in, 140-144, 141*t*
 - pros and cons of, 265-271
 - views defined in, 137
 - Data Description Specifications (DDS), 87-88, 109, 110, 135-136, 156
 - joins in, 140
 - pros and cons of, 265-271
 - Data File Utility (DFU), 98-99
 - data types, in Databases, 96-97, 96-97*t*, 136-137
 - Database Navigator, 246-263, **246**
 - Database Relations, 244-245, **244**
 - Databases, vii, viii, ix, 87-107, **88**
 - advanced features in, 109-156
 - casting in, 144
 - catalog views in, 90-92, 90-91*t*
 - CL commands and SQL in, 119
 - column selection in, 105, 125, **125**
 - constraints in, 97, 168-169, 245, **245**, 266, 268. *See also* referential integrity
 - Data Definition Language (DDL) and, 87-88, 109-110, 135-136, 156, 265-271
 - Data Description Specifications (DDS) and, 156
 - Data Description Specifications (DDS) and, 87-88, 109, 110, 135-136, 265-271
 - Data File Utility (DFU) and, 98-99
 - Database Navigator for, 246-263, **246**
 - Database Relations for, 244-245, **244**
 - derived columns in, 150-154, 150-**154**, 268
 - Display Database Relationships (DSPDBR), 237, 234, **243**
 - Display File Description (DSPFD), 237, **238-243**
 - Distinct Types in, 136-137, **137**
 - editing contents of, 98-99, **98**
 - field reference files in, 135-136
 - filtering in, 127, **127**
 - formulas and functions in, 126, **126**, 146, **146**
 - functionality of, in iSeries Navigator, 266, **266**
 - GroupBy option for, 146-147, **147**
 - indexes in, 99-102, **99**, **101**, **102**, 269, 270
 - JDBC connection in, 130-131, **131**
 - joins in, 124, **124**, 140-144
 - conditions for, 144, **144**
 - properties of, 143, **143**
 - selecting tables for, 142, **142**
 - journals and journal receivers in schemas for, 90
 - mapping of, 246-263, **246-263**, 267
 - collapsing view of particular object in, 261
 - context menu for icons/items in, 256, **256**
 - creating new objects for, 258, **258**
 - expanding view of particular object in, 260-261, **260**, **261**
 - flyover help for, in Database Navigator map, 248, 256, **256**
 - generate SQL from, 257, **257**
 - hiding objects in, 262, **262**
 - list of, viewing, 263, **263**
 - moving icons/items in, 252
 - Overview Window for, 253, **253**
 - Relationship status window, 249, **249**
 - saving, 262, **262**
 - Schema Trees and Tables in map of, 248
 - selecting icons/items for, 250-251, **251**
 - style of, changing, 254-255, **254**, **255**
 - tables added to, 248, **249**
 - user defined relationships created in, 258-260, **259**, **260**
 - Zooming in and out of, 252, **252**

- naming conventions and, using DDL vs. DDS, 131, **132**, 269-270
- partitioning in, 97
- referential integrity in, 157, 168-183. *See also* referential integrity
- Related Objects shown for, 245, **245**
- row selection in, 106, **106**, 154-156, **155**
- schemas in, 89-93, **90**
 - display of, 92-93, **92**
- Select Tables button for, 104, **105**
- Show Related objects in, 267
- sorting in, 128, **128**
- SQL and, 87-88, 88-89, 89*t*, 109-118, 267
 - casting in, 144
 - CL commands and, 119
 - column selection in, 125, **125**
 - copying from result sets in, 122
 - CREATE VIEW statement in, 147, **148**
 - customizing Run SQL Scripts for, 129-133
 - DB2 UDB family option in, 112
 - DROP command in, 270
 - field reference files and, 136
 - filtering in, 127, **127**
 - Format statements for readability option in, 113
 - formulas and functions in, 126, **126**, 146, **146**
 - Generate labels option in, 113
 - Generate SQL option for, 110-113, **111**, **112**, 267
 - GroupBy option for, 146-147, **147**
 - HAVING CLAUSE in, 148
 - Include drop statements option in, 113
 - Include informational messages option in, 113
 - JDBC connection in, 130-131, **131**
 - joins in, 124, **124**
 - messages (error, completion) for run statements in, 121
 - Naming convention option in, 114
 - naming conventions in, 131, **132**
 - result sets from, 122, **122**
 - Run Scripts editor for, 115, **115**, 118-134, **119**
 - running statements and commands in, 119-120
 - sample database drop-down box in, 120-121, **120**
 - sample generated script for, 115-**116**, 117-**118**
 - sorting in, 128, **128**
 - SQL Assist feature, prompting for new statements in, 123-129, **123-129**
 - SQL Assist-generated statements in, 128-129, **129**
 - Start SQL (STRSQL) and, 118
 - translation of CCSID 65535 files in, 132, **133**
 - Visual Explain in, 133-134, **134**
 - WHERE clause in, 155
- SQL Scripts for creation of, 329, 329-**339**
- tables in, 93-99, 267
 - columns in, 94-97, **95**
 - constraints in, 97
 - creation of, 93, **93**, 269
 - data types used in, 96-97, 96-97*t*, 136-137
 - editing contents of, 98-99, **98**
 - indexes for, 100-101, **101**, **102**
 - joins in, 140-144
 - map generated from, 248, **249**
 - maximum size of, vs. physical files, 98
 - naming of, 93-94
 - Nullable and null capable columns in, 97, 270
 - partitioning in, 97
 - Select Tables button for, 104, **105**
- triggers in, 157-167. *See also* triggers
- views in, 102-107, 137-156, 270
 - changing, 107
 - CREATE VIEW statement in, 147, **148**
 - creating and naming, 103, **103**
 - defining, 104, **104**
 - derived columns in, 150-154, 150-**154**, 268
 - HAVING CLAUSE in, 148
 - joins in, 140-144, 141*t*
 - row selection in, 154-156, **155**
 - Select Tables button for, 104, **105**
 - selecting columns in, 105, 106, **106**
 - summary type, 144-149, **145-149**, 268
 - views of, multiple simultaneous, 137-140, **138-140**, 268
 - WHERE clause in, 155
 - Visual Explain in, 133-134, **134**
- date conversion, user defined functions (UDF), 186-198, **187**, **188-189**
- dependencies and relationships, Databases, 244-245, **244**
- derived columns, 150-154, 150-**154**, 268
- DHCP, vii
- Display Database Relationships (DSPDBR), 237, 243, **243**
- Display File Description (DSPFD), 237, **238-243**
- Display File Field Definitions (DSPFFD), 135
- Display Job (DSPJOB), 34
- Display Message (DSPMSG), 30
- Distinct Types, Databases, 136-137, **137**
- distributed environments, stored procedures, calling of, 211-212, **212**
- DNS, vii
- DROP command, 270

E

EBCDIC vs. ASCII files, file systems, 72-73, 78, **78**
 Edit Check Pending Constraints (EDTCPCST),
 180-183, **180, 181, 182, 183**
 Edit File (EDTF), 70
 Edit Object Authority (EDTOBJAUT), 66
 endpoint systems, Management Central, 275-276, **275**
 environments, 307-309, **308, 309**
 error trapping, 183
 exception joins, 141
 Explain SQL option, 66, **67**
 stored procedures and, 235, **236**
 external user defined functions (UDF), 187-198, **190**
 external procedures, 212-221. *See* stored procedures,
 external

F

5250 sessions
 GUI vs. green screen, vii-iii
 IFS file access from, 83-86, **84**
 iSeries Navigator vs., benefits and disadvantages
 of, 19
 Main Menu on, vi, **vi**
 Printer Output function and vs., 29-30
 QNTC files accessed from, 85-86, **85**
 triggers and, 159, 162
 field reference files, Databases, 135-136
 File menu, 15, **15**
 file objects, 68-70, **68**
 file systems, ix, 57-86. *See also* Integrated File System
 assigning folders to network drives in, 81
 context menu for library objects in, 63-66, **63**
 copy, cut and paste in, 72-73, **73**, 81-82, **82**, 84-86
 EBCDIC vs. ASCII files in, 72-73, 78, **78**
 Edit option in, 69-70, **69, 70**
 Explain SQL option in, 66, **67**
 file objects in, 68-70, **68**
 Integrated File System (IFS), 57-62, **58**
 accessibility of files within, 59, **59**
 APIs for, 62
 cross visibility feature of, 59
 file systems available in, 58-59*t*
 NetServer and, 62
 QDLS in, 60
 QIBM folder in, 71, **72**
 QNTC in, 61, 73
 QOpenSys in, 61, 73
 QSYS access to, 83-85, **84**
 QSYS.LIB in, 60

 Root in, 60, 70-71, **71, 72**
 stream files in, 61
 UDFS in, 61
 Windows access to, 74-83
 listing libraries, files, and objects in, 62, **63**
 New folder option in, 68, 72-73, **73**
 Permissions (access authority) option for, 66, **66**
 physical files in, 68
 Properties option for, 64-65, **64, 65**
 QNTC access from 5250 session in, 85-86, **85**
 QSYS access to IFS in, 83-85, **84**
 Shares and sharing defined for, 77-80, **77, 78, 79, 80**
 Windows access to IFS in, 74-83
 assigning folders to network drives in, 81
 copy, cut and paste in, 81-82, **82**
 EBCDIC vs. ASCII files in, 78, **78**
 Guest user ID on NetServer for, 76, **76**
 iSeries NetServer configuration for, 74-76, **74,**
 75, 76
 Root files and, 83, **83**
 Shares access from Windows in, 80-83, **81**
 Shares and sharing defined for, 77-80, **77, 78,**
 79, 80
 filtering, Databases, 127, **127**
 Find, 16, **16**
 fix. *See* PTFs
 flyover help, in Database Navigator map, 248, 256, **256**
 foreign key constraints, 172-175, **173, 174**, 181-182,
 181, 182, 268. *See also* referential integrity
 formulas and functions, in Databases, 126, **126**, 146, **146**
 FUNCLIB, 329

G

Generate SQL, 110-113, **111, 112**, 267
 grayed out options, 5, 14
 Guest user ID on NetServer, 76, **76**
 GUI vs. green screen, v, vii-viii

H

HAVING CLAUSE, 148
 Help feature in iSeries Navigator, 9-12, **10, 11, 12**
 Help for commands, 47, **47**

I

i5/OS, v
 icon selection in iSeries Navigator, 16, **16**

indexes in database, 99-102, **99**, **101**, **102**, 270
 size of, 269
 triggers and, 160

inner joins, 141

installing iSeries Navigator, 317-328
 from CD, 318-319, **319**
 type of installation selected for, **319**
 from iSeries, 320, **320**
 Selective Setup in, 321, **321**
 component selection for, 322, **322**
 Service Packs for, 323-324, **323**, **324**
 connection configuration in, 324-328, **325**, **326**,
327, **328**

Integrated File System (IFS), viii, ix, 57-62, **58**. *See also* file systems
 accessibility of files within, 59, **59**
 APIs for, 62
 cross visibility feature of, 59
 file systems available in, 58-59
 NetServer and, 62
 QDLS in, 60
 QIBM folder in, 71, **72**
 QNTC in, 61, 73
 QOpenSys in, 61, 73
 QSYS.LIB in, 60
 Root in, 60, 70-71, **71**, **72**
 stream files in, 61
 UDFS in, 61
 Windows access to, 74-83

integrity checks, 168

Interprocess Communications (IPC), x, 3

iSeries, installing iSeries Navigator from, 320, **320**

iSeries Navigator. *See also* Basic Operations; Work Management
 access control and, xi-xiv, **xii**, **xiii**, **xiv**, 5
 Auto Refresh option in, 14-15, **15**
 computer minimum requirements for, viii
 configuration of, 317-328
 customizing views in, 14-15, **14**
 database functionality in, 266, **266**
 Edit menu and options in, 16, **16**
 environments supported by, 307-309, **308**, **309**
 functions available through, vi-vii, **vii**
 grayed out options in, 5, 14
 Help feature in, 9-12, **10**, **11**, **12**
 icon selection in, 16, **16**
 installation of, xi, 317-328
 laptop use and, 307-309
 memory requirements of, viii
 menu options in, 15-17, **15**

mouse operation in, 2
 navigation through, 1-12
 obtaining and accessing, x-xi
 opening your server in, 1-2, **2**
 options and option selection in, 2-5, **3**, **4**
 plug-ins for, 309-314, **310-313**
 Print menu and options in, 15, **15**
 Refreshing/updating contents of detail pane in, 13
 scroll bar operation in, 2
 security and, 5
 sorting options in, 14
 speed of, viii
 starting work with, 1-17
 stopping or cancelling requests in, 17
 taskpad in, 5-9, **6**
 time display in, 13
 Title in, 12-13, **13**
 User Preferences setting in, 17, **17**

J

Java Virtual Machine (JVM), viii

Java, viii

JDBC connection, Databases, 130-131, **131**

job log, 35-36, **35**

job monitors, 39-43. *See also* Monitors function
 collection interval setting in, 42, **42**
 defining and naming, 40, **40**
 list of current, 42, **43**
 Management Central and, 305, **305**
 metrics selected for, 41, **41**
 starting, 42, **42**

Job Queues option in Work Management, 51-53, **52**

Jobs function, 33-43, **34**
 active jobs and queues displayed in, 34, **34**
 Active Jobs option in Work Management and, 50, **50**
 call stack for jobs in, 37, **37**
 job details option in, 37-39, **37**
 job log in, 35-36, **35**
 job monitors in, 39-43. *See also* Monitors function
 collection interval setting in, 42, **42**
 defining and naming, 40, **40**
 list of current, 42, **43**
 metrics selected for, 41, **41**
 starting, 42, **42**

Job Queues option in Work Management and,
 51-53, **52**

lock holders for job in, 38-39, **39**

locked objects for job in, 38, **38**

options available in, 34, **34**

Jobs function, *continued*
 Output Queues option in Work Management and, 53, **53**
 second-level message text viewed in, 36, **36**
 Server jobs option in Work Management and, 51, **51**
 Work Management and, 50-51
 join operators, 141
 joins, 124, **124**, 140-144, 141*r*
 conditions for, 144, **144**
 properties of, 143, **143**
 selecting tables for, 142, **142**
 journals and journal receivers in schemas, 90

K

Kerberos, 326
 key constraints, 170-172, **171**, **172**, 268. *See also*
 referential integrity

L

laptop use and iSeries Navigator, 307-309
 left outer joins, 141
 lock holders for job, 38-39, **39**
 locked objects for job, 38, **38**
 log, job, 35-36, **35**

M

Management Central, ix, 273-305
 access control in, xiv, **xiv**
 central system identified for
 Command Definitions in, 277-280, **277-280**
 Definitions function in, 277-304
 endpoint systems for, 275-276, **275**
 functions available for, 273-274, **274**
 monitors in, 305, **305**
 Package Definitions in, 281-286, **281-286**
 Product Definitions in, 286-304, **287-304**
 PTFs and, 286, 303-304, **303**, **304**
 Send window for package definition in, 286, **286**
 sharing options in, 276, 284, **284**
 snapshot creation using, 285, **285**
 Status window in, 280, **280**
 system groups for, 275-276, **276**
 mapping a database. *See* Databases, mapping of
 memory requirements, viii
 menu options in iSeries Navigator, 15-17, **15**
 Messages function, 30-33, **30**
 break messages in, 32

customizing view of, 33, **33**
 Properties setting for, 31, **31**
 sending message through, 32, **32**
 viewing other queues in, 33, **33**
 modes, for triggers, 164
 monitors, Management Central, 305, **305**
 mouse operation in iSeries Navigator, 2

N

naming conventions, using DDL vs. DDS, 269-270
 NetServer, x, 62
 EBCDIC vs. ASCII files in, 78, **78**
 failed log on attempts on, 76
 Guest user ID on NetServer for, 76, **76**
 Shares and sharing defined for, 77-80, **77**, **78**, **79**, **80**
 Windows access to IFS, configuring for, 74-76, **74**,
75, **76**
 Windows access to IFS, Guest user ID on
 NetServer for, 76, **76**
 New folder option, in file systems, 68, 72-73, **73**
 NEWSHEMA, 329
 Nullable and null capable columns, 97, 270

O

Operations Navigator, v, vi
 options and option selection in iSeries Navigator, 2-5,
3, **4**
 OS/400, v
 outer joins, 141
 Output Queues option in Work Management, 53, **53**

P

Package Definitions, Management Central, 281-286,
281-286
 partitioning, Databases, 97
 PDM, v
 permissions for objects, file systems, 66
 Physical File Constraint command, 168
 physical files, 68
 tables of database vs., 98
 plug-ins, 309-314, **310-313**
 Previous Commands window, 48, **48**
 Print menu and options, 15, **15**
 Printer Output function, 20-30, **21**
 columns and files to view in, selecting, 26-29, **27**,
28, **29**
 context menu for, vs. WRKSPLF, 20-21, 21-22*r*

- customizing view in, 26-29
 - drag-and-drop spool files in, 24
 - 5250 sessions vs., 29-30
 - multiple spool file manipulation in, 26, **26**
 - Properties option setting for, 24-26, **25**
 - sort sequence in, 26-27, **27**
 - spool file opening, viewing using, 22-24, **23**
 - Work with Spool File (WRKSPLF) vs., 20-21, 21-22*t*
- Product Definitions, Management Central, 286-304, **287-304**
- programmers and iSeries Navigator, viii-ix
- Prompt a command, 45-47, **45, 46**
- PROPERNAME UDF, 196, 196-**197**
- PTFs, Management Central, 286, 303-304, **303, 304**
- ## Q
- QDLS, 60
- QIBM folder, file systems, 71, **72, 71**
- QNTC, 61, 73
- 5250 access to, 85-86, **85**
- QOpenSys, 61, 73
- QSYS.LIB, 60
- IFS access from, 83-85, **84**
- ## R
- referential integrity, 168-183
- check constraints in, 175-178, **176, 177, 178**, 268
 - column validation and, 168, 268-269
 - Constraint Definition view for, 181, **181**
 - constraint management for, 178-183, **177**
 - constraints for, 168-169
 - defining constraints for, 170, **171, 172**
 - Edit Check Pending Constraints (EDTCCPST) for, 180-183, **180, 181, 182, 183**
 - enabling/disabling constraints in, 179-180
 - error trapping and, 183
 - foreign key constraints in, 172-175, **173, 174**, 181-182, **181, 182, 268**
 - integrity checks and, 168
 - key constraints in, 170-172, **171, 172**, 268
 - Physical File Constraint command in, 168
 - violation of constraints in, 180-181, 183
- Refreshing/updating contents of detail pane, 13
- result sets in SQL, 122, **122**
- copying from, 122
- right outer joins, 141
- Root file system, 60, 70-71, **71, 72**
- sharing, 83, **83**
- row selection using UDF, 208, **208**
- Run Command, 43-50, **44**
- Help for commands in, 47, **47**
 - message windows in, closing, 48-49
 - Previous Commands window in, 48, **48**
 - Prompt a command in, 45-47, **45, 46**
 - status of commands in, 49, **40**
- Run Scripts editor for SQL, 115, **115**, 118-134, **119**
- customizing, 129-133
 - font size in, 130, **130**
 - JDBC connection in, 130-131, **131**
 - naming conventions in, 131, **132**
 - running statements in, options affecting, 130, **130**
 - stored procedures and, testing in, 218, **218**
 - translation of CCSID 65535 files in, 132, **133**
 - Visual Explain in, 133-134, **134**
- ## S
- SALDEPTARR example of stored procedures, 222-228, **222-229**
- SALDEPTSQL example of stored procedures, 230-234
- Schema Trees and Tables in map of database, 248
- schemas, Databases, 89-93, **90**
- scroll bars in iSeries Navigator, 2
- security, x, 5
- access control to iSeries Navigator, xi-xiv, **xii, xiii, xiv**
- SELECT statement, user defined functions (UDF), 206, **206**
- Select Tables button, Databases, 104, **105**
- Selective Setup, in installation, 321, **321**
- Send Break Message (SNDBRKMSG), 30
- Send Message (SNDMSG), 30
- Send window for package definition, Management Central, 286, **286**
- Server jobs option in Work Management, 51, **51**
- servers
- connection configuration in, 324-328, **325, 326, 327, 328**
 - opening in iSeries Navigator, 1-2, **2**
 - System Status for, 54-55, **55**
- Service Packs for iSeries Navigator, 323-324, **323, 324**
- SET SCHEMA, 329
- SEU, v, 70
- sharing options, Management Central, 276, 284, **284**
- snapshot creation using Management Central, 285, **285**

- sorting, 14
 - Databases and, 128, **128**
- sourced functions, user defined functions (UDF), 202-203, **203, 204**
- speed of execution, viii
- spool files
 - Change Spool File Attributes (CHGSPLFA) in, 24-26, **25**
 - drag-and-drop, 24
 - multiple-file manipulation in, 26, **26**
 - opening, viewing, 22-24, **23**
 - Properties setting for, 24-26
 - selecting which to view, 26-29, **27, 28, 29**
- SQL, 87-88, 109-118, 267
 - casting in, 144
 - catalog views in, 90-92, 90-91*t*
 - CL commands and, 119
 - column selection in, 125, **125**
 - copying from result sets in, 122
 - CREATE VIEW statement in, 147, **148**
 - customizing Run SQL Scripts for, 129-133
 - Data Definition Language (DDL), 109-110
 - DB2 UDB family option in, 112
 - DROP command in, 270
 - Explain SQL option in, 66, **67**
 - field reference files and, 136
 - filtering in, 127, **127**
 - Format statements for readability option in, 113
 - formulas and functions in, 126, **126, 146, 146**
 - functions created using, 198-202, **199, 200, 201**.
See also user defined functions
 - Generate labels option in, 113
 - Generate SQL option for, 110-113, **111, 112, 267**
 - GroupBy option, 146-147, **147**
 - HAVING CLAUSE in, 148
 - Include drop statements option in, 113
 - Include informational messages option in, 113
 - JDBC connection in, 130-131, **131**
 - joins in, 124, **124, 144, 144**
 - journals and journal receivers in schemas for, 90
 - messages (error, completion) for run statements in, 121
 - Naming convention option in, 114, 131, **132**
 - Nullable and null capable columns in, 97, 270
 - result sets from, 122, **122**
 - Run Scripts editor for, 115, **115, 118-134, 119**. *See also* Run Scripts editor for SQL
 - running statements and commands in, 119-120
 - sample database drop-down box in, 120-121, **120**
 - sample generated script for, 115-**116, 117-118**
 - schemas in, 89-93, **90**
 - scripts in, 110
 - SELECT statement in, 206, **206**
 - sorting in, 128, **128**
 - SQL Assist feature, prompting for new statements in, 123-129, **123 -129**
 - SQL Assist-generated statements in, 128-129, **129**
 - Start SQL (STRSQL) and, 118
 - stored procedures in, 186, 210-221. *See also* stored procedures
 - terminology of, 88-89, 89*t*
 - translation of CCSID 65535 files in, 132, **133**
 - triggers and, 158, 162-166, **163**
 - user defined functions in, 185-236. *See also* user defined functions (UDF)
 - Visual Explain in, 133-134, **134**
 - WHERE clause in, 155
 - SQL Assist feature, prompting for new statements, 123-129, **123 -129**
 - SQL procedures as stored procedures, 229-234. *See* stored procedures, SQL
 - SQL Scripts for database creation, 329, 329-**339**
 - Start SQL (STRSQL), 118
 - status of commands, 49, **40**
 - Status window, Management Central, 280, **280**
 - stopping or cancelling requests, 17
 - stored procedures, 186, 210-221
 - CREATE FUNCTION and CREATE PROCEDURE vs., 236
 - details of, viewing, 235, **235**
 - distributed environments and, calling of, 211-212, **212**
 - Explain SQL option for, 235, **236**
 - external procedures in, 212-221
 - cursor in results sets and, 227, **227**
 - defining, 213-217, **213, 214, 216, 217**
 - passed parameters in, 218-219, **219**
 - result sets from, 221-228, **222-229**
 - SALDEPTARR example of, 222-228, **222-229**
 - simple, example of, 212-221
 - testing, using Run SQL Scripts editor, 218, **218**
 - UPSALARY example of, 219-220, **219, 220, 221**
 - sample of, 211, **211**
 - SQL procedures in, 229-234
 - calling, 233, **233**
 - defining, 230-232, **230, 231, 232**
 - generating SQL for existing procedure in, 233, **234**
 - SALDEPTSQL example of, 230-234
 - using, 210-211, 236
 - wrapper use of, 212
 - stream files, 61

Subsystems option, Work Management, 54, **54**
 summary views, Databases, 144-149, **145-149**, 268
 system groups, Management Central, 275-276, **276**
 System Status, 54-55, **55**

T

tables in database, 93-99
 columns in, 94-97, **95**
 constraints in, 97
 creation of, 93, **93**, 269
 data types used in, 96-97, 96-97*t*, 136-137
 defining, 267, **267**
 editing contents of, 98-99, **98**
 indexes for, 100-101, **101**, **102**
 joins in, 124, **124**, 140-144
 map generated from, 248, **249**
 maximum size of, vs. physical files, 98
 naming of, 93-94
 Nullable and null capable columns in, 97, 270
 partitioning in, 97
 size of, 269
 taskpad, 5-9, **6**
 customizing, 6, **6**
 deselecting, 8, **8**, **9**
 My Tasks displayed in, 7, 7
 time display, 13
 Title in iSeries Navigator, 12-13, **13**
 triggers, 157-167. *See also* referential integrity and triggers
 5250 sessions and, 159, 162
 Add Physical File Trigger (ADDPFTRG), 159, 162
 Change Physical File Trigger (CHGPFTRG) and, 167
 correlation names for, 164
 defining, 159-162, **159**, **161**, 165-166, **165**, **166**
 enabling/disabling, 167
 events for, 158
 external, 158-162
 firing of, 158
 managing, 166-167, **167**
 mode for, 164
 naming, 161
 numbers allowed, 158
 Read after, 162
 run once or for each row specified for, 164
 saving, 160
 SQL type, 162-166, **163**
 temporary names for, 165
 timing for, 164, **164**
 trapping errors with, 183

use of, 157-158
 views and indexes using, 160

U

UDFS, 61
 UPSALARY example of stored procedures, 219-220, **219**
 user defined functions (UDF), 185-236
 calling other functions or procedures using, 191
 column definition using, 206-207, **207**
 data access for, 192
 data returned from, 191
 date conversion example of, 186-198, **187**, **188-189**
 defining a view containing, 209-210, **209**, **210**
 defining external UDF, 190-192, **191**, **193**, **195**
 details viewed for, 204-205, **205**
 example of, 186-210, **186**
 external functions and, 187-198, **190**
 Language option for, 195-196
 naming, 190, 192, 205
 nulls and, 194
 parallel running in, 191
 parameter style for, 193-194, 199, **200**
 program vs. Java method calls for, 195
 PROPERNAME example, 196, 196-**197**
 row selection using, 208, **208**
 RPG subprocedures converted into, 190-198
 saving returned values in, 192
 SELECT statement using, 206, **206**
 service program names for, 198
 SET PATH to determine search sequence for, 205
 sourced functions as, 202-203, **203**, **204**
 SQL functions as, 198-202, **199**, **200**, **201**
 SQL Statements for, 200-202, **201**
 threads run in, 192
 using, 205-210, 236
 working with, 204-205
 user defined relationships, in Databases, 258-260, **259**, **260**
 User Preferences setting, 17, **17**
 Users and Groups, x

V

views, customizing, 26-29, 14-15, **14**
 views in database, 102-107, 137-156, 270
 changing, 107
 column definition using UDF, 206-207, **207**
 CREATE VIEW statement in, 147, **148**

views in database, *continued*

- creating and naming, 103, **103**
 - Data Description Language (DDL) and, 137
 - defining, 104, **104**
 - derived columns in, 150-154, 150-**154**, 268
 - HAVING CLAUSE in, 148
 - joins in, 140-144, 141*r*
 - row selection in, 154-156, **155**, 208, **208**
 - Select Tables button for, 104, **105**
 - selecting columns in, 105
 - selecting rows in, 106, **106**
 - summary type, 144-149, **145-149**, 268
 - triggers and, 160
 - user defined functions (UDF) and, defining, 209-210, **209**, **210**
 - views of, multiple simultaneous, 137-140, **138-140**, 268
- Visual Explain, 133-134, **134**

W

- WebSphere Development Studio Client (WDSC), v, 70, 81
- WHERE clause, 155
- Windows access to IFS, 74-83
 - assigning folders to network drives in, 81

- copy, cut and paste in, 81-82, **82**
 - EBCDIC vs. ASCII files in, 78, **78**
 - iSeries NetServer configuration for, 74-76, **74**, **75**, **76**
 - Root files and, 83, **83**
 - Shares access from Windows in, 80-83
 - Shares and sharing defined for, 77-80, **77**, **78**, **79**, **80**
- Work Management, ix, 20, 50-51
- Active Jobs option in, 50, **50**
 - Job Queues option in, 51-53, **52**
 - Output Queues option in, 53, **53**
 - Server jobs option in, 51, **51**
 - Subsystems option in, 54, **54**
 - System Status and, 54-55, **55**
 - Work with Active Jobs (WRKACTJOB), 20
 - Work with Job Queues (WRKJOBQ), 20
 - Work with Object Links (WRKLNK), 83
 - Work with Output Queues (WRKOUTQ), 20
 - Work with Relational Database Directory Entries (WRKRDBDIRE), 88
 - Work with Spool File (WRKSPLF), 20
 - Work with Subsystems (WRKSUBS), 20
 - Work with System Status (WRKSYSSTS), 20
 - Work with User Jobs (WRKUSRJOB), 33-34
 - Work with User Profiles (WRKUSRPRF), x
 - wrappers, stored procedures and as, 212