

Contents

PREFACE		xix
	THE EVOLUTION OF RPG	xx
	WHO SHOULD READ THIS BOOK?	xxii
	WHICH VERSION OF RPG IS COVERED?	xxii
	WHAT'S NEW IN THIS EDITION?	xxiii
	NAMES ARE IMPORTANT	xxiii
Chapter 1	INTRODUCTION	1
	POSITION-ORIENTED PROGRAM SPECIFICATIONS	6
	A BRIEF LANGUAGE	6
	SPECIFICATION TYPES	7
	RPG COMPONENTS	9
	RPG LIMITATIONS	9
	NAMING CONVENTIONS	11
	DATA TYPES	12
	INDICATORS	13
	Indicatorless RPG Code	14
	INDICATOR USAGE	15
	FUNCTION KEY ATTENTION IDENTIFICATION BYTE	17
	INDICATOR CLASSIFICATION	18
	INDICATORS TO AVOID	20
	CONSTANTS AND LITERAL VALUES	21
	Figurative Constants	23
	Named Constants	24
	Reserved Names	26
	Reserved Words	27
	OPERATION CODE ARGUMENTS	28
	OUTPUT CONTROL VALUES	29
	SUBROUTINE RETURN POINTS	29
	DIRECTIVES	30
	Conditional Compiler Preprocessor Source Directives	32
Chapter 2	SPECIFICATION FORMATS	35
	SPECIFICATION TYPES	37
	HEADER (CONTROL) SPECIFICATION	38
	FILE SPECIFICATION	44
	DEFINITION SPECIFICATION	53
	Extended Name Definition	55
	Integer Variables	56
	Special PSDS Data Structure Subfields Positions	58
	Special INFDS Data Structure Subfields	59

	Definition Specification Keywords	61
	INPUT SPECIFICATION	69
	INPUT SPECIFICATION SUMMARY	70
	Program-Described Files	70
	Program-Described File Field Descriptions	73
	Externally Described Files	76
	Externally Described Field Descriptions	76
	CALCULATION SPECIFICATION	78
	Calculation Specification Summary	78
	OUTPUT SPECIFICATION	81
	Program-Described Output File Control Entries	82
	Program-Described Output File Field Description	84
	Externally Described Output File Control Entries	88
	Externally Described Output File Field Description	90
	PROCEDURE SPECIFICATION	91
	Procedure Definition	91
	Procedure Specification Summary	92
	Procedure Specification Keyword Summary	92
	EDITING NUMERIC OUTPUT	92
	Edit Words	92
	Edit Word Construction	93
	Edit Word Control Codes	94
	Edit Words and Named Constants	95
	Edit Codes	96
	Custom Currency Symbol	99
	DATE EDIT CODE CONTROL SUMMARY	99
	TABLE AND ARRAY SPECIFICATION	100
Chapter 3	EXPRESSIONS	103
	EXPRESSIONS in RPG	105
	NATURAL EXPRESSIONS	105
	Priority of Operators	107
	Expression Continuation	108
	Expressions in Assignment Statements	108
	Expressions in Compare Statements	110
	Expressions in Declarative Statements	112
	Expressions in Free Format Calculations	112
	Expressions in Parameters and Return Values	113
	Expressions as Parameters	114
	Precision Rules for Expressions	115
Chapter 4	BUILT-IN FUNCTIONS	117
	BUILT-IN FUNCTION SYNTAX	119

BUILT-IN FUNCTION SYNTAX SUMMARY	120
%ABS (ABSOLUTE VALUE)	129
%ADDR (GET ADDRESS).	129
%BITAND (BITWISE “ANDING” OF VALUES)	131
%BITNOT (BIT INVERSION)	133
%BITOR (BITWISE “ORING” OF VALUES).	134
%BITXOR (BITWISE EXCLUSIVE “ORING” OF VALUES)	136
%CHAR (CONVERT TO CHARACTER)	137
%CHECK (VERIFY FIELD CONTENT LEFT-TO-RIGHT)	138
%CHECKR (VERIFY FIELD CONTENT RIGHT-TO-LEFT)	140
%DATE (CONVERT TO DATE VALUE).	141
%DEC and %DECH (CONVERT TO PACKED DECIMAL)	142
%DECPOS (RETRIEVE DECIMAL POSITIONS)	145
%DIFF (DIFFERENCE BETWEEN TWO DATE, TIME, OR TIMESTAMP VALUES)	146
%DIV (INTEGER DIVISION)	147
DURATION BUILT-IN FUNCTIONS	148
%EDITC (EDIT WITH EDIT CODE)	149
%EDITFLT (EDIT WITH FLOATING POINT)	151
%EDITW (EDIT WITH EDIT WORD)	151
%ELEM (GET NUMBER OF ELEMENTS)	152
%EOF (END OF FILE STATUS).	153
%EQUAL (EQUAL CONDITION STATUS)	154
%ERROR (ERROR CONDITION STATUS).	155
%FIELDS (IDENTIFY FIELDS TO UPDATE)	156
%FLOAT (CONVERT TO FLOATING POINT VALUE)	157
%FOUND (RECORD/STRING FOUND CONDITION)	157
%GRAPHIC (CONVERT TO DOUBLE-BYTE CHARACTER VALUE)	158
%HANDLER (HANDLE XML PARSE REQUEST)	159
%HANDLER with XML-SAX	162
%INT (CONVERT TO INTEGER VALUE)	167
%KDS (USE A DATA STRUCTURE AS A KEY LIST)	168
%LEN (SET/GET LENGTH)	170
%LOOKUPXX (ARRAY ELEMENT LOOKUP [SEARCH]).	171
%NULLIND (SET/GET NULL INDICATOR PROPERTY).	172
%OCCUR (SET/GET THE OCCURRENCE OF A DATA STRUCTURE).	173
%OPEN (CHECK FOR FILE OPEN CONDITION)	174
%PADDR (GET PROCEDURE ADDRESS)	174
%PARMS (GET PARAMETER COUNT).	176
%REM (INTEGER DIVISION, RETURN REMAINDER)	177
%REPLACE (REPLACE/INSERT CHARACTER STRING)	178
%SCAN (SCAN CHARACTER STRING).	179

%SHTDN (CHECK FOR SYSTEM SHUT DOWN OR JOB END REQUEST)	179
%SIZE (GET SIZE IN BYTES USED)	180
%SQRT (COMPUTE SQUARE ROOT)	182
%STATUS (FILE OR PROGRAM STATUS CODE)	182
%STR (GET/STORE NULL-TERMINATED C-STRING)	185
%SUBARR (SUBSCRIPT AN ARRAY)	186
%SUBDT (SUBSTRING DATE – EXTRACT A DATE OR TIME COMPONENT)	187
%SUBST (GET/SET A SUBSTRING OF A VALUE)	187
%TIME (CONVERT TO TIME VALUE)	189
%TIMESTAMP (CONVERT TO TIMESTAMP VALUE)	190
%TLOOKUPxx (TABLE ELEMENT LOOKUP [SEARCH])	191
%TRIM, %TRIML, %TRIMR (TRIM LEADING AND/OR TRAILING BLANKS)	192
%UCS2 (CONVERT TO UCS-2)	193
%UNS and %UNSH (CONVERT TO UNSIGNED INTEGER VALUE)	194
%XFOOT (CROSS FOOT ARRAY ELEMENTS)	195
%XLATE (TRANSLATE CHARACTERS)	196
%XML BUILT-IN FUNCTION	197

Chapter 5	OPERATION CODES	201
	ABBREVIATIONS USED THROUGHOUT THIS CHAPTER	204
	OPERATION CODE SUMMARY	205
	UNCONDITIONABLE OPERATION CODES	209
	DATE AND TIME FORMAT CODES	209
	DATE AND TIME DURATION CODES	211
	OPERATION EXTENDER REFERENCE	212
	RPG IV OPERATION CODE SUMMARY SYNTAX DIAGRAM LEGEND	214
	OPERATION CODE SYNTAX DIAGRAMS	215
	BOOLEAN OPERATION CODES	220
	FREE FORMAT OPERATION CODES	220
	NATURAL EXPRESSION OPERATION CODES	222
	PROGRAM STATUS CODES	222
	FILE-STATUS ERROR CODES	224
	NESTED CODE ILLUSTRATION	227
	FREE FORMAT NESTED CODE ILLUSTRATION	227
	ACQ (ACQUIRE)	228
	ADD (ADD NUMERIC)	230
	ADD DUR (ADD DURATION)	231
	ALLOC (ALLOCATE MEMORY)	232
	ANDxx (AND CONDITION)	233
	BEGSR (BEGIN SUBROUTINE)	234

BITOFF (SET BITS OFF)	235
BITON (SET BITS ON)	236
CABxx (COMPARE AND BRANCH).	238
CALL (DYNAMIC CALL TO ANOTHER PROGRAM).	239
CALLB (CALL A BOUND PROCEDURE/PROGRAM)	241
CALLP (CALL WITH PROTOTYPE).	243
CASxx (COMPARE AND PERFORM SUBROUTINE).	245
CAT (CONCATENATION)	247
CHAIN (RANDOM RECORD ACCESS/READ)	249
CHECK (VERIFY A CHARACTER STRING)	251
CHECKR (VERIFY RIGHT TO LEFT)	254
CLEAR (CLEAR DATA SET)	256
CLOSE (CLOSE A FILE).	259
COMMIT (COMMIT)	260
COMP (COMPARE).	261
DEALLOC (RELEASE ALLOCATED MEMORY)	262
DEFINE (DEFINE A FIELD OR DATA AREA)	263
DELETE (DELETE DATA FILE RECORD)	266
DIV (DIVIDE)	269
DO (BEGIN DO LOOP)	271
DOUxx (BEGIN DO UNTIL LOOP)	273
DOWxx (BEGIN DO WHILE LOOP).	275
DSPLY (DISPLAY WORKSTATION MESSAGE).	278
DUMP (PRINT FORMATTED DUMP)	280
ELSE (ELSE CLAUSE)	281
ELSEIF (ELSE IF CONDITIONAL COMPARISON).	282
ENDxx (END A GROUP)	283
ENDSR (END SUBROUTINE)	284
EVAL (EVALUATE AN EXPRESSION)	286
EVALR (EVAL, RIGHT-ADJUST)	288
EXCEPT (EXCEPTION OUTPUT)	289
EXFMT (WRITE/READ A WRKST FILE FORMAT)	293
EXSR (PERFORM SUBROUTINE).	294
EXTRCT (EXTRACT A PART OF A DATE)	296
FEOD (FORCE END OF DATA).	297
FOR (FOR LOOP).	298
FORCE (FORCE INPUT PRIORITY).	300
GOTO (Go To)	301
IFxx (IF CONDITIONAL COMPARISON)	302
IN (READ IN A DATA AREA)	305
ITER (ITERATE A LOOP).	306
KFLD (KEY FIELD)	307

CONTENTS

KLIST (KEY LIST)	308
LEAVE (LEAVE A DO GROUP)	309
LEAVESR (EXIT SUBROUTINE)	310
LOOKUP (LOOKUP ARRAY OR TABLE)	311
MONITOR (BEGIN A MONITOR GROUP)	313
MxxZO (MOVE ZONE TO ZONE)	315
MOVE AND MOVEL (COPY DATA)	316
MOVEA (MOVE WITH ARRAY)	320
MOVEL (COPY DATA LEFT JUSTIFIED)	324
MULT (MULTIPLY)	329
MVR (MOVE REMAINDER OF DIVISION)	331
NEXT (FORCE NEXT INPUT)	332
OCCUR (SET/RETRIEVE DS)	334
ON-ERROR (TEST ERROR STATUS CONDITION)	337
OPEN (OPEN A FILE)	338
ORxx (OR CONDITION)	340
OTHER (OTHERWISE)	341
OUT (OUTPUT AN EXTERNAL DATA AREA)	342
PARM (PARAMETER DECLARATION)	343
PLIST (PARAMETER LIST DECLARATION)	346
POST (POST DEVICE INFORMATION)	349
READ (READ FROM A FILE)	351
READC (READ NEXT CHNGD WRKSTN RCRD)	354
READE (READ NEXT RCRD WITH EQUAL KEY)	355
READP (READ PRIOR RCRD FROM DATA FILE)	357
READPE (READ PRIOR RCRD WITH EQ KEY)	360
REALLOC (REALLOCATE MEMORY)	362
REL (RELEASE AN ACQUIRED DEVICE FILE)	364
RESET (RESET VARIABLE TO INITIAL VALUE)	365
RETURN (RETURN TO CALLING PROGRAM)	368
ROLBK (ROLLBACK)	370
SCAN (SCAN STRING OR ARRAY)	371
SELECT (START IN-LINE CASE GROUP)	373
SETGT (SET GREATER THAN)	374
SETLL (SET LOWER LIMIT)	376
SETOFF (SET OFF AN INDICATOR)	378
SETON (SET ON AN INDICATOR)	379
SHTDN (TEST FOR SHUTDOWN REQUEST)	380
SORTA (SORT ARRAY)	381
SQRT (SQUARE ROOT)	382
SUB (SUBTRACT)	383
SUBDUR (SUBTRACT DURATION)	385

	SUBST (SUBSTRING THEN MOVE LEFT)	387
	TAG (LABEL)	389
	TEST (TEST DATE/TIME/TIMESTAMP)	390
	TESTB (TEST BIT PATTERN)	392
	TESTN (TEST CHAR FIELD FOR NUM DATA)	394
	TESTZ (TEST THE ZONE OF A FIELD)	395
	TIME (RETRIEVE SYSTEM TIME AND DATE)	396
	UNLOCK (UNLOCK DATA AREA)	398
	UPDATE (UPDATE A FILE)	400
	WHENxx (WHEN TRUE THEN SELECT)	402
	WRITE (WRITE TO A FILE)	404
	XFOOT (CROSS FOOT AN ARRAY)	406
	XLATE (TRANSLATE A CHARACTER STRING)	407
	XML-INTO (PARSE XML INTO RPG VARIABLE)	409
	XML-SAX (CALL XML SAX PARSER)	418
	Z-ADD (ZERO AND ADD)	425
	Z-SUB (ZERO AND SUBTRACT)	426
Chapter 6	PROGRAM ORGANIZATION	427
	SOURCE FILE LOCATION	429
	SOURCE FILE MEMBER CONTENTS	431
	MODULE DEFINITION	431
	Traditional, Single-Source File RPG Program	434
	Single-Source File Using Embedded Subprocedures	434
	Multiple Source Files	435
	SCOPE	435
	STATIC AND AUTOMATIC STORAGE	436
	IMPORT AND EXPORT	437
Chapter 7	MODERN OPERATION CODE USAGE	441
	OPTIMIZING	443
	INDICATOR-CONTROLLED LOGIC	445
	INDICATORLESS CONTROLLED LOGIC	447
	DO LOOPS	448
	Do Loops with Level-Break Processing	449
	Do WHILE and DO UNTIL Operations	450
	COMPARE AND BRANCH	451
	COMPARE OPERATION	452
	RANGES, LISTS, AND SELECT/OMIT	453
	RPG IV STYLE	454
Chapter 8	STRUCTURED PROGRAMMING	459
	THE STRUCTURED APPROACH	461
	Top-Down Programming	462

	Characteristics of a Well-Formed Routine	465
	Control Flow Constructs	466
	Structured Operation Codes	469
	Boolean Operators	470
	THE IF-THEN-ELSE STRUCTURE	470
	THE CASE STRUCTURE	474
	Successive CASE Operations	476
Chapter 9	INTER-MODULE COMMUNICATION	481
	BENEFITS OF MODULAR PROGRAMMING	483
	COMMON TECHNIQUES FOR INTER-MODULE COMMUNICATION	486
	Parameter Passing	486
	PROTOTYPED CALL	494
	DATA STRUCTURES AND PROTOTYPED PROCEDURES	498
	Prototyped Procedure Keywords	500
	DATA AREAS	501
	Data Area Data Structures	501
	IN and OUT Operation	503
Chapter 10	PROCEDURES	507
	USER-WRITTEN PROCEDURES	509
	CALLING A PROCEDURE	510
	PROCEDURE DEFINITION	512
	PROTOTYPED PROCEDURE KEYWORDS	515
	PROGRAM ENTRY POINT	518
	A SYSTEM INTERFACE FOR PROCEDURES	523
Chapter 11	FILE PROCESSING	527
	FULL-PROCEDURAL FILE PROCESSING	529
	PHYSICAL FILES	532
	Multiple Key Fields	534
	LOGICAL FILES	538
	Join Logical Files	540
	FILE ACCESS	542
	Read Equal Key Anomaly	544
	ACCESS PATH PROCESSING	549
	CHAIN (RANDOM FILE ACCESS)	553
	OPEN AND CLOSE (OPEN AND CLOSE A FILE)	553
	EXFMT (WRITE THEN READ WORKSTATION DEVICE)	554
	POST (POST DEVICE SPECIFIC INFORMATION)	555
	READ (READ A RECORD FROM A FILE)	556
	READC (READ NEXT CHANGED SUBFILE RECORD)	557
	UPDATE (UPDATE A RECORD)	557

	WRITE (WRITE A RECORD)	558
Chapter 12	ALTERNATE SYNTAX OPTIONS	561
	Fixed-Format Calculation Specifications	564
	Enhanced-Format Calculation Specifications.	564
	Free-Format Calculation Specifications	565
	Commenting Free-Format Code.	565
	Free-Format Directives	566
	Free-Format Operation Code Syntax	566
	Myriad Math Syntax Options.	569
	Free Format MOVE/MOVE/ALTERNATE Alternatives	570
	Free Format Data-Type Conversion	571
	%CHAR Built-in Function for Conversion	571
	%DATE and %TIME Built-in Functions for Conversion	572
	%DEC Built-in Function for Conversion	573
	Free Format and Data Structures	574
	Free Format Subroutine Declaration	577
	Free Format Date and Time Processing	579
	Retrieving Date Values at Runtime.	582
	Alternative Syntax Summary.	584
Chapter 13	WEB PROGRAMMING INTERFACES	585
	CGI APPLICATION PROGRAMMING INTERFACE (API).	587
	QtmhGetEnv – Get Value of Environment Variable	588
	QtmhPutEnv – Put Environment Variable	590
	Environment Variables	592
	QtmhRdStin – Read from <i>Standard-input</i>	594
	QtmhWrStout – Write to <i>Standard-output</i>	595
	QtmhCvtDB – Convert to Database Structure	596
	URL ENCODING	600
	atoll() – C Runtime Library Function	601
Appendix A	COMPILER OPTIONS	603
	COMPILER CHOICES FOR RPG IV PROGRAMS	605
	The CRTBNDRPG Command	605
	PGM (Program Name)	606
	SRCFILE (Source File Name)	606
	SRCMBR (Source File Member).	606
	GENLVL (Generation Severity)	607
	TEXT	607
	DFTACTGRP (Default Activation Group).	607
	BNDDIR (Binding Directory)	609
	ACTGRP (Activation Group).	609
	OPTION	609

	DBGVIEW (Debug View Level)	611
	OUTPUT (Compiler Output Listing)	612
	OPTIMIZE (Optimization Level)	612
	INDENT (Indented Compiler Listing)	613
	CVTOPT (Data Type Conversion Options)	613
	SRTSEQ (Sort Sequence Table)	614
	LANGID (Language Identifier)	614
	REPLACE (Replace Existing Program upon Compile)	614
	USRPRF (User Profile Authority Adoption)	615
	AUT (User Authority)	615
	TRUNCNBR (Truncate Numbers on Overflow)	616
	FIXNBR (Fix Decimal Data Errors for Zoned Numeric Fields)	616
	TGTRLS (Target Operating System Release)	617
	ALWNULL (Allow Null-Capable Fields in Database Records)	617
Appendix B	DECIMAL DATA ERRORS	619
	DECIMAL DATA OVERVIEW	621
	Fix Decimal Data Errors	621
	DATABASE FILE MODELS	623
	ZONED DECIMAL DATA	624
	Zoned Decimal Data Errors	625
	PACKED DECIMAL DATA	626
	CONDITIONS FOR DECIMAL DATA ERRORS	628
	Decimal Data Error upon Input Operation to a Database File.	628
Appendix C	DDS DATE AND TIME FORMAT CONSIDERATIONS	631
	DATABASE DATE AND TIME OVERVIEW	633
	DATABASE DATE FORMAT AND SEPARATOR (Edit Character)	634
	Date Separator Keyword	635
	DATABASE TIME FORMAT AND SEPARATOR (Edit Character)	635
	Timestamp Format	636
	SPECIAL DATES AND TIMES VALUES	637
	Display File Support for Date Variables	638
	Additional Dates Routines in RPG xTools	639
Appendix D	SOURCE CODE LISTINGS	643
	RETURN AS UPPERCASE.	645
	CONVERT TO UPPERCASE	646
	RETURN LENGTH OF INPUT STRING	647
	IN-LINE ILE PROCEDURES	648
	ADDITIONAL SOURCE LISTINGS	650
Index		651