

Index

A

- <a> element, 108
- accessing objects within HTML, using JavaScript, 27–28, **28**
- activateDIV()/deactivateDIV(), 114–115, **115**
- ActiveXObject, AJAX and, 132, 140
- adding information to page dynamically, 30, **30**, 33, **33**
- addition operator (+), **36**, **146**
- AJAX, 16, 131–144
 - ActiveXObject and, 132, 140
 - browser compatibility for, 131, 132, 135–136, **135**
 - GET/POST and, 134, 135
 - getElementsByTagName() in, 137, **137**
 - HTML and, 131
 - Internet Explorer and, 135–136, **135**, 140. *See also* browser compatibility
 - methods supported by XMLHttpRequest object in, 133, **133**
 - MIME content and, 135
 - onreadystatechange property and, 132–133, **132**, 136
 - open() method in, 134, **134**, 136, **136**
 - parms and parameters in, 134–135, **134**
 - properties supported by XMLHttpRequest object in, 132, **132**
 - readyState property and, 132–133, **132**
 - readyState() and, 137, **137**
 - remote scripting technology in, 131
 - responseText property and, 133
 - responseXML and, 133, 137, **137**
 - send() method in, 134, **134**, 136, **136**
 - setRequestHeader() in, 135
 - stateHandler() and, 136
 - step by step for, 135–138, **134**
 - URLs and, 134
 - user interfaces created using, 131–132
 - weather display tool using, 138–142, **138–140**, **143**
 - web services and, 142
 - XML and, 131
 - XMLHttpRequest object in, 131–144
- alert() method, 56, **56**
- Amazon, 142
- anchors collection, **32**, **66**
- AND (&&), **37**, **147**
- APIs, 13
 - web services and, 14–15
- applets collection, **32**, **66**
- arrays, 41–43, **41**, **42**
 - data types within, 41–43, **41**, **42**
 - multidimensional, 42–43, **42**
- ASP, 3, 16
- assignment operators, **36**, **38**
- Asynchronous XML and JavaScript. *See* AJAX

B

backend system integration, 13–16

background, 64, 75–79, **76**, **77**, **78**

- <body> element and, 76
- color of, 76–77
- image and url() modifier for, 76, 77, **77**
- position of image used as, **78**, **78**
- repeating/tiling image used as, 78–79
- scrolling of, vs. fixed, 77–78, **78**

barChart(), 126, **126–127**, 128–130, **129**, **130**

bitwise AND (&), **37**, 39, **147**

bitwise AND (&=sign), **36**, 39, **146**

bitwise left shift (<), **37**, 39, **147**

bitwise left shift (<=sign), **37**, 39, **147**

bitwise NOT (~), **37**, **147**

bitwise NOT (!), 39

bitwise operators, **36**, **37**, 39, **39**, **147**

bitwise OR (^), **37**, 39, **147**

bitwise OR (^=sign), **36**, 39, **146**

bitwise right shift (>), **37**, 39, **147**

bitwise right shift (>=sign), **37**, 39, **147**

bitwise right shift with zero fill (>>), **37**, 39, **147**

bitwise XOR (^=sign), **36**, 39, **146**

blinking text, 93, **93**

blur() method, 61–62, **61**

<body> element, background definition in, 76

<body> tag, 26–27, **26**, 28–29, **28**, 66

Boolean operators, **36**, **37**, 38–39

borders, 79–84, **155**

- colors of, 80–81, **81**
- hierarchy of properties for, 80
- individual border properties for, 84, **84**
- styles of, 80, 82–83, **83**
- width of, 82

break statement, 48

browse right shift with zero fill (>>=sign), **37**, 39, **147**

browser compatibility, 5, 20–21, 52–62

- AJAX and, 131, 132, 135–136, **135**
- browser dialog window for, 52, **52**

- determining environments for, 23–25, **25**
- document object and, 66, **66**
- document object model (DOM) for HTML and, 21–22, **21**
- methods used to perform actions on window within, **149–150**
- navigator object and, 23–25, **24**
- testing code for, 22–23

browser dialog window, 52, **52**

browsers, 5

- real-time data updates and, 5

buttons in forms, 106–107

C

C++, 36

cascading style sheets (CSS), 71–96, 153, **153–157**

- default style sheet in, 72–73, **72**
- external style sheets in, 72–73, **73**
- <head> tag and, 71, 73, **73**
- hierarchical arrangement of styles in, 71
- HTML and, 71
- in-line HTML style definition and, 74–75
- internal and external style sheets combined in, 73–74, **74**
- internal style sheet in, 73–74, **73**
- JavaScript and, 95
- <link> element for, 72–73, **73**
- overriding elements within, 73–75, **74**, **75**
- properties of . *See* style sheet properties
- style attribute for, 74–75, **74**
- style object and, 95
- style sheet properties in, 75–95, **153–155**
- background, 75–79, **76**, **77**, **78**
- borders, 79–84, **79–80**, **155**
- fonts, 84–86, **84**, **156**
- lists, 86–88, **87**, **89**, **157**
- margins, 89–90, **89**, **90**
- padding (kerning), 90–91, **90**, **91**
- text, 91–95, **91**, **157**
- style sheets defined, 71
- <style> element for, 73, **73**

case statement, 47–48, **47**

case-sensitivity of JavaScript, 23

charAt(), 101

chart creation using `barChart()`, 126, **126–127**, 128–130, **129, 130**
 `showChart()` and, 129–130
`circleBuilder()`, **43–44**, 44–45, **45**
`clear()` method, 70
client-side JavaScript, 16
`close()` method, 59–60, **60**, 69–70, **70**
closed property, 53–54, **54**
color, 63–66
 background, 76–77
 borders, 80–81, **81**
 hex value for, 77, 92
 name of, 77
 RGB value for, 77, 92
 text, 92, **92**
comparison operators, 37–38, **37**
concatenation operator (+), **36, 146**
conditional operator, 46, **46**
`confirm()` method, **56, 56**
context menu, 7, 7
 `display/hide`, 116–119, **117, 118, 119**
cookies, 64–65, **65**
 document object and, 64–65, **65**
curly bracket delimiter, 35, **35**
cursor position, `getYMousePOS()/getXMousePOS()`, 110, **111**
customization, user-customizable views and, 8–10, **8, 9, 10**

D

dashboard application, user-customizable views for, 8–10, **8, 9, 10**
data manipulation, 10–13
 sorting data as, 10–11, **11**
 totaling columns as, 12–13, **12**
data types, 40
 arrays and, 41–43, **41, 42**
date and time display
 digital clock using JavaScript, 4–5, **4**
 dynamic changes to, 33, **33**
 HTML code for, 4, **4**
 `isDate()`, 101–103, **102**
 <td> element, 4
 time-triggered events and, 60–61, **60, 61**
declaring variables and objects, 40–45
decrement and set (—sign), **36, 146**
decrement operator (—), **36, 146**
default statement, 48
default style sheet, cascading style sheets (CSS) and, 72–73, **72**
defining a variable, 40, **40**
defining JavaScript, 19–20
determining browser environment, 23–25, **25**
dialog Arguments property, 54

dialog box, 52, **52**. *See also* window object
digital clock display, 4–5, **4**
`dispMenu()`, 117, 119
<div> element, 107. *See also* dynamic data changes
divide and set (/=sign), **36, 146**
division operator (/), **36, 146**
division, 37, **37**
do...while statement, 50–51, **51**
document object, 32, 49, 63–68
 anchors collection and, **66**
 applets collection and, **66**
 <body> HTML tag and, **66**
 browser compatibility and, **66, 66**
 `clear()` method for, 70
 `close()` method for, 69–70, **70**
 collections contained within, 66–67, **66**
 collections within, **152**
 color settings for, 63–66
 cookies and, 64–65, **65**
 forms collection and, **66, 67–68, 67–68**
 images collection and, **66**
 element and, 67
 information about the document contained in, 64
 `login()` function, 68
 methods for, 68–70, **69, 152**
 `open()` method for, 69–70, **70**
 properties of, 63–64, **63, 151**
 URLs and, 64
 `write()` method for, 69–70, **70**
 `writeln()` method for, 70
document object model (DOM), 21–25, **21**
drag and drop within a form, 114–116, **114, 115, 116**
dynamic data changes, 30, **30, 33, 33, 105, 106**, 107–122
 <a> element and, 108
 `activateDIV()/deactivateDIV()`, 114–115, **115**
 <div> element and, 107
 drag and drop within, 114–116, **114, 115, 116**
 external JavaScript files and, 34
 `getYMousePOS()/getXMousePOS()`, 110, **111**
 `moveDIV()`, 109–112, **110, 112, 113, 114, 116**
 page output using, 107–122
 `showHideDIV()` and, 107–109, **108, 109**
 URL addresses for, 33–34, **34**
 weather display tool using AJAX and, 138–142, **138–140, 143**

E

ECMAScript, 21
elements collection, HTML, 30–31, **31**

elements of JavaScript, 145, **145–152**
 else statement, 46, **46**, 47, **47**
 embedded JavaScript in HTML, 20, 26–27, **27**
 = to (=sign=sign), **36**, **146**
 ERP application using XML, 15–16, **15**
 escape characters, 98
 European Computer Manufacturer's Association (ECMA), 21
 event handlers, 54–56, **55**
 expandFolder(), 120
 external JavaScript files, 34
 external style sheets, CSS, 72–73, **73**

F

fade out/in an image, 124–124, **124–125**, **126**
 Federal Express, 142
 Federal Reserve Bank, 142
 flavors of JavaScript and browser compatibility, 20–21
 flow control, 45–51
 focus() method, 61–62, **61**
 folders
 expandFolder(), 120
 element and, 120, 121
 tree type view of, 119–122, **120**, **121**, **122**
 fonts, 84–86, **84**, 91–95, **91**, **156**. *See also* text
 constants for, 85
 family of, 85
 padding (kerning) for, 90–91, **90**, **91**
 size constants for, **156**
 size of, 85–86, **86**
 style of, 85–86
 weight of (bold), 86
 for statement, 35, 48–49, **48**, **49**
 for...in statement, 49, **49**, **50**
 <form> element, 97
 form_submit(), 106
 form-validation, 97–98, **97**
 forms
 adding data to, 105–107, **105**
 buttons in, 106–107
 controlling, using functions, 105–107, **105**
 document object and, 67–68, **67–68**
 dynamic data changes, 105–107, **105**, **106**
 <form> element and, 97
 forms collection in HTML for, 30–31, **31**
 required fields checking using, 98–105, **98**, **99**, **100–101**,
 102, **103**, **104–105**
 <select> element in, 106, 107
 submitting, 105–107, **105**
 validation of data entry in, 97–98, **97**
 validity-checking in, 32
 forms collection, 30–31, **31**, **32**, **66**
 frames, 62, **62**
 fromCharCode(), 104

functions in JavaScript, 97–130
 display/hide context menu using, 116–119,
 117, **118**, **119**
 dispMenu(), 117, 119
 dynamic page output using, 107–122. *See*
 also dynamic data changes
 form control using, 105–107, **105**
 form-validation using, 97–98, **97**
 hideMenu(), 118
 image controls using, 122–130
 required fields checking using, 98–105, **98**,
 99, **100–101**, **102**, **103**, **104–105**
 tree type view of folders using, 119–122, **120**,
 121, **122**

G

GET/POST, AJAX and, 134, 135
 getElementsByTagName(), 29–30, **29**, 137, **137**
 getYMousePOS()/getXMousePOS(), 110, **111**
 Google, 131, 142
 greater than operator (>), **36**, **146**
 greater than or = to (>=sign), **36**, **146**

H

<head> tag, 26, **26**, 56
 cascading style sheets (CSS) and, 71, 73, **73**
 height and width of window, 52, **52**, 58
 hex value of colors, 77, 92
 hidden variables, 16
 hideMenu(), 118
 HTML, 3
 accessing objects within, using JavaScript,
 27–28, **28**
 AJAX and, 131
 anchors collection in, **32**
 applets collection in, **32**
 background properties and, 75–79, **76**, **77**, **78**
 <body> element in, 76
 <body> tag in, 26–29, **26**, **28**, 66
 border properties and, 79–84, **79–80**, **155**
 cascading style sheets (CSS) and, 71–96. *See*
 also cascading style sheets
 document object model (DOM) for, 21–22, **21**
 document objects in, 32, 66
 elements collection in, 30–31, **31**
 font properties and, 84–86, **84**, **156**
 forms collection in, 30–31, **31**, **32**
 getElementsByTagName() in, 29–30, **29**
 <head> tag in, 26, **26**, 56
 <html> tag in, 27, 28
 ID attributes and, 27–28, **28**
 images collection in, **32**

JavaScript embedded in, 20, 26–27, **27**
 JavaScript interaction with, 25–34
 JavaScript referenced from, 20
 lists and, 86–88, **87, 89, 157**
 location of JavaScript scripts within, 27
 parent/child objects in, 28–29, **28**
 <script> tag in, 20, **20, 25–26, 25, 26**
 src attribute in, 26
 text and, 91–95, **157**. *See also* fonts
 <title> tag in, 32–33, **33**
 <html> tag, 27, 28

I

ID attributes, HTML, 27–28, **28**
 identical operator (=sign=sign), **36, 37–38, 37, 146**
 if statement, 24, 35, **35, 38–39, 46, 46, 47, 47, 99–100**
 images, 122–130
 background using, 76, 77, **77**
 changing on mouseover, using switchImage(), 122–124, **123, 124**
 chart creation using barChart() and, 126, **126–127, 128–130, 129, 130**
 fade using fadeImg(), 124–125, **124–125, 126**
 element, 122–123
 onmouseover/onmouseout events with, 123
 images collection, **32, 66**
 element, 67, 122–123. *See also* images
 increment and set (+=sign), **36, 38, 146**
 increment operator (++), **36, 38, 146**
 indexOf(), 101, 104
 initialize a variable, 40, **40**
 <input>, 16
 hidden variables and, 16
 interfaces using JavaScript, 3–4, **4**
 Internet Explorer, 21, 22, 132
 AJAX and, 135–136, **135, 140**
 interval, 60–61, **60, 61**
 isAlpha(), 103, **103**
 isBlank(), 98–105, **98, 99, 100–101, 102, 103, 104–105**
 isDate(), 101–103, **102**
 isNumeric(), 101, **101, 103**

J

Java vs. JavaScript, 19, 36
 JDBC, 13
 JScript, 21

K

kerning. *See* padding (kerning)
 keyTrap(), 103–104, **104–105, 105**

L

language structure and syntax, 35–39
 less than (<), **36, 146**
 less than or = to (<=sign), **36, 146**
 letter spacing of text, 92, **92, 93**
 tag, 88, **88**
 line through/strikethrough text, 93, **93**
 <link> element, cascading style sheets (CSS)
 and, 72–73, **73**
 lists, 86–88, **87, 89, 157**
 bullets, etc. in, 87–88
 image used as list marker in, 87
 location of markers in, 87
 style of, 87–88, **88**
 and tags in, 88, **88**
 location of JavaScript scripts, 27
 logical (Boolean) type, 40
 login() function, 68
 loops, 48–49, **48, 49**
 do...while, 50–51, **51**
 with, 51, **51**
 lowercase text, 94, **94**

M

margins, 89–90, **89, 90**
 math operators, **36–37, 146–147**
 menus
 context type, display/hide, 116–119, **117, 118, 119**
 dispMenu(), 117, 119
 hideMenu(), 118
 methods
 document object, 68–70, **69**
 window object, 56, **57**
 Microsoft, 21
 Microsoft Outlook Web Access, 131
 MIME content, AJAX and, 135
 modulus and set (%=sign), **36, 146**
 modulus operator (%), **36, 38, 38, 146**
 moveDIV(), 109–112, **110, 112, 113, 114, 116**
 Mozilla, 21, 132
 multidimensional arrays, 42–43, **42**
 multiplication operator (asterisk), **36, 146**
 multiply and set (asterisk=sign), **36, 146**

N

National Weather Service, 140, 142. *See also*
 weather display tool using AJAX
 navigate() method, 58, 59
 navigator object, 23–25, **24**
 Netscape, 21, 22
 Netscape Enterprise Server, 20

NOT (!), **37, 147**

not = to (!=sign), **36, 146**

not identical operator (!=sign), **36, 37–38, 37, 146**

null type, **40**

numeric operations, **36**

numeric type, **40**

O

objects, **40–45**

 declaring, **40–45**

 document. *See* document object

 objects contained within window objects, **62, 62**

 user-defined, **43–44, 43–44**

 window. *See* window object

ODBC, **13**

onblur/onfocus events, **55, 55**

onClick event, **106**

onmouseover/onmouseout events, **123**

onreadystatechange property, **132–133, 132, 136**

onSubmit event, form validation and, **97–98, 97**

open(), **58, 58, 59, 69–70, 70**

 AJAX and, **134, 134, 136, 136**

operators, **36–37, 146–147**

OR (|), **37, 147**

order processing, HTML vs. JavaScript, **5, 6, 7**

over/underlined text, **93, 93**

overriding elements within a CSS, **73–75, 74, 75**

P

padding (kerning), **90–91, 90, 91**

parent/child objects, **28–29, 28**

 close() method and, **59–60**

 closed property for, **53–54, 54**

PHP, **3, 16**

pop-up windows, **58, 58**

POST, AJAX and, **134, 135**

print() method, **60, 60**

programming, sources of free JavaScript code, **143, 143**

prompt() method, **56, 56**

R

readyState property, **132–133, 132, 137, 137**

real-time data updates, **5**. *See also* dynamically changing data

referencing JavaScript from HTML/XML, **20**

remote scripting, **131**

required-fields checking, **98–105, 98, 99, 100–101, 102, 103, 104–105**

responseXML, **137, 137**

returnValue property, **54**

RGB values of colors, **77, 92**

S

<script>, **20, 20, 25–26, 25, 26**

scrolling background, **77–78, 78**

<select> element, **106, 107**

semicolon delimiter, **35, 35**

send() method, AJAX and, **134, 134, 136, 136**

server-side interaction, **16, 17**

set value (=sign), **36, 146**

setRequestHeader(), **135**

showChart(), **129–130**

showHide(), **106**

showHideDIV(), **107–109, 108, 109**

sorting data, **10–11, 11**

sources of free JavaScript code, **143, 143**

 element, **120, 121**

special characters in JavaScript, **145**

src attribute, **26**

standards for JavaScript code, **21**

stateHandler(), **136**

strikethrough text, **93, 93**

string operations, **36**

string type, **40**

style attribute, CSS, **74–75, 74**

style object, cascading style sheets (CSS) and, **95**

style sheet properties, in CSS, **75–89, 153–155**

 background, **75–79, 76, 77, 78**

 borders, **79–84, 79–80, 155**

 fonts, **84–86, 84, 156**

 lists, **86–88, 87, 89, 157**

 margins, **89–90, 89, 90**

 padding (kerning), **90–91, 90, 91**

 text, **91–95, 91, 157**

<style> element, **73, 73**

submitting a form, **105–107, 105, 106**

subtraction operator (–), **36, 146**

switch statement, **47, 47, 48**

switchImage(), **122–124, 123, 124**

syntax. *See* language structure and syntax

T

tables, ID attributes for, **27–28, 28**

<td> element, **4**

text, **91–95, 91, 157**. *See also* fonts

 blinking, **93, 93**

 color of, **92, 92**

 direction of, **92**

 letter spacing of, **92, 92, 93**

 line through/strikethrough, **93, 93**

 over/underline, **93, 93**

 transform case (upper/lowercase), **94, 94**

 white space and, **95**

 wrapping of, **95**

tiled image background, 78–79
time-triggered events, 60–61, **60**, **61**
timeout, 60–61, **60**, **61**
title bar, 32–33, **33**
<title> tag, 32–33, **33**
top property, 54
totalling columns of data, 12–13, **12**
tree-type view of folders, 119–122, **120**, **121**, **122**

U

U.S. Postal System, 142
 tag, 88, **88**, **88**
underlined text, 93, **93**
uniform resource locator (URL) addresses, 33–34, **34**, 58
 AJAX and, 134
 document object and, 64
uppercase text, 94, **94**
UPS, 142
user-customizable views, 8–10, **8**, **9**, **10**
user-defined objects, 43–44, **43–44**
uses for JavaScript, 3–4

V

validity-checking in forms, 32
variables, 40–45
 data types for, 40, 41
 declare and initialize, 40, **40**
 declaring, 40–45
 defining, 40, **40**
 redefining, 41, **41**

W

weather display tool using AJAX, 138–142, **138–140**, **143**
weather report application, 13–14, **14**
web services and AJAX, 142
web services and APIs, 14–15
while statement, 35, 50–51, **50**, 54
white space and text, 95
window object, 52–62
 alert() method for, 56, **56**

 blur() method for, 61–62, **61**
 browser dialog window for, 52, **52**
 close() method for, 59–60, **60**
 closed property for, 53–54, **54**
 confirm() method for, 56, **56**
 dialog Arguments property for, 54
 event handlers for, 54–56, **55**
 focus() method for, 61–62, **61**
 frames for, 62, **62**
 height and width of, 52, **52**, 58
 methods for, 56, **57**, **149–150**
 navigate() method for, 58, 59
 objects contained within, 62, **62**, **151**
 onblur/onfocus events for, 55, **55**
 open() method for, 58, **58**, **59**, **150**
 pop-up windows and, 58, **58**
 print() method for, 60, **60**
 prompt() method for, 56, **56**
 properties of, **53**, 53–54, **148–149**
 returnValue property for, 54
 time-triggered events and, 60–61, **60**, **61**
 top property for, 54
 URLs and, 58
 window.open method options for, **150**
window.open method options, **150**
with statement, 51, **51**
World Wide Web Consortium (W3C), 21
wrapping text, 95
write() method, 69–70, **70**
writeln() method, 70

X

XML, 5, 13, 20
 AJAX and, 131
 ERP application using, 15–16, **15**
 referencing JavaScript from, 20
XMLHttpRequest object. *See* AJAX

Y

Yahoo, 140, 142. *See also* weather display tool using AJAX