

Index

A

- access control, 490
 - See also* authentication
- Access Plan Graph dialog, **693**
- access plans, 419
 - db2exfmt output tool and, 421–427, 425–427
 - (*See also* db2exfmt output tool)
 - Explain Facility and, 420–421
 - operators of, 426–427t
 - See also* access plan with details
- access plan with details
 - arguments of, 429–430
 - cost of, 428–429
 - fetch operation and, use of, 431–432
 - index ANDing and, recognition of, 436–438
 - index ORing and, recognition of, 435–436
 - index scan of, 432–433
 - input stream(s) of, 430–431
 - list (sequential) prefetch and, recognition of, 434–435
 - predicates of, 430
 - sort operation of, use of, 433
 - table scan operation of, use of, 433–434
 - See also* access plans
- ACTIVATE DATABASE command, 44
- Activating Visual Explain, 692–693
- Add Database dialog, **586**, 586–588
- Add Database Partitions Launchpad, 157–159, **158**
- ADD DBPARTITIONNUM command,
 - 154–155, 156, 157
- ADD SECURITY POLICY clause, 556
- Administration Balanced Configuration Unit (BCU), 203, 205
- administrative view and table function, 453–455
- ADMINTABCOMPRESSINFO, 453, 453–454t
- ADVISE_INDEX table, 197
- AdviseType command, 197–198
- aggregation, 181
- AIX platform, 8, 11
 - Balanced Configuration Unit (BCU) and, 204
 - db2nodes.cfg file and, **149**
 - raw logical volumes and, 82
 - REDIRECT DATABASE command and, 263
- Alias command, 49, 587, 593
- ALLOW OVERFLOW clause, 174, 175
- Alter Buffer Pool dialog, **68–69**
- ALTER BUFFERPOOL SQL statement, 59
 - buffer pool, **65**, 66, 67–68, **68**
 - syntax for, **65**, 65–66
- ALTER DATABASE PARTITION GROUP SQL statement, 156, 163–166
- ALTER DATABASE statement, 293
- alterin privilege, 513
- alter privilege, 514, 518, 522
- ALTER TABLESPACE SQL statement, 94–97, **98**, 157, 264, 445

- ALTER TABLE SQL statement, 168–169, 417, 544, 551–552
 - ALTER VIEW statement, 400
 - ANY value, 142–143
 - append mode, 395
 - ApplicationHandle command, 441
 - Application Requester, 585
 - Applications dialog, 439–440, **440**
 - APPLY DB AND DBM clause, 380
 - APPLY DB ONLY clause, 380
 - APPLY NONE clause, 380
 - archival logging, 227, 229–230, **230**, 289
 - ARCHIVE LOG command, 235
 - array, defined, 539
 - associated subagents, 405
 - AS TEMPLATE option, 123
 - asynchronous table queues, 407
 - ATTACH PARTITION clause, 176, 181
 - audit_buf_sz configuration, 564
 - audit_buf_sz* DB2 Database Manager, role of, 563–565
 - audit facility, 557–563, 564–565
 - authentication, 490
 - CLIENT, 498–499
 - environments of, 491–495
 - LDAP-based, 497–498
 - security plug-ins and methods of, 495–497
 - SERVER_ENCRYPT, 499–500
 - AuthenticationType command, 588
 - authorities, 46–47
 - common tasks for, 530–531
 - database administrator, 507–508
 - granting and revoking of, 527–529, 528t
 - levels of, 500–502, **501**
 - load, 509–510
 - objectives of, common, 530–531t
 - security administrator, 508–509
 - system administrator, 502–503
 - system control, 503–505
 - system maintenance, 505–506
 - system monitor, 506–507
 - See also* privileges
 - AUTOCONFIGURE command, 50, 377–371, 377–381, 378–379t
 - Automatic Client Reroute, 291, 298–300
 - Automatic Dictionary Creation (ADC) feature, 449–451, **451**
 - automatic features, 47
 - AUTOMATIC keyword, 363, 370
 - Automatic Maintenance, 47
 - automatic storage table space, 50, 51
 - CREATE TABLESPACE SQL statement, 90
 - database managed space (DMS) and, 84
 - defined, 55
 - partitioned databases and, creation of, 55–56
 - system managed (SMS) table space and, 84
 - Automatic Summary Tables, 650–651
 - AUTOMATIC value, 75–76, 373, 374, 382
 - autorestart database, 247
 - AVGCOLLEN, 401
- B**
- backup and recovery of databases, 249, 249–284
 - images and, integrity of, 276–281
 - partitioned databases and method of, 274–276
 - recovery history file and importance of, 269–271
 - redirected restore and method of, 259–263
 - restore utility and method of, 253–259, 271–274
 - roll-forward utility and method of, 263–269
 - split mirroring and, 281–284
 - utility, 250–253
 - BACKUP DATABASE command, 240, 250, 252, 280
 - Backup utility, 146, 249
 - Backup Wizard, 252–253, **253**, **254**
 - Balanced Configuration Unit (BCU), 139, 140, 201, 201–206
 - AIX, Version 2.1 and required components of, 204–205
 - layers of, 202–204
 - Linux, Version 2.1 and required components of, 206
 - nodes, types of, 203
 - Balanced Partition Unit (BPU), 202–203
 - “big block” read, 108
 - BINDADD privilege, 47, 511, 595
 - BIND command, 420, 596, 685
 - bind files, 46
 - BIND privilege, 47, 520
 - BLAST search algorithm, 114

- block-based area
 - buffer pool, **64**, 66, 67, 73, 108
 - input/output (I/O) controller and enabling of, 62, 63, 74
 - pages and, storage of, 66
 - prefetching and, sequential, 62, 73, 74
 - block-based buffer pool, **64**, 66, 67, 73–74, 108
 - block identifiers (BIDs), 192
 - block map, 80
 - block predicate, 681
 - block size, **64**
 - BlockSize command, 62, 66
 - Boolean values, 535
 - broadcast table join, 415, 675–680, **676**
 - broadcast table queue (BTQ), 407, 415, 677
 - B2 ReleaseLevel command, 287
 - buffer pool, 59–60
 - ALTER BUFFERPOOL SQL statement and, execution of, **65**, 66, 67–68, **68**
 - block-based, **64**, 66, 67, 73–74, 108
 - cleaners, 60
 - Create Buffer Pool and creation of, **64**
 - CREATE BUFFERPOOL SQL statement and, execution of, 61, 62–63, **69**, 73
 - creation of new, 61–65, **65**
 - databases and, 59–76
 - data hit ratio, 631
 - data reads of, 625
 - data writes of, asynchronous, 626
 - DEFERRED clause and creation of, use of, 70
 - defined, 44, 59
 - hidden, 69–70
 - hit ratio, 629–630
 - index hit ratio, 630
 - index reads of, asynchronous, 625–626
 - index writes of, 626
 - Linux platform, 44, 59
 - memory and, allocation of, 44, 59, 62–63, 67, 71, 108
 - modifications of existing, 65–69
 - multiple, benefits of, 71–72
 - page cleaners and, use of, 74–76, 374, 635–637
 - pages and, determination of, 59–60, 67
 - pages per write and use of, asynchronous, 638
 - PARTGRP_BP, 67
 - PGRP2, 67
 - prefetching and improved performance of, 60, 73, 74, 627
 - purpose of, 59
 - quantity of, decision making on, 70–73
 - read rate of, physical, 633–634
 - read ratio of, asynchronous, 631–634
 - read requests of, asynchronous, 627
 - read time of, 626, 634–635
 - Self-Tuning Memory Manager (STMM), 381
 - single, benefits of, 70–71, 72–73
 - size of, 375
 - size of, overall, 59
 - syntax for creation of new, 61
 - tuning of, 628–629
 - UNIX platform, 44, 59
 - user-defined, 70
 - write time of, 626, 627
 - See also* table space
 - BufferPoolName command, 61, 66, 88–89, 97
 - Buffer Pools menu, 67, **68**
 - BufferSize command, 251, 257
 - build table, 658
 - business intelligence (BI), 202
- ## C
- cache
 - file system, 81–82
 - global package, 420
 - package, 381, 409
 - Call Level Interface (CLI), 595
 - card, 401
 - Cartesian Product, 653–654
 - catalog Balanced Partition Unit (BPU), 203
 - CATALOG DATABASE command, **586**, **587**, 587–588
 - CATALOG DCS DATABASE command, 592–594
 - cataloging
 - Database Connection Services (DCS) database and, 592–594
 - DB2 database, 585–588
 - defined, 585
 - remote servers (nodes) and, 588–591
 - CATALOG LDAP NODE command, 589

- CATALOG LOCAL NODE command, 589
- CATALOG NAMED PIPE NODE command, 589
- CATALOG...NODE command, 588–589
 - catalog partition, 153
- CATALOG TCP/IP NODE command, 589,
 - 590–591, 592
- cell density, 192
- certification exams
 - arrangements for processing of, 20–22
 - preparation for, 18–20
 - processing of, 22–37
 - roles within, 1–17
 - (*See also* specific exams)
- Certification Navigator tool, 18, 19, 20
- changeable media, 290
- Check Backup utility, 277
- chngpgs_thresh database configuration, 76
- circular logging, 227–229, **229**
- cleaners, buffer pool, 60
- CLIENT authentication, 492, 495, 497, 498–499
- clustering index, 169, 389, 391–394
- clustering of partitioned database, 195–196
- clustering storage, 386
- cluster management server, 205
- CLUSTER option, 391
- CmdFileName command, 306
- CodeSet command, 49
- COLCARD, 401
- CollateType command, 49
- collating sequence, 49, 52
- collocated join, **663**
- collocated tables, **172**, 172–173, 415, 661–667
- collocation, 643–648, **644**
- column distribution statistics, 401–402
- ColumnName command, 168, 174, 177, 397
- column statistics, 401
- COLVALUE statistics, 401, 402
- Command Line Processor (CLP), 246, 302, 594
- COMMIT frequency, 7
- COMMIT statement, 224, 226–227
- common-level label-based access control (LBAC), 548–549, 555–557
- communication
 - errors in, troubleshooting, 604–605
 - manual configuration of, 578–581
 - protocols of, 577–578
 - TCP/IP dialog, configuring, **579**
- complete site failure, 291
- ComponentName command, 540, 542, 543
- composite block indexes, 183
- composite indexes, 389
- Comprehensive Explain Data, 685
- COMPRESS attribute, 447, 448
- compression dictionary, 445–447
- COMPRESS option, 281
- ComputerName command, 150, 155
- ConfigFile command, 283
- configuration, 359
 - database, 366–373
 - DB2 Database Manager (instance), 360–365, **365–366**
 - num_tocleaners database, 374–375
 - num_toservers database, 373–374
- Configuration Advisor, 48, 360, 375–377, **376, 377**
- Configuration Advisor Wizard, 375–377, 380
- Configuration Assistant, **347–348, 586**
- configuration parameters, 295–296t, **372**
- connection (coordinating agent), 405–406
- connection (idle agent) pooling, 403–405
- connectivity, 623
- connect privilege, 47, 510, 511
- Constant command, 178
- consumers, memory, 383
- Container command, 51, 87, 96, 99, 261
- ContainerPages command, 87, 96
- ContainerSize command, 87, 96, 261
- container tag file, 79, 81
- contiguous pages, 73
- CONTINUE option, 262
- Control Center, 53, **54, 64, 68**, 90, 157, **365, 372**, 398
- control privilege, 514, 515, 516, 520, 521, 523
- Coordinated Universal Time (UTC), 267
- coordinating agent (connection), 405–406
- coordinator Balanced Partition Unit (BPU), 203
- coordinator partitions, 153–154
- Coordinator Subsection Explain snapshot, **664**, 664–666, 670–671, **678**
- COPY NO option, 293, 301

- COPY YES option, 300, 301
- CorrelationName command, 655
- Count command, 304, 306
- CPU cycle, 82, 141, 146, 159, 202
- crash recovery, 238–240, **239**, 247–248, **248**, 290
- CREATE BUFFERPOOL SQL statement, 61, 62–63, **64–65**, **68–69**, 73
- CREATE DATABASE command, 40–41, 45, 46
- catalog partition and, 153
 - characteristics of, 48
 - DB2 database and, construction of, 53, **54**
 - directory tree and, creation of, 57
 - execution of, 53
 - partitioned database and use of, creation of, 55–56, 147
 - screen shot of, **54**
 - syntax of, complete, 48
- CREATE DATABASE PARTITION GROUP SQL statement, 162–163
- Create Database Wizard, 40, 45, 46, 53, 55
- catalog partition and, 153
 - partitioned databases and, 147
 - table spaces and creation of, 90, **91**
- create_external_routine privilege, 511
- CREATE FUNCTION MAPPING SQL statement, 123
- CREATE FUNCTION statement, 123
- Create Indexes dialog, 387–388
- CREATE INDEX SQL statement, 124, 180, 386–388, 390–392, 394
- Create Index Wizard, 387–388, **388**
- createin privilege, 513
- CREATE NICKNAME SQL statement, 119–121, 122
- CREATE_NOT_FENCED privilege, 47
- create_not_fenced_routine privilege, 511
- CREATE SECURITY LABEL COMPONENT SQL statement, 539–541, 549–551
- CREATE SECURITY LABEL SQL statement, 542–544
- CREATE SECURITY POLICY statement, 549–550, 557
- CREATE SERVER SQL statement, 118–119
- CREATE TABLESPACE SQL statement, 85–86, 157
- automatic storage table space and, 90
 - database managed space (DMS) and, 94
 - DB2 9 certification exams and, 90
 - deep compression and, 445
 - partitioned databases and, 94
 - system managed (SMS) table space and, 89–90
- CREATE TABLE SQL statement, 165, 167, 174, 175, 177, 179
- CREATE TABLE statement, 544
- CREATETAB privilege, 47
- createtab privilege, 511
- CREATE TYPE MAPPING SQL statement, 122
- CREATE USER MAPPING SQL statement, 124
- CREAT EVENT MONITOR SQL statement, 303
- CREATE WRAPPER SQL statement, 115–116, 117
- CREAT SECURITY POLICY SQL statement, 541–542
- Cref, Vinton, 591
- CTLIB wrapper, 122
- Cumulative First Row Cost, 429
- CURRENT DEGREE database manager configuration, 142–143
- CURRENT EXPLAIN MODE register, 420, 685
- CURRENT EXPLAIN SNAPSHOT register, 420, 685
- CURRENT REFRESH AGE option, 650
- ## D
- DASNode command, 344
- data (DMS) predicate, 681
- data, Explain, 685
- data Balanced Configuration Unit (BCU), 203, 205
- data Balanced Partition Unit (BPU), 203
- Database Administrator (DBADM) authority, 47, 502, 507–508
- Database Administrator, role of, 438, 441–442
- authorities and, 507–508
 - FORCE APPLICATION command and, use of, 441–442
 - LIST APPLICATIONS command and, use of, 439–440, **440**
- database agents (DAs), 404–405

- DatabaseAlias command, 246, 250, 256, 283, 296, 370, 371
- database configuration dialog, 366–373, **372**, **373**
- database configuration file, 46
- Database Connection Services (DCS) database, 577, 584–585, 592–594
- Database Connection Services (DCS) directory, 581
- database context area, 422–423
- database heap (dbheap), 73
- data-base level authorities, 527–528
- database managed space (DMS), 50, 78–79, 79t, 80
 - ALTER TABLESPACE command and, 99
 - ALTER TABLESPACE SQL statement and, 94–95, 97
 - automatic storage table space and, 84
 - CREATE TABLESPACE SQL statement and, 94
 - database partitions and, **93**
 - DEVICE container, 51
 - FILE container, 51
 - FILE table space, 45, 52
 - high-water mark concept of, 100
 - large, 83
 - modification of, 94
 - NO FILE SYSTEM CACHING option and, use of, 82
 - types of, 82
 - USERSPACE1 table space and, 83
- Database Manager configuration file, 360, 361–362t, 363–366
 - parameters of, 367–369t
- database_memory configuration, 381
- DatabaseName command, 48, 99, 171, 197, 287, 306, 560, **587**
- database node. *See* partitioned database
- database partitions, 154–159
- database privilege, **501**, 510–511, 510–511, **511**
- databases, 39
 - access control of, 490
 - (*See also* authentication)
 - buffer pools and, use of, 59–76
 - DB2 9.x, creation of non-partitioned, 40–54
 - federated systems and, use of, 112–125, 114–115
 - (*See also* federated systems)
 - hierarchies of, 40
 - partitioned, creation of, 55–58, **58**
 - recovery concepts of, 237–274
 - (*See also* recovery of databases)
 - table space and, use of, 76–111
 - (*See also* table space)
- database shared memory, 381
- Database System Monitor, 302
 - memory tracker utility of, 303–305
 - problem determination tool of, 305–309
- Data Control Language (DCL), 6, 9
- data definition language (DDL), 6, 9, 267, 297, 521
- Data Definition Language SQL statement, 519
- data design, 621
- data_encrypt authentication, 493
- data_encrypt_cmp authentication, 493
- Data Explain, types of, 685
- DATAFILE.DEL file, 453
- data hit ratio, 631
- DATA INITIALLY DEFERRED clause, 640
- data manipulation language (DML), 6, 9, 297, 407, 521
- data partitioning and clustering, 621–622
- data reads, 625
- data retrieving, 410
- data SARGable predicates, 411–412
- data security, 531–532
- DataSourceName command, 120
- data sources within federated systems, 113–114
- data type conversions, 414
- data type mappings, 121–122
- data writes, asynchronous, 626
- Date command, 560
- DBM Configuration dialog, 365–366, **365–366**
- DBMS instance, 113
- DBPartition command, 87, 96
- DBPartitionEnd command, 88, 96
- DBPartitionNum command, 154, 155–156, 384
- DBPath command, 49
- DB_SERVER, 441
- db2advise command, 197, 198t, 199
- db2audit.cfg file, 558–563, 560–564t
- db2ckbkp command, 278, 278–279t
- DB2COMM instance, 346–347
- DB2COMM registry, 580
- db2dart command, 104–105

- DB2 database, 53, **54**, 585–588
- DB2 database cataloging, 585–588
- DB2 Database Manager (instance)
configuration, **58**, 360–365
- DB2 Data Warehouse Edition (DWE) V9.1
exam (Exam 716), 15
- DB2 Data Warehouse Edition V9.1, 13–15
- DB2_DISABLE_FLUSH_LOG registry, 235
- DB2 Discovery, 598–602, 599–600t, **601**
- DB2 DWE application server, 205
- DB2EVENT subdirectory, 44
- db2exfmt output tool
access plans and, 421–427, 425–427
(*See also* db2exfmt output tool)
database context area of, 422–423
optimized statement area of, 424–425
original statement area of, 424
overview area of, 422
package context area of, 423–424
- db2exfmt tool, 421–422, 687, 690–691
- db2expln tool, 421, 687–690
- DB2_FORCE_FCM_BP variable, 159
- DB2 Global-Level Profile Registry, 343
- db2gmap command, 171
- db2inidb command, 283–284
- db2inidb utility, 294
- DB2 Instance-Level Profile Registry, 343
- DB2 Instance Node-Level Profile Registry, 343
- DB2 I/O server. *See* prefetching
- DB2LBACRULES, 552–553, 552–553t
- DB2_LOAD_COPY_NO_OVERRIDE
registry, 301
- DB2MAXFSCRSEARCH registry, 394
- db2mtrk command, 304–305, 304t
- DB2_NEWLOGPATH registry, 233
- DB2 9 certification exams
administration of, 22–37
cost of, 22
CREATE TABLESPACE SQL statement
and, 90
evaluation of, **35**
preparation for, 18–20
scheduling of, 20–22
See also specific exams
- DB2 9 Command Reference, 50
- DB2 9 database, **58**
- DB2 9 Database Administrator (DBA), 3
- DB2 9 Family Application Development exam
(Exam 733)
DB2 V8.1 Family Fundamentals exam (Exam
700) and, 10
IBM Certified Application Developer - DB2
9 Family certification and, 10
IBM Certified Database Administrator - DB2
V8.1 Family certification and, 10
online tutorials for, 18
- DB2 9 Family Fundamentals exam (Exam 730)
IBM Certified Application Developer - DB2
9 Family certification and, 10
IBM Certified Solution Developer - DB2 9.5
SQL Procedure Developer certification
and, 17
- DB2 9.5 SQL Procedure Developer exam
(Exam 735), 16–17
- DB2 9 for Linux, UNIX, and Windows
Advanced Database Administration Exam
(Exam 734)
connectivity and networking, 623
data design, 621
data partitioning and clustering, 621–622
high availability and diagnostics, 622
performance and scalability, 339, 622
security, 622–623
- DB2 9 for Linux, UNIX, and Windows
Advanced Database Administration exam
(Exam 734)
connectivity/networking and, 623
database design and, 621
data partitioning/clustering and, 621–622
exam objectives of, 20
high availability/diagnostics and, 622
IBM Certified Advanced Database
Administrator - DB2 9 for Linux, UNIX,
and Windows certification and, 13
performance and scalability, 622
purpose of, 39, 139, 223, 489
security and, 622–623

- DB2 9 for Linux, UNIX, and Windows
 - Database Administration exam (Exam 731)
 - DB2 Version 8.1 Database Administrator, accelerated approach to knowledge of, 5
 - IBM Certified Database Administrator - DB2 9 for Linux, UNIX, and Windows certification and, 4
 - online tutorials for, 18
- DB2 9 for Linux, UNIX, and Windows Database Administration Upgrade exam (Exam 736)
 - cost of, 22
 - IBM Certified Database Administrator - DB2 9 for Linux, UNIX, and Windows Database Administration exam (Exam 731) and, 5
 - questions/time allotted for completion of, 24
- DB2 9 for Linux, UNIX, and Windows program
 - IBM Certified Advanced Database Administrator, certification of, 11–13
 - IBM Certified Database Administrator, certification of, 3–5
- DB2 9 for z/OS Database Administration exam (Exam 732), 6–7
- DB2 9 Fundamentals, 2
- DB2 9.x, creation of non-partitioned, 40
 - CREATE DATABASE command and, execution of, 48–53
 - Create Database Wizard and construction of, 53, **54**
 - databases, 40–54
 - process of, 41–48
- DB2 node configuration file.
 - See db2nodes.cfg file
- db2nodes.cfg file, 55, 57, 147–152, 154
- DB2 Optimizer, 106, 123, 142, 196, 386, 389
- DB2_PARALLEL_IO registry, 106, 108, 110–111, 140–141, 357–359
- db2pd command, 305–309, 307–308t
- db2rhist.asc file, 43
- db2rhist.bak file, 43
- db2set system command, 344–347, 345t
- db2uexit.cdisk, 286
- db2uexit.cxbsa, 286
- db2uexit.ctape, 286
- db2uext2.ctsm, 286
- db2uext2.exe file, 289
- DB2 V8.1 Family Fundamentals exam (Exam 700)
 - DB2 9 Family Application Development exam (Exam 733) and, 10
 - DB2 9 for Linux, UNIX, and Windows Database Administration exam (Exam 731) and, 4
 - DB2 9 for z/OS Database Administration exam (Exam 732), 7
 - IBM Certified Database Administrator and, acquiring of, 7
- DB2 V8.1 Family Fundamentals exam (Exam 730)
 - IBM Certified Database Administrator - DB2 9 for Linux, UNIX, and Windows certification and, 4
 - IBM Certified Database Administrator - DB2 9 for z/OS certification and, acquiring of, 7
 - online tutorials for, 18
- Declared Global Temporary Tables, 17
- DecompressLib command, 277
- DecompressOpts command, 278
- DECRYPT_BIN() function, 532, 535–536
- DECRYPT_CHAR() function, 532, 535–536
- deep compression
 - administrative view and table function of, 453–455
 - ALTER TABLESPACE SQL statement and, 445
 - Automatic Dictionary Creation (ADC) feature of, 449–451, **451**
 - compression dictionary and use of, building of, 445–447
 - CREATE TABLESPACE SQL statement and, 445
 - load utility of, enabling of, 452–453
 - purpose of, 442–444, **444**
 - storage savings from, estimation of, 447–449
 - tables for, enabling of, 445
- default extent size, 50
- DefaultExtSize command, 50
- default value, 75–76
- DEFERRED clause, 62, 63, 66, 70, 364, 370
- DEGREE database manager configuration, 142–143

- delete privilege, 515, 516, 523
 - DELETE SQL statement, 516
 - Delimiter command, 559–560
 - delta backup, 243
 - delta backup recovery, 242–243
 - Description command, 50, 588, 590, 593
 - Design Advisor, 381, 390
 - Design Advisor Wizard, 196–197, **200–201**
 - DETACH PARTITION clause, 176, 181
 - dftdbpath DB2 Database Manager
 - configuration, 41, 57
 - DFT_DEGREE database manager
 - configuration, 142–143
 - dimensional block indexes, 183
 - directed inner table join, 415, 669–675, **674**
 - directed outer table join, 667–668, **668**, 673–675, **674**
 - directed table queues (DTQ), 407, 415
 - directory files (directories)
 - Database Connection Services (DCS), 584–585
 - local database, 583
 - node, 584
 - system database, 582–583
 - types of, 581
 - directory hierarchy tree, 41–42, **42**
 - CREATE DATABASE command and creation of, 57
 - for DB2 9 database with multiple partitions, **58**
 - partitioned databases and use of, creation of, 57–58, **58**
 - “dirty” pages, 60, 74–75
 - DISALLOW OVERFLOW clause, 175
 - DiskLimit command, 198
 - disk partition, 80
 - disk-seek latency time, 52
 - DISK value, 285
 - DISTCOUTN, 401
 - DISTINCT clause, 408–409
 - Distributed Data Facility (DDF), 590
 - distribution key. *See* partition keys
 - distribution maps. *See* partition maps
 - Domain Name Server (DNS), 590
 - DRDA communication protocols, 113, 122
 - DRDA wrapper, 122
 - DROP DATABASE PARTITION GROUP
 - statement, 161, 162
 - dropin privilege, 513
 - DROPPED TABLE RECOVERY ON
 - option, 89
 - DROP PENDING TABLESPACES
 - ([TS_Name]) option, 246
 - DurationLabel command, 178
 - dynexpln tool, 421
- ## E
- EARLYOUT, 429
 - ENABLE OPTIMIZATION clause, 400
 - EncryptedValue command, 536
 - ENCRYPT() function, 532–534, 538
 - ENCRYPT() function of encryption, 532–534
 - encryption
 - data security and use of, 531–532
 - DECRYPT_BIN() function of, 535–536
 - DECRYPT_CHAR() function of, 535–536
 - ENCRYPT() function of, 532–534
 - GETHINT() function of, password hints using, 536–537
 - SET ENCRYPTION PASSWORD function of, 537–538
 - End command, 174, 178
 - EndPartitionNum command, 162–163, 163–164
 - “End” push button, **34**
 - environment variables, 343
 - errors in communication, troubleshooting, 604–605
 - Estimated Bufferpool Buffers, 429
 - Event command, 559
 - event monitor, 302, 303
 - exam results panel, **35–36**
 - EXCLUSIVE (X) mode, 418, 419
 - EXCLUSIVE option, 178–179
 - ExecMode command, 454–455
 - EXECUTE IMMEDIATE statement, 113
 - execute privileges, 47, 520, 595
 - EXECUTE statement, 113
 - EXECUTE WITH GRANT privilege, 47
 - exhibit question panels, **29**
 - exhibits, **28–30**

Explain
 data, types of, 685
 db2exfmt tool and, use of, 690–691
 db2expln tool and, use of, 687–690
 SQL statement, syntax of, 685–686
 tables, creation of, 683–685, 684t
 Visual, 421, 691–698
EXPLAIN bind option, 420, 685
EXPLAIN.DDL script, 420
Explain Facility, 424
Explain Query dialog, 692–693
Explain Snapshot Data, 685
Explain snapshot output, 671–673
EXPLAIN SQL statement, 420, 685–686
EXPLAIN tables, 420
Explain utility, 375
explicit authority, 528
EXPLSNAP bind option, 420
Expression command, 654
ExtentPages command, 88
extents, 76
ExtentSize command, 51, 88
extract, transform and load (ETL) server, 205

F

failback operation, 291
fast communications manager (FCM)
 communication, 151, 152–153, 602–604
federated databases, 114–115
federated servers, 113
federated systems
 databases and, 112–125, 114–115
 data sources within, 113–114
 data type mappings and identification of,
 121–122
 defined, 112
 federated databases within, 114–115
 federated servers within, 113
 function mappings and identification of,
 122–123
 index specifications and use of, 123–124
 nicknames used for identification of, 119–121
 pass-through sessions and, use of, 124–125
 server definitions and use of, 117–119

 user mappings and identification of, 124
 wrappers and, use of, 115–117
FETCH, 428
FETCH FIRST *n* ROWS clause, 413–414
FETCHMAX, 430
FETCH ONLY clause, 407
fetch operation, 431–432
FETCH request, 413
FETCH statement, 407
file container, 80
FileName command, 278
file system cache, 81–82
FILE SYSTEM CACHING option, 89
first in, first out (FIFO) manner, 106
fix packs, 292
FORCE APPLICATION command, 441–442
FOR FETCH ONLY clause, 407, 414
FOR READ ONLY clause, 414
FOR UPDATE clause, 413, 414
Free Space Control Records (FSCRs), 394
function mappings, 122–123
function template, 123

G

Generic Security Service Application Program
 Interface (GSS-API) plug-in, 494
Generic Security Service Application Program
 Interface, Version 2 (IETF RFC2743), 496
Generic Security Service Application Program
 Interface Version 2: C-Bindings (IETF
 RFC2744), 496
GET DATABASE CONFIGURATION
 command, 230, 369–373, 383
GET DATABASE MANAGER
 CONFIGURATION command, 363
GETHINT() function, 532, 536–537
GET SNAPSHOT command, 302
GET SNAPSHOT FOR TABLESPACES
 command, 104
global catalog, 114
global package cache, 420
GRANT EXEMPTION ON RULE SQL
 statement, 553–554
GRANT statement, 545–547, 550–551
graphical user interface (GUI), 40, 375, 377

Greenwich Mean Time (GMT), 267
 GSS-API authentication, 496
 gssplugin authentication, 494, 496, 499
 gss_server_encrypt authentication, 494, 499

H

hadr_remote_host database, 299–300
 hadr_remote_svc database, 299–300
 hashing algorithm, **170**
 hash join, 415, 655, 658–659, 660
 “hate stacks,” 71
 Health Monitor, 47
 hidden buffer pool, 69–70
 hierarchies of databases, 40
 High Availability Disaster Recover (HADR)
 Database Wizard, 297, 298, **298–299**, 299
 high availability disaster recovery (HADR)
 environment, 223, 290
 Automatic Client Reroute feature of, 298–300
 configuration parameters of, 295–296t
 load operations and, 300–302
 process of setting up, 293–298
 requirements for, 291–293
 high-availability, 205, 622
 high-priority tables, 72
 HIGH2KEY, 401
 high-usage tables, 72
 high-water mark concept, 100–103, **103**
 Hint command, 533
 history table, 72
 hit ratio, 629–630
 home entry, 582
 HostName command, 148, 150, 155, 589
 HP-UX platform, 8, 11, **149**
 human resources (HR) manager, 527

I

IBM, 20
 IBMCATGROUP database, 92
 IBMCATGROUP group, 161, 162
 IBM Certification Agreement, 37
 IBM Certification Exam testing software
 exam results panel of, **35–36**
 item (question) review panel of, **31**

 refresher course on, 25
 screen shot of, **23**
 section scores panel of, **35–36**
 See also question panels
 IBM Certification Group, 37
 IBM Certified Advanced Database
 Administrator - DB2 9 for Linux, UNIX, and
 Windows certification, 11, 13, **13**
 IBM Certified Application Developer - DB2 9
 Family certification, 8, 10, **11**
 IBM Certified Database Administrator - DB2 9
 for Linux, UNIX and Windows certification,
 4–5, 13
 IBM Certified Database Administrator - DB2 9
 for z/OS and OS/390 certification, 7, **8**
 IBM Certified Database Administrator - DB2
 V8.1 Family certification, 10
 IBM Certified Database Administrator - DB2
 V8.1 for Linux, UNIX, and Windows, 4–5,
 5f, **6**
 IBM Certified Database Associate - DB2 9 for
 Linux, UNIX and Windows certification,
 2–3, **3**
 IBM Certified Database Associate - DB2 9 for
 z/OS certification, 6, 7
 “IBM Certified” mark, 37
 IBM Certified Solution Designer - DB2 Data
 Warehouse Edition (DWE) V9.1 certification,
 13, 15, **16**
 IBM Certified Solution Developer - DB2 9.5
 SQL Procedure Developer certification,
 16–17, **17**
 IBMDEFAULTBP buffer pool, 44, 59, 69
 memory of, 70
 table space and, creation of new, 85
 IBMDEFAULTGROUP database, 92
 IBMDEFAULTGROUP group, 161
 IBM InfoSphere Balanced Warehousing, 140
 IBM Learning Services, 18
 IBM Professional Certification Member Web
 site, 22
 IBM pSeries P690, 159, 160
 IBMTEMPGROUP database, 92, 162
 identity theft, 490
 idle agent pooling, 403–405

- images, integrity of, 276–281
- IMMEDIATE clause, 62, 67, 69, 371
- implicit authority, 527–528
- IMPLICIT_SCHEMA privilege, 47
- implicit_schema privilege, 511
- IN clause, 435
- IncreaseSize command, 52
- INCREMENTAL AUTOMATIC option, 257
- INCREMENTAL AUTO option, 257
- incremental backup, 243
- INCREMENTAL option, 251, 257
- incremental recovery, 242–243
- IncSize command, 88, 97
- index ANDing, 436–438
- indexes
 - analyzation of, 389–390
 - benefits of, 385–386
 - clustering, 391–394
 - composite block, 183
 - create index wizard, **388**
 - defined, 385, 517
 - dimensional block, 183
 - importance of, 385–386
 - insert performance and, use of, 394–395
 - partition keys and, 169
 - purpose of, 386–389
 - simple, **385**
 - unique, 390–391
- index hit ratio, 630
- IndexName command, 387, 397
- index ORing, 435–436
- index predicate, 681
- index privilege, 515, 517, 517, **517**, 523
- index reads, asynchronous, 625–626
- index SARGable predicates, 411–412
- index scan, 432–433
- index specifications, 123–124
- index writes, 626
- indirect authority, 528
- indirect entry, 582
- InFile command, 197
- infinite logging of transactions, 231–232
- Informix, 112, 113
- INFORMIX wrapper, 122
- InfoSphere Balanced Warehouse. *See* Balanced Configuration Unit (BCU)
- InitialSize command, 52
- InitSize command, 88
- inner table, 658
- input/output (I/O) controller, 52, 59
 - block-based, 62, 63, 74
 - cache and, reading of, 81
 - FILE SYSTEM CACHING option and, 89
 - memory and, 81
 - page-based, 73
 - prefetching and, 60, 106
 - table space and, 72
- input/output parallelism, 140–141, 357, 357–358
- input stream(s), 430–431
- insert performance, 394–395
- insert privilege, 514, 516, 522
- INSERT SQL statement, 516
- INSPECT command, 447–448, **449**
- Inspect utility, **449**
- instance configuration file, 360, 361–362t, 363–365
- InstanceName command, 344, 590
- International DB2 User’s Group North American conference, 20
- Internet Engineering Task Force (IETF), 591
- inter-partition parallelism, 141
- inter-process communication (IPC), 405
- inter-query parallelism, 141, 144–145
- Interval command, 304, 306
- INTRA_PARALLEL database manager configuration, 142, 144
- intra-partition parallelism, 141, **142**, 143, 145, 405–406
- INVENTORY table, 181, 182
- I/O operation, 373
- IPAddress command, 589
- IPv4 of Internet Protocol (IP), 591–592
- IPv6 of Internet Protocol (IP), 591–592
- ISCANMAX, 430
- iSeries (AS/400) platforms, 8
- item (question) review panel, **31–33**

J

JDBC programming, 9

join, 414–415

- broadcast table, 675–680
- collocated table, 661–667
- directed inner table, 669–675
- directed outer table, 667–668, 673–675
- hash, 658–659
- merge, 657–658
- nested loop, **656**, 656–657
- partitioned database, strategies, 680–681
- partitioned databases and operation of, 660–661
- replicated materialized query table (MQT)
 - and, use of, 643–648
- techniques of, 655, 659–660
- types of, 653–655

JoinCondition command, 655

journal, 72

K

Kahn, Robert, 591

KEEPDICTIONARY command, 445, 447

kerberos authentication, 492–493, 495, 496

Keyword command, 50, 378

krb_server_encrypt authentication, 493, 495, 499

L

label-based access control (LBAC), 13, 489–490

common-level, 548–549, 555–557

CREATE SECURITY LABEL

COMPONENT function of, 549–551

DB2LBACRULES function of, 552–553

granting exemptions of, 553–554

privileges, **523**, 523–524

protection and use of, 544–545, 551–552

revoking exemptions of, 554–555

row-level, 539, 545–548, 556–557

securing of data with, 538

security label component of, 539–541

security labels and, 542–544

security policy and determination of, 541–542

LabelName command, 543, 545

LAN-based databases, 585

large object (LOB) data, 83, 244

LastPartitionNum command, 61–62

LDAP-based authentication, 497–498

LDAP entry, 582

LibraryName command, 116, 593

Lightweight Directory Access Protocol (LDAP), 490–491

LIKE DBPARTITIONNUM option, 156, 164

Linux on IA32, 497

Linux on x64, 497

Linux on zSeries, 497

Linux platform, 8, 11

Balanced Configuration Unit (BCU) and, 206

buffer pool, 44, 59

db2nodes.cfg file and, 148

prefetching and, 81

raw device container and, mapping of, 80

raw devices and, 81

sqlldbidr file and, 46

user exit program and, 288

list (sequential) prefetch, 434–435

LIST APPLICATIONS command, 309, 439, 439–440, **440**, 441

LIST DATABASE DIRECTORY command, 582–583

LIST DCS DIRECTORY command, 585

listener table queues, 407

LIST HISTORY command, 271

LIST NODE DIRECTORY command, 584

LIST NODES command, 274

list prefetching, **107**

LIST TABLESPACES SHOW DETAIL command, 267

Load (LOAD) authority, 502, 509–510

load authorities, 509–510

LOAD command, 181

LOAD INSERT option, 452

load library, 301

load operations, 293, 300–302

load privilege, 47, 511

LOAD REPLACE operation, 452

load utility, 146, 270, 386, 452–453

LOB columns, 80

local catalog, 114

local database directory files (directories), 581, 583

local table queue (LTQ), 406

Location command, 251
lock granularity, 419
locking memory, 381
locklist, 381
lock method, 415–416, **416**
 acquiring of, 417–418
 row-level vs. table-level (lock granularity),
 concurrency and, 418–419
LOCK TABLE SQL statement, 417–418, 419
LogExtentSize command, 287
LogExtentStartPage command, 287
LogFileName command, 287
LogFilePath command, 287
log file size, 290
logfilesiz parameters, 227
logging of transactions, 224–226, **226**
 archival, 229–230, **230**
 circular, 227–229, **228**
 considerations when, 231
 files and, size of, 233–234
 infinite, 231–232
 mirrored, 232–233
 NOT LOGGED INITIALLY and reduction
 of, 234
 raw device and storing of, 235–237
 strategies for, 227
 truncation of files and, 234–235
 user exit program and management of, 284–290
 (See also user exit program)
logical agents (LAs), 404–405
logical partitions (LPARs), 159–160
LogicalPort command, 148, 150–151, 155
logindexbuild database, 301–302
log path, 232–233
logprimary database, 227, 236
log retention logging, 229–230
LOGRETRAIN value, 229
logsecond database configuration, 231
Log Sequence Number (LSN), 235
LogsLocation command, 257
log storage device, 290
LOW2KEY, 401
LSN Gap situation, 75
LUW, 357

M

manageability, 81, 82
MANAGED BY AUTOMATIC STORAGE
 clause, 90
MANAGED BY SYSTEM statement, 89
manual configuration of communication,
 578–581
MANUAL value, 384
MapFileName command, 171
materialized query table (MQT), 9, 15, 140, 389
 calculations and, avoidance repeat, 639–641
 defined, 639
 joins and use of replicated, enabling of
 collocated, 643–648
 optimizer to use, decision of, 649–650
 REFRESH IMMEDIATE vs. REFRESH
 DEFERRED, 648–649
 resource intensive scans and, avoidance of,
 641–643
 subdomain and, use of, 651–652
MaxAdviseTime command, 198
MAXCAGENTS configuration, 364
max_coordagents configuration, 404
maxlocks, 381
max_log configuration, 231–232
MAX_QUERYDEGREE database manager
 configuration, 142
MaxSize command, 52, 88, 97
MDC table. *See* multidimensional clustering
 (MDC) tables
memory
 buffer pool and allocation of, 44, 59, 62–63,
 67, 71, 108
 cache and, file system, 82
 consumers, 383
 database shared, 381
 IBMDEFAULTBP buffer pool and, 70
 input/output (I/O) controller and, 81
 insufficient, 71
 locking, 381
 sort, 381
 table space and insufficient, 71
memory tracker utility, 303–305
memory tuner, 382
memory tuning log file, 383

merge join, 415, 655, 657–658, **658**, 660
merging table queues, 407
Microsoft Active Directory, 496
Microsoft SQL Server, 113
mirrored logging, 232–233
mirroring, defined, 281
MIRROR option, 294
Modification command, 118
multidimensional clustering (MDC) tables, 139,
182–187
cell in, **188**
choosing of design for, 191–193
CUSTOMER slice in, **186**
guidelines for design of, 188–191
“natural” uses of, 193–194
partitioned database, 182–194, **196**
REGION slice in, **187**
simple, **184, 185**
YEAR slice in, **187**
multiple buffer pools, benefits of, 71–72
multiple question panels, **28**
multi-user environments, 386

N

named pipe, 578
NAS disk subsystems, 92
“natural” uses of multidimensional clustering
(MDC) tables, 193–194
nested loop join (NLJOIN), 415, 428–429, 655,
656, 656–657, 660
NetBios, 578
NetName command, 148, 151, 155
networking, 623
Network Working Group, 591
NewColumnName command, 654
NEWFILE.TSF file, 97
NEXT VALUE expression, 518
Nickname command, 120
nickname privileges, 119–121, 521–523,
521–523, **522**
nnn sequence, 274–275
node. *See* partitioned database
node database directory, 581
node directory files (directories), 584
NodeName command, 588, 589

node-name directory, 41, 57
NodeNumber command, 287
NO FILE SYSTEM CACHING option, 82
non-contiguous pages, 73
nonlogged operations, 298
nonmerging table queues, 407
NONRECOVERABLE option, 301
normalization, 181
NOT LOGGED INITIALLY, 234
NULL password, 491
NumberOfPages command, 51, 61, 66
NumBlockPages command, 62, 66
NumBuffers command, 251, 257
num_iocleaners database configuration, 75,
374–375
num_ioservers database configuration, 111,
373–374
num_log configuration, 231–232
NUMNULLS, 401
num_poolagents configuration, 597
NumSegments command, 50
NumSessions command, 251, 256

O

ObjectName command, 120
object privileges, 512–524
object statistics, 396
RUNSTATS utility and, use of, 396–400
statistical views based on, 400–402
ODBC/CLI programming, 9
ODBC Driver, 113, 114
offline backup, 244
offline reorganization, 297
OLTP database, 72, 380, 406
online vs. offline backup recovery of databases, 242
online reorganization, 297
On-Line Transactional Processing (OLTP), 389
operand node, 694
OperatingSystem command, 287
operating system directories, 79
operator details dialog, 696–697
operator node, 694
operators, common, 694–695t
optimized statement area, 424–425
OPTIMIZE FOR clause, 413

OPTIMIZE FOR *n* ROWS clause, 413
optimizer
 materialized query table (MQT) and use of, 649–650
 queries and, use of, 410–414
 (See also queries)
 role of, 407–409
 techniques of, 409–410
Option command, 116, 118, 120
Oracle, 112, 113, 117, 119, 122
ORGANIZE BY KEY SEQUENCE clause, 174, 175
original statement area, 424
OS/390 certification, 7
OutFile command, 198, 307
OutputFile command, 559
OVERFLOW LOG PATH command, 285
Overhead command, 52
overview area, 422

P

package cache, 381, 409
package context area, 423–424
package parts, 143
package privileges, 519–521, **520**
page-based area, 73
page cleaners
 buffer pool, 74–75, 374
 “dirty” pages and, 74, 75
 LSN Gap Situation and, 75
 triggering events of, 74–75
 use of, 74–76, 635–637
pages
 block-based area and storage of, 66
 buffer pool and determination of, 59–60, 67
 contiguous, 73
 determination of, 59–60, 67
 “dirty,” 60, 74
 (See also “dirty” pages)
 prefetching and, improved performance of, 60
 roll-forward operation and size of, 70
 threshold value and setting of, 76
 “victim,” 60, 71, 73, 74
PageSize command, 49–50, 61, 62, 87
pages per write, asynchronous, 638

parallelism
 connection (idle agent) pooling and, 403–405
 hardware configurations supported by types of, 146–147
 input/output, 140–141, 357
 inter-partition, 141, 144–145, **144–145**
 inter-query, 141, 144–145
 intra-partition, 141, **142**, 143, **145**, 405–406
 partitioned database and, 140–147
 pipeline, 143
 query, 141
 table queues and, 406–407
 types of, 140, 146t, 402–403, 403t
 utility, 146
ParallelNum command, 251, 257
Parameter command, 363, 370
ParameterString command, 593
PartGroupName command, 162, 163
PARTGRP_BP buffer pool, 67, **68**
partial site failure, 291
PARTITION BY clause, 165, 177
partitioned database, 139, 160–162, **161**, 274–276
 Balanced Configuration Unit (BCU) of, role of, 201–206
 (See also Balanced Configuration Unit (BCU))
 catalog, 153
 clustering of, combination of, 195–195, **196**
 coordinator, 153–154
 CREATE DATABASE command and
 creation of, use of, 55, 147
 Create Database Wizard and, 147
 CREATE TABLESPACE SQL statement and, 94
 creation of, 55–58, **58**, 162–163
 database managed space (DMS) and, **93**
 database partitions within, adding of, 154–159
 db2nodes.cfg configuration file and defining, 104–105, 147–152
 defined, 55
 design advisor within, role of, 196–201
 of expression arguments, recognized forms of, 56
 groups of, 160–165
 join, strategies, 680–681

- keys and maps of, 165–173
 - (*See also* partition keys; partition maps)
- modification of existing database, 163–165
- multidimensional clustering of, 182–194, **184, 185**
 - (*See also* multidimensional clustering (MDC) tables)
- NumberOfPages command and, default size of, 61
- operation of join, 660–661
- parallelism and, 140–147
 - (*See also* parallelism)
- port range of, default, 152–153
- range clustering of, 173–175
- range partitioned tables of, 173, 175–180, **180**
- rolling-in and rolling-out of, 180–182
- single servers and creation of multiple, 159–160
- SMP server and use of, large, 160
- system catalog table space and, 85
- system managed (SMS) table spaces and, **93**
- table spaces and, 92–93, **93**
- partitioned database environment (DPF), 563
- PartitionGroup command, 61, 66, 87, 171
- partition keys, 165
 - choosing of, 166
 - collocated tables and, 172–173, **173**
 - indexes and, 169
- partition maps
 - changing of, 166–168
 - collocated tables and, **172**, 172–173
 - distribution of, 169–172
- PartitionName command, 177
- PartitionNumber command, 148, 150
- PartitionNum command, 61, 66
- pass-through mode, 113
- pass-through operations, 521
- pass-through sessions, 124–125
- PASSTHRU privilege, 521
- Password command, 118, 197, 246, 251, 256, 296, 344, 533, 537
- Path command, 560, 588
- pckachesz configuration, 381
- PCTFREE option, 392, 394
- Pearson VUE, 20
- PercentFree command, 174, 387
- performance, 81, 82, 622
- performance tuning
 - basic, 340–342
 - guidelines for, 341–342
 - of registry variables (environments), 343–359
 - (*See also* registry variables (environments))
- PG_123 group, 171–172
- PGRP2 buffer pool, 67
- pipeline parallelism, 143
- PolicyName command, 542, 553, 555
- PortName command, 152
- PortNumber command, 152, 589
- port range, 152–153
- PRECOMPILE command, 685
- PRECOMPLILE command, 420
- predicates
 - access plan with details and, 430
 - handling of, 681
 - queries and use of, 411–412
 - sargable vs. residual, 682
 - types of, 681
- prefetching, 105
 - block-based area and sequential, 62, 73, 74
 - buffer pool, 60, 74, 627
 - DB2_PARALLEL_IO registry and, 140–141
 - functioning of, 106–109
 - input/output (I/O) controller and, 60, 106
 - Linux platform and, 81
 - list, **107**
 - non-contiguous pages and, 73
 - numbers and, choosing of, 111
 - pages and improved performance of, 60
 - range, **107**
 - size and, choosing of, 109–111
 - trigger point of, **107**
 - UNIX platform and, 81
 - utilities and, 373
- PrefetchPages command, 88, 96
- PrefetchSize command, 51, 88, 96–97
- PREPARE statement, 113
- PREVIOUS VALUE expression, 518
- PriColumnName command, 387
- primary log files, 227–228, **228**
- primary source database, 290, 292–293, 294

Priority command, 251, 397
privileges, 46–47
 database, **501**, 510–511, **511**
 index, 517, **517**
 LBAC, 523, **523**
 nickname, 521–523, **522**
 object, 512–524
 package, 519–520, **520**
 purpose of, 510
 routine, **518**, 518–519
 schema, 512–513, **513**
 sequence, 517–518, **518**
 server, 520–521, **521**
 table, 513–515, **514**
 table space, 512, **512**
 view, 515–516, **516**
 XSR, 524, **524**
 See also authorities
problem determination tool, 303, 305–309
ProcessID command, 306
Professional Certification Program from IBM
 certification exams software and, 24
 purpose of development of, 1
 roles within (*See* specific exams)
 web site for, 18, 19, 20
Protocol command, 346
PRUNE HISTORY command, 271
PUBLIC privilege, 47
pureXML, 442

Q

queries
 data retrieving and use of, 410
 data type conversions and use of, 414
 FETCH FIRST *n* ROWS clause and use of,
 413–414
 FOR FETCH ONLY clause and use of, 414
 OPTIMIZE FOR *n* ROWS clause and use
 of, 413
 optimizer and, 410–414
 parallelism, 141
 predicates and use of, types of, 411–412
 processing of, 176
 FOR UPDATE clause and use of, 413
query dialog, **692**

query statement dialog, **693**
QUERY STATUS option, 285
question (item) review panel, **31–33**
question panels
 exhibit, **29**
 IBM Certification Exam testing software
 typical, 25
 multiple question, **28**
 typical, **25**
quiesce_connect privilege, 510

R

RAID device, 140
RAID-protected disks, 245
range-clustered table (RCT), 173–175
range clustering, 173–175
range delimiting predicates, 411
range partitioned tables, 173, 175–180, **180**
range prefetching, **107**
raw devices, 80–82, 235–237
raw logical volume, 80, 82
read-only lookup table, 419
read rate, physical, 633–634
read ratio, asynchronous, 631–634
read requests, asynchronous, 627
read time, 626, 634–635
read time of buffer pool, 626, 634–635
record identifiers (RID), 83, 108
RECOVER DATABASE command, 272–273
RECOVER DROPPED TABLE option, 89
Recover utility, 249
recovery concepts, 237–274
 See also recovery of databases
recovery history file, 269–271
recovery of databases, 237
 backup and, 249–284
 (*See also* backup and recovery of databases)
 crash, 238–240, **239**, 245–249, **248**
 incremental and delta backup and, 242–243
 online vs. offline backup and, 242
 plan for backup and, 244–245
 roll-forward, 238, 241, **241**, 294
 soft checkpoints and, 248–249
 storage space and, required, 245
 version, 240, **240**

- Recovery utility, 271, 273–274
- RedBooks manuals, 19
- RedBook Web site, 19
- redirected restore, 259–263
- REDIRECT GENERATE SCRIPT option, 263
- REDIRECT option, 262
- references privilege, 515, 523
- REFRESH DEFERRED clause, 640, 641–642, 650
- REFRESH IMMEDIATE clause, 650
- REFRESH IMMEDIATE vs. REFRESH DEFERRED command, 648–649
- REFRESH TABLE statement, 640
- Registry management tool, 347–348, **347–348**
- registry variables (environments), 349–357t
 - DB2_PARALLEL_IO, 357–359
 - performance of, 348–357
 - types of, 343–348
- “regular” table queues, 407
- relation scan, 426
- Release command, 118
- RELOCATE USING option, 294
- RemoteAuthID command, 118
- remote catalog, 114
- remote database server, 604–605
- remote entry, 582
- remote servers (nodes), 588–591
- reorganization, table, **101**, 101–103, **103**, 445
- REORGCHK utility, 400
- REORG command, 271, 445–446, **446**, 447
- REPLACE HISTORY FILE command, 294
- REPLACE KEEPDICTIONARY option, 452
- REPLACE option, 301
- REPLACE RESETDICTIONARY option, 452
- replicated materialized query table (MQT), 643–648, **644**
- Request command, 287
- RESET DATABASE CONFIGURATION command, 371
- RESET DATABASE MANAGER CONFIGURATION command, 364–365
- RESETDICTIONARY option, 445, 447
- residual predicates (RES), 411, 681
- resource intensive scans, 641–643
- ResourceSetName command, **149**
- RESTART command, 246–247
- RESTART DATABASE command, 246, 247
- RESTORE DATABASE command, 240, 253–257, 257–259, 262–263, 271, 294
- Restore Data Wizard, 259–261, **260**, **261**, 263–264, **264**, 269–270
- restore utility, 249, 253–259, 271–274
- restraint data, 83
- RESTRICT_ACCESS database configuration, 52
- RESTRICTIVE clause, 52
- Re-Total Cost, 429
- RETRIEVE request, 285
- retry logic, 291
- return code values, 288, 290
- RETURNS option, 123
- “Review Incomplete” push button, **33**
- “Review Item” push button, **32–33**
- “Review Marked” push button, **32–33**
- revoked exemptions, 554–555
- REVOKE EXEMPTION ON RULE SQL statement, 554–555
- rewrite facility, 408
- REXX user exit program, 288
- RID Scan (RIDSCN) operation, 435, 436, 438
- roles, 524–526
- rollback operation, 290
- ROLLBACK SQL statement, 224, 226
- ROLLBACK TO SAVEPOINT option, 234
- ROLLFORWARD DATABASE command, 89, 241, 265–267, 271, 284–285, 294
- roll-forward operation, 70
- “roll-forward pending” state, 264
- roll-forward recovery, 238, 241, **241**, 294
- roll-forward utility, 249, 263–269
- Roll-forward Wizard, 267–269, **268–270**
- rolling-in and rolling-out, 180–182
- rolling upgrades, 292
- roll-in of data, 176
- roll-out of data, 176
- round-robin manner, 76, **77**, 84
- routine privileges, **518**, 518–519, 518–519
- ROWCOMPESTIMATE command, 447
- row identifiers (RIDs), 100, 435, 436, 437, 438
- row-level label-based access control (LBAC), 539, 545–548, 556–557

row-level vs. table-level (lock granularity)lock
method, 418–419
Rule command, 553, 555
Run Statistics dialog, 398, **399**
RUNSTATS command, 271, 396–399,
396–401, **399**
RUNTIME DEGREE database manager
configuration, 142–143

S

sample questions/exams, 20
SAN disk subsystems, 92
sargable predicate (SARG), 681
sargable vs. residual predicates, 682
scalability, 622
SchemaName command, 120
schema privileges, 512–513, **513**
schemas, 46
ScriptFile command, 257
search discovery, 598
SecColumnName command, 387
section scores panel, **36**, 36–37
security, 622–623
Security Administrator (SECADM) authority,
502, 508–509
security labels, 539–541, 542–544
security plug-ins, 495–497
security policy, 541–542
SECURITY POLICY clause, 544, 550, 556
select privilege, 47, 514, 515, 516, 522
SELECT statement, 407, 413
self-study books, 19
self-tuning, 61, 66
self_tuning_mem database configuration, 384
Self-Tuning Memory Manager (STMM), 47,
293, 381–384
seqdetect database, 106
SEQNO, 401
sequence privilege, 517–518, 517–518, **518**
sequential scan, 409
server authentication, 492
server definitions, 117–119
SERVER_ENCRYPT authentication, 492, 494,
495, 499, 499–500
ServerName command, 118, 595

server privileges, 520–521, 520–521, **521**
ServerType command, 118
ServiceName command, 589
set, defined, 539
SET ENCRYPTION PASSWORD function,
537–538
SET ENCRYPTION PASSWORD SQL
statement, 537–538
SET EVENT MONITOR SQL statement, 303
SET INTEGRITY SQL statement, 181, 182
SET TABLESPACE CONTAINERS command,
260, 262
Setup communication dialog, 578–581
SET WRITE command, 282–283
SET WRITE SUSPEND FOR DATABASE
command, 282
Share (s) lock, 418
shared file system, 57
SHEAPTHRES configuration, 381
sheapthres_shr configuration, 381
SHOW DETAIL option, 383
signal handler, 305
single buffer pool, benefits of, 70–71, 72–73
single servers, 159–160
SMALL_DPG group, 164
SMP server, 160
snapshot monitor, 302–303
SNAPSHOT option, 294
snapshot output, **665**, **670**, **672**, **679**
soft checkpoints, 248–249
softmax configuration, 75, 637
Solaris, **149**, 497
sortheap configuration, 381
sort memory, 381
sort memory heap database configuration
parameter (SORTHEAP), 381
sort operation, 433
SourceLocation command, 256
space occupied per cell (SPC), 190–191
split mirroring, 281–284, 294
SQLBP.1 file, 43
SQLBP.2 file, 43
SQL Compiler, 115
SQLDBCONF file, 43
SQLDBCON file, 43

- sqldbdir file, 46
- sqldbins file, 57
- SQLINSLK file, 43
- SQLJ programming, 9
- sqllib directory, 46
- SQL-name directory, **42**
- SQL[ObjectID].BKM file, 80
- SQL[ObjectID].DAT file, 79, 80
- SQL[ObjectID].INX file, 79, 80
- SQL[ObjectID].LBA file, 80
- SQL[ObjectID].LB file, 80
- SQL[ObjectID].LF file, 79, 80
- SQL[ObjectID].TDA file, 80
- SQLLOGCTL.LFH file, 43
- SQLLOGDIR subdirectory, 44
- SQLLOGMIR.LFH file, 43
- SQLSFG.1 file, 43
- SQLSFG.2 file, 43
- SQLSPCS.1 file, 43
- SQLSPCS.2 file, 43
- SQLStatement command, 197, 686
- SQLTAG.NAM file, 79
- SQLTMPLK file, 43
- SrcPartitionNum command, 164
- srvcon_auth parameter, 491
- standby target database, 290, 292–293, 294
- Start command, 174, 177
- START DATABASE MANAGER command, 155, 156, 157
- START HADR command, 296–298
- StartPartitionNum command, 162, 163
- statistical views, 400–402
- stmlog subdirectory, 383
- STOGROUP tool, 6
- storage area network (SAN), 205
- StoragePath command, 49
- storage savings, 447–449
- storage space, 245, 292
- StringConstant command, 540, 543
- Structured Query Language (SQL), 6, 9
- SUB_COUNT, 401
- SUB_DELIM_LENGTH, 401
- subdomains and materialized query table (MQT), 651–652
- Sun Solaris platform, 8, 11
- SVCENAME configuration, 364
- Sybase Open Client, 113, 122
- symmetric multi-processor (SMP) server, 141, 144
- synchronization modes, 291
- synchronous table queues, 407
- SYSCAT schema, 46
- SYSCATSPACE.DAT, 52
- SYSCATSPACE table space, 44, 45, 50, 85
- SYSFUN schema, 46, 47
- SYSIBM schema, 46
- Sysplex, 596–597
- SYSSTAT schema, 46
- System Administrator (SYSADM) authority, 254, 261, 270, 498, 500, 502–503
- System Administrator (SYSADMIN), 439, 498
- system catalog table space, 85
- System Control (SYSCTRL) authority, 254, 261, 270, 439, 498, 500, 503–505
- system database directory files (directories), 581, 582–583
- System Maintenance (SYSMAINT) authority, 254, 261, 270, 498, 502, 505–506
- system managed (SMS) table space, 45, 50, 51, 78–79, 79t, 81t
 - automatic storage table space and, 84
 - CREATE TABLESPACE SQL statement and, 89–90
 - modification of, 94
 - partitioned databases and, **93**
 - system catalog table space, 85
 - types of, 82
 - USERSPACE1 table space and, 83
- System Monitor (SYSMON) authority, 502, 506–507
- SystemName command, 590
- system temporary table, 84
- SystemType command, 590
- system z and system i database servers
 - binding process and, utilities and application, 594–596
 - communication of, steps to determination of, 594
 - db2schema.bnd bind file and, use of, 596
 - Sysplex of, 596/597

T

- table function, 453–455
- Table/Index Statistics dialog, 697, **698**
- TableName command, 167, 168, 171, 387, 395, 397, 417, 454, 654
- table partitioning. *See* range partitioned tables
- table privileges, 513–514, 513–515, **514**
- table queue, 406–407
- tables, Explain, 683–685
- table scan, 409, 410, 426, 433–434
- TableSchema command, 454
- tables for deep compression, 445
- table space, 76–79
 - automatic storage, 84, 99
 - block-based buffer pools and assigned, **64**
 - containers, 50, 76–78
 - Create Database Wizard and, creation of, 90, **91**
 - creation of new, 85–90, **91**
 - database managed space (DMS), 78–79, 79t
 - databases, 76–111
 - defined, 44
 - hidden buffer pools and use of, 69
 - high-water mark and, representation of, 100–105
 - IBMDEFAULTBP buffer pool and creation of new, 85
 - input/output (I/O) controller, 72
 - memory and, insufficient, 71
 - modification of existing, 94–97, **98**
 - multiple buffer pools and use of, 71–72
 - multiple database partitions and creation, 92–94
 - partitioned databases and, 92–93, **93**
 - partition groups and, **161**
 - prefetching and, function of, 105–111
(*See also* prefetching)
 - privileges, 512, **512**
 - properties of, 293
 - purpose of, 76
 - raw devices vs. files and, use of, 81–82
 - reorganization/compression operation and, **101**, 101–103, **103**
 - round-robin manner and, data written in, 76, **77**, 84
 - scan, 410
 - storage containers and, use of, 79–81
 - automatic storage and creation of new, 99
 - SYSCATSPACE and, use of, 85
 - system catalog, 85
 - system managed space (SMS), 78–79, 79t
 - temporary, 72, 84, **101**, 101–102, **102**
 - types of, 78, 82, 82–84
 - user-defined buffer pools and use of, 70
- TableSpaceName command, 87, 96, 178
- table statistics, 401
- tagged file, 114
- TargetAlias command, 257
- TargetLocation command, 256
- TargetName command, 593
- TargetPath command, 256
- TBSP1 table space, **93**, 179, 180
- TEMPSPACE1 table space, 45, 50, 83
- Territory command, 49
- Thompson Prometric, 20, 22
- threshold value, 76
- “Time Remaining” information, 26
- Timestamp command, 256
- time stamps, 383
- Tivoli Storage Manager (TSM), 205, 286
- total physical read time of buffer pool, 626
- transaction log files, 290, 292
- transaction/resource locking, 416, **416**
- transactions, 224–237
 - See also* logging of transactions
- TransferRate command, 52
- Transmission Control Protocol/Internet Protocol (TCP/IP), 578–580, 591
 - dialog setup, **579**
 - port, 364
 - protocol, 299
- tree, defined, 539
- truncation of files, 234–235
- trust_allcints parameter, 498–499
- trusted contexts, 526–527
- TS_Definition command, 50
- TS_ID command, 260
- TSMOptions command, 251, 256
- TSMPassword command, 287
- TSM value, 285
- TS_Name command, 246, 251, 256
- tuning, 342, 628–629

tuning log file, memory, 383
 tuning partition, 383–384
 TYPE Q, 401

U

Uncommitted Read (UR) isolation level, 418
 Uniform Resource Identifier (URI), 524
 UNIQUE clause, 390
 unique indexes, 390–391
 United States/Canada code set, 52
 unit of work. *See* transactions
 UNIX platform

- buffer pool, 44, 59
- db2nodes.cfg file and, 148, 150
- mirrored logging and, 232
- prefetching and, 81
- raw device container and, mapping of, 80
- raw devices and, 81
- sqlldbidr file and, 46
- system database directory and, 57
- user exit program and, 289

 unused agents, 403–404
 UPDATE ALTERNATE SERVER FOR
 DATABASE command, 299
 UPDATE DATABASE CONFIGURATION
 command, 370, 371
 UPDATE DATABASE MANAGER
 CONFIGURATION command, 363, 364,
 580–581
 UPDATE DATABASE MANAGER
 CONFIGURATION USING SHEAPTHRES
 command, 381
 update privilege, 515, 516, 522
 UPDATE SQL statement, 516
 usage privilege, 47, 512, 518
 user-defined buffer pool, 70
 user-defined functions (UDFs), 10, 238, 249,
 297–298

- unfenced, 511

 user-defined objects, 161
 user exit program

- configuration of databases and use of, 289
- considerations of, 289–290
- construction of, 285–289
- logging of transactions and, 284–290

USEREXIT value, 289
 UserID command, 197, 344
 user ID/password authentication, 496, 497
 user indexes, 71, 72
 user mappings, 124
 UserName command, 246, 250, 256, 296, 545,
 553, 555
 USERSPACE1 table space, 44, 45, 47, 50, 83
 user tables, 71, 84
 utilities

- backup and recovery of database, 250–253
- parallelism, 146
- prefetchers and, 373
- programs, 46
- throttling, 47

V

VALCOUNT, 402
 Value command, 50, 116, 118, 120, 344, 363,
 370, 378, 533
 VARCHAR FOR BIT DATA, 533
 Variable command, 344
 vendor-supplied interface, 288
 Version command, 118
 version recovery, 238, 240, **240**, 245, 250
 “victim” pages, 60, 71, 73, 74
 “View Exhibit” message, **29**
 view privileges, 515–516, **516**
 VIPA address, 590
 Visual Explain

- operator details, **696–697**
- output, 693–698
- table/index statistics from, 697, **698**
- tables, 421
- tool, 687, 691–698

 VSAM DEFINE tool, 6
 VSAM DELETE tool, 6

W

WebSphere Classic Federation server, 114
 WHERE clause, 409, 435
 Windows platform, 8, 11

- db2nodes.cfg and, 150–151
- raw device container and, mapping of, 80

- Windows platform, *continued*
 - sqlldbidr file and, 46
 - user exit programs and, 289
 - WITHOUT TABLESPACE statement, 156, 164
 - workload, 375, 389–390
 - Workload Manager (WLM), 597
 - WorkloadName command, 197
 - workstations, 40
 - WrapperName command, 116, 118
 - wrappers, 115–117
 - defined, 115
 - federated systems and, 115–117
 - names, predefined, 116t
 - types of, 122
 - “write-ahead logging,” 225–226
 - WRITE RESUME option, 246
 - write time, 626, 627
- X**
- XBSA Draft 0.8, 286
 - XML data, **444**
 - XML schema repository (XSR) privileges, 524
 - X/Open group, 286
 - XSR privileges, 524, 524, **524**
- Z**
- zSeries (z/OS, OS/390) platforms, 8