

Index

A

- access time/speed
 - disk vs. CPU, 100, 127
 - network I/O and, 139–140
- acdirmin, acdirmax, acregmin, acregmax, and actime parameters to tune network I/O, 163
- Address Resolution Protocol (ARP), 141, 160
- Advanced Interactive eXecutive. *See* AIX, 7
- Advanced Power Virtualization (APV), 8, 14, 17, 25, 141, 168
- aio, AIX 6.1 and, 176
- aio_active parameter, AIX 6.1 and, 181
- aioLpools and aioPpools, 181
- aioo, AIX 6.1 and, 176, 181
- AIX, 7–9, 11, 14, 17, 18, 173
- AIX 6.1, 175–187
 - aio_active parameter in, 181
 - aioLpools and aioPpools in, 181
 - asynchronous I/O (AIO) and, 180–182
 - autoconfig and, 180
 - availability in, 175
 - CPU tuning in, 179
 - disk I/O tuning in, 179, 180
 - Enhanced Journaled File System (JFS2) in, 179
 - fastpath parameter tuning in, 180, **180, 181**
 - fsfastpath parameter tuning in, 180, **180, 181**
 - Internet Small Computer System Interface (iSCSI) in, 179
 - ioo vs. aioo to tune, 181
 - logical partitions (LPARs) and, 176
 - manageability of, 175
 - maxfree tuning in, 178
 - maxreqs parameter tuning in, 180
 - maxservers parameter tuning in, 180, 182
 - memory tuning in, 176–179, **177, 178, 179**
 - minperm/maxperm tuning in, 177, 178
 - minservers parameter tuning in, 180, 182
 - netcdctl daemon and, 182
 - Network File System (NFS) and, 183
 - network I/O and, 182
 - no to tune network I/O in, 182
 - POSIX and, 181
 - posix_aix_active parameter in, 181
 - POWER6 and, 176
 - role based access control (RBAC) in, 175
 - security in, 175
 - strict_maxclient tuning in, 178
 - tunable defaults in, 175, 176
 - variable page size support (VPSS) in, 178
 - virtualization in, 175

AIX 6.1, *continued*

- vm_default_pspa parameter in, 178–179, **179**
- vmo to tune memory in, 177–179, **177, 178, 179**
- workload partitions (WPARs) in, 176

analyzing performance data, 18

Apple, 11

asynchronous I/O (AIO), 97, 102, 125, 127,
180–182

Oracle and, 192–193, 192

AT&T, 7, 17

Atkins, Stephen, 37

autoconfig, AIX 6.1 and, 180

AutoSys, 55

B

balancing system workload, 5

baseline establishment, 3–4

Bell Labs, 7, 17

Berkeley Software Distribution (BSD), 7

bindprocessor, CPU tuning using, 52–53, **52, 53**

biod daemon, network I/O tuning using, 138,
162, 169, 183

bottlenecks, 4, 5

CPU, 23–24

CPU-bound, 24

memory– vs. CPU-bound, 5

C

chdev, network I/O tuning using, 161

client tuning, network I/O and, 162–164. *See*
also network I/O, tuning of

computational memory, 64, 65, 91

concurrent I/O (CIO), 97, 101–102, 125, 127
Oracle and, 193–194

CPU, 173

Advanced Power Virtualization (APV) and, 25
AIX 6.1 and, tuning of, 179

bindprocessor tuning tool for, 52–53, **52, 53**

cpuinfo file in, 199

curt for monitoring, 25

filemon for monitoring, 25

gprof tuning tool for, 54

historical analysis, 56

iostat for monitoring, 31, **31**

Linux on Power (LoP) and, 201

lparmon for monitoring, 25

lparstat for monitoring, 32–33, **32, 33**

monitoring, 25–43

mpstat for monitoring, 25, 33–35, **34, 35**

netpmon for monitoring, 25

nice to tune, 46, **46**, 192

nmon for historical analysis of, 37–38, **37**

nmon for monitoring, 36–37

Oracle and, tuning for, 192

pprof for monitoring, 25

process management and, 45

ps for monitoring, 38–39, **39**

ps for tuning, 48, **48**

renice tuning tool for, 47, **47**, 192

sar for monitoring, 25, 28–30, **29, 30**

sched_R and sched_D tuning tools for, 50, **50**

schedo tuning tool for, 48–50, **49–50**, 88, 179

smtctl tuning tool for, 53, **53**

splat for monitoring, 25

thread management and, 45

time for timing of, 41, **41**

timeslice tuning tool for, 51–52, **52**

timex for timing of, 42, 42–**43**

timing tools for, 41–43

topas for monitoring, 25, 35–36

tprof for tracing of, 39–41, **40, 41**

tracing tools for, 39–41

tuning, 23–24, 45–54

vmstat for monitoring, 25–29, **26, 28**, 29, 30

w for monitoring, 31, **31**

cpuinfo file, 199

cron, 36, 55

disk I/O monitoring using, 108

curt, 5

AIX 6.1 and, 176

CPU monitoring using, 25

CPU tracing using, 39

D

daemons, turning off, in LoP, 203–204, **204**

data placement on disk, inner vs. outer areas,
104, **104**, 125

Decimal Floating Point, 15, 18

Deep Blue supercomputer, 12

- deferred page space allocation (DPSA), 85–86, 92
- device drivers and multipath I/O, 127
- Digital Equipment Corporation (DEC), 7, 17
- direct I/O, 97, 101, 125
- disk I/O, 97–130, 173
 - access time in, 100, 127
 - AIX 6.1 and, tuning of, 179, 180
 - AIX LVM commands in monitoring, 112–118
 - asynchronous (AIO), 97, 102, 125, 127, 180–182, 192–193
 - capacity of, 100, 127
 - concurrent (CIO), 97, 101–102, 125, 127, 193–194
 - cron and, 108
 - data placement on, inner vs. outer areas, 104, **104**, 125
 - device drivers and multipath, 127
 - direct, 97, 101, 125
 - Enhanced Journaled File System (JFS2)
 - tuning and, 105, 122–123, 126
 - file systems and, 105
 - filemon to monitor, 110, 116–117, **116**, **117**, 126
 - fileplace to monitor, 110, 116, 117–118, **118**, 126
 - inodes and, 101
 - inter-disk policy for, 105
 - inter-policy and, 113–114, 125
 - intra-policy and, 126, 127–128
 - introduction to, 99–105
 - ioo to tune, 120–122, 121*t*, **122**
 - iostat to monitor, 108, 111–112, **111**, **112**, 192
 - JFS file system tuning parameters, using ioo, 121, 121*t*
 - journaling file systems and, 121, 126
 - logical units (LUNs) in, 126, 127
 - Logical Volume Manager (LVM) and, 99, 103–104, 112–118, 125
 - logical volume monitoring in, 111–112, **111**, **112**
 - logical volume placement in, 125
 - logical volumes and placement,
 - intra/inter-policy for, 102–104, **103**
 - lslv to monitor, 110, 113–114, **113**, **114**, 126
 - lsnf to monitor, 110, 169
 - lsvg to monitor, 113, **113**
 - lvmo to tune, 119–120, **120**, 126
 - lvmstat to monitor, 115–116, **115**, 126
 - Mirror Write Consistency Check (MWCC)
 - and, 104, 113, 128
 - mirroring and, 126
 - monitoring of, 107–118
 - mount command for, 102, **102**
 - multipath, with device drivers, 127
 - nmon to monitor, 107, 110–111, **110**, 192
 - Oracle and, 127, 192–193
 - pacing of, 180
 - relational database management systems (RDBMS) and, 127
 - sadc utility and, 108
 - sar to monitor, 107–108, **107**, **108**
 - sequential, 128
 - server minimum/maximum numbers and, 127
 - stack in, 99–100, **100**
 - storage area networks (SANs) and, 126
 - syncd daemon and, 123
 - system layers and, 103–104, **103**
 - System Management Interface Tool (SMIT)
 - and, 105
 - topas to monitor, 107, 108–111, **109**, **110**
 - tuning of, 119–123
 - Virtual Memory Manager (VMM) and, 101, 122–123

DNS. *See* Domain Name Server (DNS)

Domain Name Server (DNS), 141, 161–162, 168, 169, 182

Dynamic Energy Management, 15, 18

dynamic logic partitioning (DLPAR), 8, 93
 - CPU tuning and, 56
 - Linux on Power (LoP) and, 201

E

early page space allocation (EPSA), 85–86, 92, 189

Enhanced Journaled File System (JFS2)
 - AIX 6.1 and, 179
 - disk I/O and, 105, 122–123, 126
 - memory and, 65

entstat, network I/O monitoring using, 145, **145**, 167

environments for testing, 18

Ethernet

- Internet Small Computer System Interface (iSCSI) in, 179
- jumbo frames in, 162, 167, 168–169
- network I/O and, 136, 141, 168

External Data Representation (XDR), 139

F

fastpath parameter tuning, AIX 6.1 and, 180, **180, 181**

Fiber Distributed Data Interface (FDDI), network I/O and, 162

file memory, 64, 65, 91

file systems, disk I/O and, 105

filemon, 146

- AIX 6.1 and, 176

- CPU monitoring using, 25

- disk I/O monitoring using, 110, 116–117, **116, 117**, 126

fileplace, disk I/O monitoring using, 110, 116, 117–118, **118**, 126

free, Linux on Power (LoP) monitoring using, 200

fsck, 8, 179

fsfastpath parameter tuning, AIX 6.1 and, 180, **180, 181**

G

General Electric, 7

Global Technology Services, 57

gprof, CPU tuning using, 54

Griffiths, Nigel, 36

H

Hardware Management Console (HMC), 141

historical analysis

- CPU, 56

- nmon for, 37–38, **37**

HMC. *See* Hardware Management Console (HMC)

hugepages parameter, Linux on Power (LoP)

- tuning using, 203, **203**

Hypervisor, 12, 13–14, **14**, 24

Hypervisor Decrementer (HDEC), 14

I

I/O. *See* disk I/O; network I/O

IBM, iii–iv, 8, 9, 11, 12, 17, 57

ifconfig

- monitoring network I/O using, 161

- Object Data Manager (ODM) and, 161

inetd daemon, network I/O monitoring using, 148

inodes, 101

input/output. *See* disk I/O; network I/O

inter-policy, disk I/O, 105, 113–114, 125

Internet Protocol. *See* TCP/IP

Internet Small Computer System Interface (iSCSI), 179

intra-policy, disk I/O, 126, 127–128

ioo

- AIX 6.1 and, 175, 176, 181

- disk I/O tuning using, 120–122, 121t, **122**

iostat, 55, 133

- AIX 6.1 and, 176

- CPU monitoring using, 31, **31**

- disk I/O monitoring using, 108, 111–112, **111, 112**, 192

ipqmalen parameter in tuning network I/O, 160

ipttrace, ipreport, and ipfilter, network I/O monitoring using, 154–155, **155**, 168

J

Jann, Joefon, 12

JFS2. *See* Enhanced Journaled File System

Journaled File System (JFS)

- memory and, 65

- tuning parameters, using ioo, 121, 121t

journaling file systems, disk I/O and, 121, 126

jumbo frame Ethernet, 162, 167, 168–169

K

Kasparov, Garry, 12

kill commands, 56

L

late page space allocation in (LPSA), 85–86, 92

layers, system, 103–104, **103**

leaks in memory, 77–79, **78, 79**, 92

- lgpg_size and lgpg_regions parameters, Oracle and, 190
- libraries, 8
- Linux, 9, 14, 136
- Linux on Power (LoP), iii, 173, 199–206
- commands for, 200–201
 - CPU performance in, 201
 - cpuinfo file in, 199
 - daemons automatically started in, turning off, 203–204, **204**
 - dynamic logical partitioning (DLPAR) in, 201
 - free command to monitor, 200, **200**
 - hugepages parameter in, 203, **203**
 - meminfo file in, 203, **203**
 - monitoring, 199–200
 - nmon to monitor, 199
 - SEMMSL parameter tuning in, 202
 - SHMMAX parameter tuning in, 202
 - symmetric multithreading (SMT) in, 201
 - sysctl to tune, 202
 - SystemTap to monitor, 199
 - top command to monitor, 200
 - tuning, 202–204
 - virtualization in, 201
 - vm.nr.hugepages parameter tuning in, 202–203
 - vmstat to monitor, 200–201, **200**
- Live Application Mobility, 9
- Live Partition Mobility, 15, 18, 19
- load control and memory, 87–88, 93
- local area networks (LANs), 137. *See also* network I/O
- lockd, 139
- logical partitions (LPARs), 6, 176
- logical units (LUNs), 126, 127
- logical volume, disk I/O and, 102–104, **103**, 125
- Logical Volume Manager (LVM), 17, 99, 103–104, 111–118, 125
- developmental history of, 8
 - lvmo to tune, 119–120, **120**, 126
 - lvmstat to monitor, 115–116, **115**
- logical volume monitoring, 111–112, **111**, **112**
- lpamon, CPU monitoring using, 25
- lparstat, 55
- CPU monitoring using, 32–33, **32**, **33**
- lru_file_repage, memory tuning using, 82–84, **84**, 92
- lru_file_repage parameter, Oracle and, 191, **191**
- lrubucket, memory tuning and, 88–89, **89**, 93
- lsattr, network I/O monitoring using, 139–140, **139**, **140**, 147, **147**, 161
- lscfg to monitor network I/O, 140, **140**, 167
- lslv, disk I/O monitoring using, 110, 113–114, **113**, **114**, 126
- lsdf, disk I/O monitoring using, 110, 169
- lsps, memory monitoring using, 73, 92
- lsvg, disk I/O monitoring using, 113, **113**
- lvmo, disk I/O tuning using, 119–120, **120**, 126
- lvmstat, disk I/O monitoring using, 115–116, **115**, 126
- ## M
- market share of AIX, 9
- Mars Pathfinder, 12
- Massachusetts Institute of Technology (MIT), 7
- maxclient
- memory tuning using, 82–84, **84**
 - network I/O tuning using, 163, 165
- maxfree, 191, **191**
- AIX 6.1 and tuning in, 178
 - memory tuning using, 84, 85
- maximum transfer unit (MTU), 162, 167
- maxperm/minperm, 63, 66, 82–84, **84**, 177, 178, 191, **191**, 191
- AIX 6.1 and, 177, 178
 - memory tuning using, 63, 66, 82–84, **84**, 92
 - network I/O tuning using, 162–163, **163**, 165, 169
 - Oracle and, 191, **191**
- maxpgahead, 85
- maxreqs parameter tuning, AIX 6.1 and, 180
- maxservers parameter tuning, AIX 6.1 and, 180, 182
- meminfo file, Linux on Power (LoP) tuning using, 203, **203**
- memory, 61–96, 173
- AIX 6.1 and, tuning, 176–179, **177**, **178**, **179**
 - computational, 64, 65, 91
 - deferred page space allocation (DPSA) in, 85–86, 92

memory, *continued*

dynamic logic partitioning (DLPAR) and, 93
early page space allocation (EPSA) in,
85–86, 92
Enhanced Journaled File System (JFS2) and, 65
file memory in, 64, 65, 91
free list in VMM and, 64
introduction to, 63–66, 63
Journaled File System (JFS) and, 65
late page space allocation in (LPSA) in,
85–86, 92
leaks, 77–79, **78**, **79**, 92
load control and, 87–88, 93
lru_file_repage tuning using, 82–84, **84**, 92,
191, **191**
lrubucket to tune, 88–89, **89**, 93
lspas to monitor, 73, 92
maxclient to tune, 82–84, **84**
maxperm/minperm to tune, 63, 66, 82–84, **84**,
177, 178, 191, **191**, 191
maxpgahead to tune, 85
minfree and maxfree parameters in, 84–85,
191, **191**
monitoring of, 67–79
Network File System (NFS) and, 65
network subsystem, management of, 141
nmon to monitor, 81, 92
Oracle and, 189–191, 189
page space allocation in, 85–87, 92, 189–190
paging in, 65–66, 91
Partition Load Manager (PLM) and, 93
persistent segments in, 64, 91
ps page space allocation for, 87, **87**
ps to monitor, 73–74, **74**, 92
RAM added to, 93
rmss to tune, 89–90, **90**, 93
sar to monitor, 71–73, **72**, 92
scanning and, 88–89, **89**, 93
schedo CPU tuning and, 88, 91, 92
svmon to monitor, 74–77, **75**, **77**, 92, 93
swapping in, 65–66
thrashing and, 65–66, 87–88, 91
topas to monitor, 67, 92
Translation Lookaside Buffer (TLB) and, 190
tuning of, 81–90

variable page size support (VPSS) in, 178
Virtual Memory Manager (VMM) and, 61,
63–64, 91. *See also* Virtual Memory
Manager (VMM)
vm_default_pspa parameter in, 178–179, **179**
VMM statistic summary using vsmstat in, 71, **71**
vmm_mpsize_support parameter in, 178
vmo to tune, 66, 81–82, 91, 92, 93, 190–191,
190, **191**
vsmstat to monitor, 67–70, **69**, **70**, 91, 92, 93
working segments in, 64, 91
workload balancing and, 87–88, 93
methodology of power tuning, 3–6, 17
minfree, memory tuning using, 84, 85, 191, **191**
minperm. *See* maxperm/minperm
minservers parameter tuning, AIX 6.1 and, 180, 182
Mirror Write Consistency Check (MWCC), 104
disk I/O monitoring using, 113, 128
mirroring, disk I/O and, 126
monitoring system performance, 4–5, 18
CPU, 25–43
disk I/O and, 107–118
Linux on Power (LoP) and, 199
memory, 67–79
network I/O and, 143–156
Motorola, 11
mount, 102, **102**
hard vs. soft, 163
network I/O tuning using, 163–164, 168
mpstat, 55
CPU monitoring using, 25, 33–35, **34**, **35**
Multics, 7
multipath I/O and device drivers, 127
Multiplexed Information and Computer Service.
See Multics

N

name resolution, network I/O and, 161–162,
168, 169, 182
netcdctl daemon, 182
netpmn
AIX 6.1 and, 176
CPU monitoring using, 25
network I/O monitoring using, 134, 145–145,
146, 148, 152–153, **152**, **153**, 167

- netstat, network I/O and, 131, 133, 135,
143–145, **143**, **144**, 154, **154**, 158, **158**, 167,
168
- Network File System (NFS), 136–139, **137**, **138**
memory and, 65
monitoring, 148–153, 167, 169, 183
network I/O and, 131
- network I/O, 131, 172, 173
acdirmin, acdirmax, acregmin, acregmax, and
actime parameters to tune, 163
Address Resolution Protocol (ARP) and, 141,
160
Advanced Power Virtualization (APV) and,
141, 168
AIX 6.1 and, 182
biod daemon to tune, 138
biod to tune client in, 162, 169, 183
chdev and, 161
client tuning in, 162–164
Domain Name Server (DNS) and, 141,
161–162, 168, 169, 182
entstat to monitor, 145, **145**, 167
Ethernet and, virtual and shared, 136, 141,
168
External Data Representation (XDR) and,
139
Fiber Distributed Data Interface (FDDI) and,
162
Hardware Management Console (HMC) and,
141
ifconfig to monitor, 161
inetd daemon to monitor, 148
Internet Small Computer System Interface
(iSCSI) in, 179
introduction to, 133–141
ipqmalen parameter in tuning, 160
iptrace, ipreport, and ipfilter to monitor,
154–155, **155**, 168
jumbo frame Ethernet and, 162, 167,
168–169
lockd and, 139
lsattr to monitor, 139–140, **139**, **140**, 147,
147, 161
lscfg to monitor, 140, **140**, 167
maxclient to tune, 163, 165, 169
maximum transfer unit (MTU) in, 162, 167
maxperm/minperm in tuning, 162–163, **163**,
165, 169
memory management in network subsystems
and, 141
monitoring of, 143–156
mount parameters to tune, 163–164, 168
name resolution in, 161–162, 168, 169, 182
netcdctl daemon and, 182
netpmon to monitor, 134, 145–146, **146**, 148,
152–153, **152**, **153**, 167
netstat to monitor, 131, 133, 143–145, **143**,
144, 154, **154**, 158, **158**, 167, 168
Network File System (NFS), 131, 136–139,
137, **138**, 148–153, 167, 169, 183
nfsd in, 137–138
nfs to monitor, 148
nfs_rfc1323 in tuning, 164, **164**
nfs4cl to monitor, 148, 151–152, **152**, 167
nfsd to tune, 165
nfsd to tune, 164–165, **164**, **165**, 168
nfsstat to monitor, 148, 149–151, **150**, **151**,
167
nmon to monitor, 148–149, **148**, 167
no to tune, 157–161, **157**, **159**, **160**, **161**, 164,
164, 168, 182
Object Data Manager (ODM) and ifconfig,
161
Open Systems Interconnection (OSI) model
for networks and, 135, **138**, 167
packets in, 136, 154–156, 168–169
portmap and, 139
protocols in, 141
protocols used in network and, 135–136, 164
remote procedure calls (RPCs) in, 137, 149,
163, 167
rfc1323 parameter in tuning, 159, 164–165,
164, 164
rsize and wsize parameters to tune, 163–164
sb_max parameter in tuning, 159
server tuning in, 164–165
speed of, 139–140
spray to monitor, 148, **148**
System Management Interface Tool (SMIT), 161
TCP/IP layers and, 134, **135**, **138**

network I/O, *continued*

- tcp_nodedelyack parameter in tuning, 160
- tcp_recvspace/tcp_sendspace parameters in tuning, 158, 164, **164**, 168
- tcpdump to monitor, 156, **156**, 168
- thewall to tune, 157–158, 159–160
- threads in, 162
- topas to monitor, 148, 149, 167
- Transmission Control Protocol (TCP) and, 135–136, 164
- trcstop to stop trace in, 146, **146**, 152
- tuning of, 157–165, 157
- udp_recvspace/udp_sendspace parameters in tuning, 158, 159
- use_isno parameter in tuning, 161, **161**
- User Datagram Protocol (UDP) and, 135–136, 164
- virtual I/O servers (VIOs), 141, 168, 169
- Virtual Memory Manager (VMM) and, 141, 162, 169

nfs, network I/O monitoring using, 148

nfs_rfc1323 in tuning network I/O, 164, **164**

nfs4cl, network I/O monitoring using, 148, 151–152, **152**, 167

- network I/O monitoring using, 151–152, **152**, 151

nfsd, network I/O tuning using, 137–138, 165

nfso

- AIX 6.1 and, 175, 176
- network I/O tuning using 164–165, **164**, **165**, 168

nfsstat, network I/O monitoring using, 148, 149–151, **150**, **151**, 167

nice, 5, 55

- CPU tuning using, 46, **46**, 192
- Oracle and, 192

nmon, 4, 55, 56, 67

- CPU monitoring using, 36–37
- disk I/O monitoring using, 107, 110–111, **110**, 192
- historical analysis using, 37–38, **37**
- Linux on Power (LoP) monitoring using, 199
- memory monitoring using, 81, 92
- network I/O monitoring using, 148–149, **148**, 167

no

- AIX 6.1 and, 175, 176
- network I/O tuning using, 157–161, **157**, **159**, **160**, **161**, 164, **164**, 168, 182

O

Object Data Manager (ODM), 180

- ifconfig and, 161

Open Firmware, 14

Open Systems Interconnection (OSI) model for networks, 135, **138**, 167

Oracle, 173, 189–198

- asynchronous I/O (AIO) and, 192–193
- concurrent I/O (CIO) in, 193–194
- CPU tuning for, 192
- disk I/O and, 127
- early allocation of paging space and, 189
- iostat to monitor AIO in, 192–193, **193**
- lgpg_size and lgpg_regions parameters for, 190
- lru_file_repage parameter for, 191, **191**
- memory tuning for, 189–191
- minfree and maxfree parameters in, 191, **191**
- minperm and maxperm parameters in, 191, **191**
- nice and renice to tune CPU for, 192
- nmon to monitor AIO in, 192
- Oracle Enterprise Manager (OEM) and, 189, 195–196, **195**, **196**
- page space allocation and, 86–87, 92, 189–190
- Statspack for, 194, **195**
- storage area networks (SANs) and, 194
- symmetric multithreading (SMT) for, 192
- System Global Area (SGA) in, 83, 190
- Translation Lookaside Buffer (TLB) and, 190
- Virtual Memory Manager (VMM) and, 189–190
- vmo to tune memory for, 190–191, **190**, **191**

Oracle Enterprise Manager (OEM), 189, 195–196, **195**, **196**

P

padding disk I/O, 180

packets, in network communication, 136, 154–156, 168–169

page space allocation, 85–87, 92

- Oracle and, 189–190

- paging in memory, 65–66, 91
 Partition Load Manager (PLM), 93
 CPU tuning and, 56
 PDP-7 computers, 7
 Performance Toolbox (PTX), 57
 persistent segments of memory, 64, 91
 PM, 57
 portmap, 139
 POSIX, 7, 181
 posix_aix_active parameter, AIX 6.1 and, 181
 POWER, 24
 Power Optimization with Enhanced RISC. *See*
 POWER servers
 POWER servers, iii, 8, 9, 11–15, 17, 18–19, 201
 power tuning methodology, 3–6, 17
 POWER5, 13–14
 POWER6, 14–15, 18
 AIX 6.1 and, 176
 PowerVM, 14, 15, 18, 141, 201
 pprof
 AIX 6.1 and, 176
 CPU monitoring using, 25
 process management, CPU, 45
 procmon, 57
 AIX 6.1 and, 176
 proctree, AIX 6.1 and, 176
 protocols, network, 135–136, 141, 164
 ps, 5, 55, 56
 CPU monitoring using, 39–39, **39**
 CPU tuning using, 48, **48**
 memory monitoring using, 73–74, **74**, 92
 memory page space allocation using, 87, **87**
- R**
- RAM, 93
 raso, AIX 6.1 and, 175
 Red Hat Linux, 136, 200
 Regatta architecture, 12, 13
 relational database management systems
 (RDBMS), 127
 remote procedure calls (RPCs), 137, 149, 163, 167
 renice, 5, 55
 CPU tuning using, 47, **47**, 192
 Oracle and, 192
 repeating the tuning process, 6
 resource increases, 6
 rfc1323 parameter in tuning network I/O, 159,
 164–165, **164**, 169
 RISC architecture and POWER, 11–12
 Ritchie, Dennis, 7, 17
 rmss, memory tuning using, 89–90, **90**, 93
 role based access control (RBAC), 175
 RS/6000, 8, 17
 rsize, network I/O tuning using, 163–164
 Run-Time Abstraction Services (RTAS), 14
- S**
- sadc, disk I/O monitoring using, 108
 sar, 55, 67
 CPU monitoring using, 25, 28–30, **29**, **30**
 disk I/O monitoring and, 107–108, **107**, **108**
 memory monitoring using, 71–73, **72**, 92
 sb_max parameter in tuning network I/O, 159
 scanning memory, lrubucket and, 88–89, **89**, 93
 sched_R and sched_D, CPU tuning using, 50, **50**
 schedo, 55, 56, 66
 AIX 6.1 and, 175, 176
 CPU tuning using, 48–50, **49–50**, 88, 179
 memory tuning using, 91, 92
 schedtune, 66, 91
 scheduler tuning, 5–6
 security, AIX 6.1 and, 175
 SEMMSL parameter, Linux on Power (LoP)
 tuning using, 202
 sequential I/O, 128
 servers
 minimum/maximum numbers and I/O, 127
 network I/O and, tuning, 164–165
 virtual I/O (VIOs), 141, 168, 169
 shared partitions, 67
 SHMMAX parameter, Linux on Power (LoP)
 tuning using, 202
 simultaneous multithreading (SMT), 13, 24
 smctl, 55
 SMIT. *See* System Management Interface Tool
 (SMIT)
 smtctl, 56
 CPU tuning using, 53, **53**, 53
 Solaris, 9

- splat, 5
 - CPU monitoring using, 25
 - CPU tracing using, 39
 - spray, network I/O monitoring using, 148, **148**
 - stack, I/O, 99–100, **100**
 - Statspack, 194, **195**
 - storage area networks (SANs)
 - disk I/O and, 126
 - Oracle and, 194
 - stress testing, 4–5, 18
 - strict_maxclient, AIX 6.1 and tuning in, 178
 - Sun Microsystems, 136
 - svmon
 - AIX 6.1 and, 176
 - leaks in memory monitored with, 77–79, **78**, **79**, 92, 93
 - memory monitoring, using, 74–77, **75**, **77**
 - swapping in memory, 65–66
 - symmetric multiprocessing (SMP), 8
 - symmetric multithreading (SMT), 8, 13, 24, 55, 56, 192
 - Linux on Power (LoP) and, 201
 - syncd daemon, disk I/O tuning using, 123
 - sysctl, Linux on Power (LoP) tuning using, 202
 - System Global Area (SGA), Oracle, 83, 190
 - system layers, 103–104, **103**, 103
 - System Management Interface Tool (SMIT), 105
 - network I/O and, 161
 - System p, 57
 - SystemTap, Linux on Power (LoP) and, 199
- T**
- TCP/IP, layers of, 134, **135**, **138**
 - tcp_nodedelyack parameter in tuning network I/O, 160
 - tcp_sendspace/tcp_recvspace parameter in tuning network I/O, 158, 164, **164**, 168
 - tcpdump, network I/O monitoring using, 156, **156**, 168
 - testing/test environments, 56
 - thewall, network I/O tuning using, 157–158, 159–160
 - Thompson, Ken, 7, 17
 - thrashing, 87–88, 91
 - memory and paging and swapping and, 65–66
 - memory tuning and, 87–88
 - page space allocation/tuning and, 87
 - thread management
 - CPU, 45
 - network I/O tuning and, 162
 - time, CPU timing using, 41, **41**
 - timeslice, CPU tuning using, 51–52, **52**
 - timex, CPU timing using, 42, 42–43
 - timing tools, CPU, 41–43
 - Tivoli Monitoring System, 57
 - top, Linux on Power (LoP) monitoring using, 200
 - topas, 4, 55, 56, 67
 - AIX 6.1 and, 176
 - CPU monitoring using, 25, 35–36
 - CPU tuning with, 24
 - disk I/O monitoring using, 107, 108–111, **109**, **110**
 - memory monitoring using, 67, 92
 - network I/O monitoring using, 148, 149, 167
 - trprof, 5, 56, 146
 - CPU tracing using, 39–41, **40**, **41**
 - trace, 5
 - CPU tracing using, 39
 - network I/O and, 146, 152
 - tracing tools, CPU, 39–41
 - Translation Lookaside Buffer (TLB), 190
 - Transmission Control Protocol (TCP), 135–136, 164. *See also* TCP/IP
 - trcrpt, CPU tracing using, 39
 - trestop, 146, **146**, 152
 - trpof, AIX 6.1 and, 176
 - tuning, 5–6
 - CPU, 45–54
 - disk I/O and, 119–123
 - Linux on Power (LoP) and, 202–204
 - memory, 81–90
 - network I/O and, 157–165
- U**
- udp_sendspace/udp_recvspace parameter in tuning network I/O, 158
 - Uniplexed Information and Computing Service.
See Unix
 - Unix, iii–iv, 7–8, 9, 11, 17
 - upgrading, 18

use_ismo parameter in tuning network I/O, 161, **161**
 User Datagram Protocol (UDP), 135–136, 164

V

variable page size support (VPSS), 178
 virtual I/O servers (VIOs), 141, 168, 169
 virtual memory, 173
 Virtual Memory Manager (VMM), 61, 63–64, 67, 91
 direct I/O and, 101
 disk I/O tuning using, 122–123
 early allocation of paging space and, 189
 free list in, 64
 network I/O and, subsystem memory and, 141
 network I/O tuning using, 162, 169
 Oracle and, 189–190
 page space allocation for, 189–190
 paging in, 65–66, 91
 summary of statistics for, using vmstat, 71, **71**
 thrashing and, 65–66
 Translation Lookaside Buffer (TLB) and, 190
 tuning of, 66
 variable page size support (VPSS) in, 178
 vm_default_pspa parameter in, 178–179, **179**
 vmm_mpsize_support parameter in, 178
 vmo for, 66
 vmtune for, 66
 virtualization, 6, 8, 14, 17, 18, 141, 169, 175
 Linux on Power (LoP) and, 201
 vm.nr.hugepages parameter, Linux on Power (LoP) tuning using, 202–203
 vm_default_pspa parameter, 178–179, **179**
 vmm_mpsize_support parameter, 178
 vmo, 66
 AIX 6.1 and, 175, 176

AIX 6.1 and, memory tuning using, 177–179, **177, 178, 179**
 memory tuning using, 81–82, 91, 92, 93, 190–191, **190, 191**
 Oracle, memory tuning using, 190–191, **190, 191**
 vmstat, 4, 55, 67, 78, 81, 133
 AIX 6.1 and, 176
 CPU monitoring using, 25–29, **26, 28**, 29, 30
 CPU tuning with, 24
 Linux on Power (LoP) monitoring using, 200
 memory monitoring using, 67–70, **69, 70**, 92, 93
 memory tuning and, 91
 vmtune, 66, 91

W

w, 55
 CPU monitoring using, 31, **31**
 wide area networks (WANs), 136. *See also* network I/O
 working segments of memory, 64, 91
 workload analysis, 55
 workload balancing, 5, 87–88, 93
 Workload Manager, 55
 workload partitions (WPARs), 8–9
 AIX 6.1 and, 176
 wsize, network I/O tuning using, 163–164

X

X/OPEN, 7
 XDR. *See* External Data Representation (XDR)

Z

zombie processes, 56