

# Index

## A

ADDRESS service program, sending email  
from RPG program and, 131

ADO DB, real-time integration between PC  
and IBM i apps and, 39

agents, Lotus Domino, 21

ALL authority level, 14, 16–17

ALWOBJDIF, 18

Apache, 5, 141, 142

area charts. *See* column, line, and area chart  
creation

authority levels, 14, 16–17, 18

granting and revoking, 18

authority-checking process, 14–17

authorization lists, 13–18

authority levels used in, 14, 16–17

authority-checking process for, 14–17

benefits of using, 18

FTP file transfers and, 13–18

objects and, ALWOBJDIF, 18

working in, WRKAUTL in, 17

AUTL authority, 15

automate data transfers using FTP, 9–18. *See*

*also* automate FTP via LotusScript

authority levels used in, 14, 16–17

authority-checking process for, 14–17

authorization lists in, 13–18

auto-start mode for FTP server in, STRTCP  
in, 10

batch transfers in, 11–12

case sensitivity of commands in, 13

checking start mode of FTP server in,  
CHGFTPA in, 10

commands used in, 12–13

security in, 11, 12, 34

starting the FTP server, batch file for, 11–12

starting the FTP server, STRTCP and auto-  
start mode for, 10

stopping the FTP server, ENDTCPSPVR in,  
10

testing the connection in, 11

user names and passwords in, 11, 12

automate FTP via LotusScript, 19–30. *See also*

automate data transfers using FTP

agent creation in Lotus Domino, 21

agent for, complete code for, 26–28

declarations section of script for, 22–23

document selection in, 22

FOR cycle to process incoming email in,  
24–25

initialization procedure for, 23

Lotus Domino mail servers and, 19

LotusScript primer for, 20

processing the files in, 25

RMTCMD and REXEC commands in, 28–30  
 sorting emails into folders and, 19–20

## B

bar chart creation, 207–220  
 Bars of Stuff example in, 293–297  
 clearing the arrays in, 219  
 columns and rows in, 209–210, 217  
 data table in, 209–210  
 example of, 208  
 GenBarChart in, 211–216  
 Google API for, 207  
 header and footer sections in, 211, 217,  
 218–219  
 HTML file code for, 208–209  
 IF statement to test for errors in, 219  
 invoking GenBarChart in, 219  
 Piles of Money chart in, 297–301  
 rows in, 211, 217–218  
 Table API and chart interaction using,  
 301–313  
 titles for columns and horizontal axis in, 216  
 TSTGENBAR1 sample program for, 219  
 Bars of Stuff bar chart, 293–297  
 behaviors, in Java, 143–144  
 binding directory for service programs, 77  
 BLOBs, 321–334  
 Blob\_In for, 323–324, 325, 327  
 Blob\_Out for, 324–325, 329  
 creation of, 322  
 DB2 database and, uses of, 321–322  
 DDS caveats for, 322  
 definition of, as a nonnative object, 321  
 error handling for, 329  
 file and library names in, 334  
 file ID for, 325, 327, 329  
 file options used with, 325  
 generating a chart from, 331–333  
 Google charting API used with, 331–333  
 input parameters required for, 325  
 INSERTing, 324  
 Rtv\_File\_From\_Archive in, 328–329  
 SELECTing, 325  
 size of, 322

Snd\_File\_To\_Archive in, 325–327  
 SQFOVR in, 325  
 SQFRD and, 325  
 SQLTYPE(BLOB\_FILE) in, 323, 324  
 table created to store, the report archive, 322  
 TST\_RTV program for, 330–331  
 TST\_SND program for, 329–330  
 uses for, 321–322  
 Boolean variables, 3  
 BOSS PlaceFinder Web Service, 360

## C

CFGTCPSMTP, 135  
 CGIDEV2, 4, 189, 190  
 charts created in real-time and, 189, 190  
 CHANGE authority level, 14, 16–17  
 charts created in real-time, 189–320  
 bar chart creation in, 207–220, 293–297. *See also* bar chart creation  
 BLOB files used for, 331–333  
 CGIDEV2 in, 189, 190  
 column and line chart combo in, 290–293  
 column chart example in, 278  
 combo chart in, 285–293  
 Excel and, 190  
 gauge chart in, 251–263. *See also* gauge chart creation  
 geo map chart (GPS mode) in, 220, 239–251.  
*See also* geo map chart creation  
 geo map chart (location name mode) in,  
 220–239. *See also* geo map chart creation  
 Google APIs for, 190, 320. *See also* Google APIs  
 intensity map (heat map) chart in, 278–285.  
*See also* intensity map creation  
 line chart example, 277  
 pie chart in, 190–207, 333. *See also* pie chart creation  
 Piles of Money chart in, 297–301  
 SAP Business Objects and, 190  
 Table API and chart interactions in, 301–313.  
*See also* Table API and chart interactions  
 tooltips and hover text in, 220, 229, 238

- tree map charts in, 313–320. *See also* tree map chart creation
  - CHGFTP, 10
  - CHGLIBL, 46, 47
  - CHGTCPDMN, 135
  - classes, in Java, 143–147
  - Code Playground, Google, 301
  - column and line chart combo, 290–293
  - column, line, and area chart creation, 263–278
    - column chart derived from, 278
    - columns in, 263–264
    - example of, 276
    - GenCLChart in, 266–271
    - Google API for, 263
    - Google corechart package and, 272
    - HTML files for, 263
    - line chart derived from, 277
    - looping through rows and cells in, 271–272
    - matrix style data in, 271
    - selecting the type of chart in, 272
    - template for, 264–266
    - TSTGENCLA1 in, 272, 273–276
    - TSTGENCLA2 in, 272, 277
    - TSTGENCLA3 in, 272
    - values in cells, and missing values, 272
  - combo chart creation, 285–293
    - column and line chart combo in, 290–293
    - Combo.tpl template for, 288–289
    - customizing the two sets of data in, 289
    - Google API for, 286
    - HTML code for, 286–287
    - option selection and setting in, 289
    - options declaration in, 287–288
    - TSTGENCMB1 in, 290–293
    - TSTGENCMB2 in, 290–293
  - compilation, 3–4
    - binding directory for service programs in, 77
    - generic instructions for, 3–4
    - program, 4
    - RPGLE module, 3
    - service program, 4
    - SQLRPGLE module, 3
  - complex element, in GPS-enabled database, 347
  - configuring IBM i to send email, 131, 135–138. *See also* SMTP server
  - constants, 3
  - constructors, Java, 146
  - Country Code and Country Info Web service 375–395
  - CPYFRMIMPF, 31
    - importing CSV files with file corrections and, 90, 93–94
  - CPYTOIMPF, 181
  - CPYTOPCD, 103
  - CSV files, 2. *See also* import CSV files with file correction
    - IFS tool for, 5, 83
  - CVTSPLFPDF, 121
- D**
- data transfer, FTP automation for. *See* automate data transfers using FTP
  - DB2 database, BLOBs and, 321–322. *See also* BLOBs
  - DBH\_INV service program, importing CSV files with file corrections and, 72–78
  - DSPFFD, 82, 126
- E**
- EasyXLS cheat sheet for legacy printouts transformed into Excel files, 183–187
  - email
    - agents in, Lotus Domino, 21
    - automate FTP via LotusScript in, 19–30. *See also* automate FTP via LotusScript
    - configuring your IBM i system to send, 131, 135–138. *See also* SMTP server
    - sending from RPG programs. *See* send email from RPG program
    - SMTP server and, 135–138
    - sorting by subject. *See* automate FTP via LotusScript
  - ENDTCPSVR, 10
  - Excel
    - charts created in real-time and. *See* charts created in real-time
    - POI-HSSF and, 4–5

transform legacy printouts in. *See* legacy printouts transformed into Excel files  
 EXCLUDE authority level, 14, 16–17  
 EXECCMD, 205

## F

Ferreira, Paulo, 141  
 fields, Java, 144–147  
 file transfer, 2  
     PC text files to IBM i physical file. *See* PC text file transfers to IBM i physical files  
 Find Nearby Points of Interest Web service, 396–409  
 Find Nearby Wikipedia Entries Web services, 409–420  
 Flash chart generator, for geo map chart (GPS mode), 251  
 FTP  
     automating data transfer using. *See* automate data transfers using FTP  
     automation via Lotus Script, 19–30. *See also* automate FTP via LotusScript  
     security issues in, 11, 12, 34  
     text file to physical file transfers using, 31–35. *See also* PC text file transfers to IBM i physical files  
 functions, 3

## G

gauge chart creation, 251–263  
     customization in, 263  
     example of, 260  
     Gauge.tmpl template for, 252–254  
     GenGaugeChart in, 254–258, 262  
     Google API for, 251  
     HTML file for, 251–252  
     QCPYLESRC in, 260  
     Retrieve System Status (QWCRSSTS) used in sample for, 259, 260  
     TSTGENGAU1 program in, 258–259  
     TSTGENGAU2 program in, 259–263  
     WRKSYSSTS in, 259  
 GCHARTS folder, 202  
 GenBarChart, 211–216

GENCHRT service program, 285  
 GenCLASChart, 266–271  
 generic compilation instruction, 3–4  
 GenGaugeChart, 254–258  
 GenMapChart, 220, 223–227  
 GenMapGPSChart, 220, 241–245  
 GenPieChart, 196–200  
 GenTreeMapChart, 317  
 Geo Chart API, 251  
 geo map chart (GPS mode), 220, 239–251  
     colors in, RGB notation and, 250  
     column title in, 245  
     columns in, 240  
     customization of, 250  
     example of, 249  
     Flash chart generator and, 251  
     GenMapGPSChart for, 220, 241–245  
     Geo Chart API in, 251  
     GeoMapGPS.Tmpl for, 240–241  
     Google API for, 239–240  
     GPS coordinate system in, 239  
     latitude and longitude in, 240, 246  
     options selection and setting in, 241  
     rows in, 245–246  
     template for, 240  
     TSTGENMAP3 program in, 246–248  
     TSTGENMAP4 program in, 249–250  
     Visual Playground (Google) and, 250  
 geo map chart (location name mode) creation, 220–239  
     colors and patterns in, 236–238  
     columns for, 220  
     dynamic option handling in, OptionsBegin, Options, OptionsEnd in, 231–232  
     example of, 235–236  
     GenMapChart for, 220, 223–227  
     GeoMap.Tmpl template for, 222–223  
     Google API for, 220  
     header and footer sections in, 223, 229, 232–233  
     HoverColumn and HoverRow in, 223, 230  
     HTML sample code for, 221  
     location name selection for, 220

- options and option selection/setting in, 222, 228, 231, 239
  - parameters for, 228
  - processing input for, 229
  - rows in, 223, 230–231
  - tooltips and hover text in, 220, 229, 238
  - TSTGENMAP in, 233–234
  - zoom-in feature, 236
  - geo-referencing, 2
  - geocoding, 337. *See also* GPS-enabled database
  - Geographic Information System (GIS)
    - applications, 360
  - GeoMapGPS.Tmpl, 240–241, 240
  - GeoNames Web services, 361–421
    - Country Code and Country Info Web service and, 375–395
    - database of, data included in, 361–362
    - Find Nearby Wikipedia Entries Web services and, 409–420
    - list of, 361–362
    - registering as a user for, 362
    - REST Web services and, 361–362, 409
    - SOAP Web services and, 362
    - Time Zone Web service and, 362–375
    - Web services orchestration in, 362
  - Google APIs, 320
    - bar chart creation and, 207
    - charts created in real-time using, 331–333
    - Code Playground and, 301
    - column, line, and area chart creation and, 263
    - combo chart creation and, 286
    - corechart package in, 272
    - gauge chart creation and, 251
    - Geo Chart API in, 251
    - geo map chart (GPS mode) and, 239–240
    - geo map chart (location name mode) and, 220
    - intensity map (heat map) chart creation and, 279–280
    - pie chart creation and, 190
    - Table API in, 301
    - tree map creation and, 314
    - Visual Playground for, 250, 263, 293
  - GPS location for geo map charts, 220
  - GPS-enabled database, 337–360
    - accuracy of, 340
    - Application ID creation to use Web services in, 338–339
    - complex element in, 347
    - creating a temporary IFS file for, 343–344
    - data structures for, 345–348
    - encoding the request for, 342–343
    - End\_And\_Return in, 350–351
    - error handling in, 349, 350
    - extracting the GPS coordinate in, 349
    - firewall rules and Internet connection in, 338
    - formatting the input address for, 342–343
    - geocoding and, 337
    - Geographic Information System (GIS)
      - applications and, 360
    - HTTP API in, 338
    - HTTP API library installation for, 339–340, 339
    - invoking the Web service for, 341, 343
    - Log\_Status, 352
    - multiple results from input data in, 360
    - Qualified keyword in, 350
    - quality issues and address format in, 359
    - request processing in, 341
    - REST services in, 337
    - ResultSet data structure in, 348
    - retrieval of Application ID for, 341–342
    - RtvGpsFrmAddr in, 345, 347, 350, 352–359, 360
    - steps to create, 338
    - XML file processing in, 344–345
    - XML returned from URL in, 345–346
    - XML-INTO in, 337, 338, 344–345, 349
    - Yahoo BOSS PlaceFinder Web Service in, 360
    - Yahoo PlaceFinder API for, 338
    - Yahoo Web service and, 337
- H**
- heat map. *See* intensity map (heat map) chart creation
  - HSSF, legacy printouts transformed into Excel files and, 141

HTTP API, GPS-enabled database and, 337, 338

## I

IDBType variable for multiple database connections, 44–45

IFS, 2

IFS folder names, 202

IFS tool, 5, 83

import CSV files with file correction, 53–98

binding directory for service programs in, 77

blank spaces in fields and, using W\_Line, 86

business rule enforcement in, 76–77

Chk\_InputLine subroutine in, to find

common errors, 84–85, 90

ChkInInvRec procedure in, 73–75

Convert\_Fields subroutine in, 66–67

COPY\_CSV\_PF subroutine in, copying data to temporary file, 63–64

correcting errors in the CSV files, CSVPRC

service program for, 78–95

counter in, W\_TotErr in, 69

CPYFRMIMPF command in, 90, 93–94

Crt\_OutputCSV subroutine in, to create the CSV output file for, 91–93

CSVPRC service program in, 78–95

CvtItnID function in, 72–73

DADLYTIM data area adjustments for CSV

file size in, 63

data area loading and preparation in, 55–56

date fields in, 91

DBH\_INV service program in, 72–78

DEL\_CSV subroutine in, 70

DSPFFD (Display File Field Description) command in, 82

End\_Of\_Program subroutine in, 94–95

Excel file for, 70

field names in, copy and paste, 75

FTP transfer process in, STRPCCMD to start, 62

IFS tool in, 83

Init subroutine for CSVPRC in, 79–80

inverted comma path indicator in, 94

INVIMP program for, 54

Load\_Inv\_PF subroutine in, loading data to inventory file in, 65–66, 68

Load\_Paths subroutine for, 56

main program analysis in, 54–71

numeric fields in, 90–91

numeric fields in, using RecCount function for, 85

Open and Close functions in, 83

P\_DecimalSep parameter in, 78

P\_FieldSep parameter in, 78

P\_InputCSV parameter in, 78, 83

P\_OutputCSV parameter in, 78

P\_RunCopy parameter in, 78

PFIN\_INV file in, input, 66, 68

PFOUT\_IE file in, output, 66, 68

Prc\_CSV subroutine in, for processing CSV files, 82–83

Prc\_Flds subroutine in, compare and correct process for, 88–90

Prc\_InputLine subroutine in, for splitting file lines into usable fields, 86–88

Prepare statement in, 98

Process\_Path subroutine for, 57–58

production system confirmation, ProductionSys function in, 62

QUSLFLD API in, 82

ReadLine and WriteLine functions in, 83–84, 91

RecCount function in, 95–98

RTV\_Delay and Delay\_FTP subroutines in, 62

RTV\_FFD subroutine in, for field checking, 80–82

Run\_Copy subroutine in, 93–94

RunSQL subroutine in, 98

screen showing during FTP transfer/delay, 62–63

screen showing while CSV file is checked, 64

Select Count statement in, 98

send email of file list from the RPG program.

See import CSV files with file correction separator characters in, 90

Snd\_Errors\_EMail subroutine in, 70–71

- special characters/symbols in, 85, 90
  - SQLPRC service program in, 95–98
  - step-by-step process for, 54–71
  - time required for CSV file transfer in, 62
  - Transfer\_File subroutine in, 61–62
  - validation of fields in, 75–76
  - Vid\_Load\_File subroutine for, validation in, 59–61
  - Vid\_Screen subroutine for, showing the files onscreen, 58–59
  - Vld\_Fields subroutine in, 68–69
  - W\_Error in, 66–68, 93
  - W\_FieldDef.FieldType in, 91
  - W\_Line variable in, 91
  - Wrt\_OutputLine subroutine in, output to the CSV file, 91
  - WrtUpdInvRec in, 76–77
  - import files, CPYFRMIMPF, 31–35
  - INSERT, 324
  - integration between PCs and IBM i. *See* real-time integration between PC apps and IBM i, 37–52
  - intensity map (heat map) chart creation, 278–285
    - customization in, 285
    - example of, 282
    - GENCHRT service program and, 285
    - getting data for, 282, 285
    - Google HTML in, 279–280
    - IntMap.tmpl template for, 280–281
    - MobilePhonesIntMap.HTML in, 285
    - naming countries and states in, 285
    - source code for, 283–285
    - TSTGENINM1 in, 281
    - TSTGENINM2 in, 285
  - INVIMP program, importing CSV files with file corrections and, 54
- J**
- Java, 141, 142–145
    - class and object orientation in, 143–147
    - constructors in, 146
    - fields and methods in, 144–147
    - keywords in, 147
    - method calls in, 145–146
    - objects in, 143–147
    - POI-HSSF and, 4–5
    - RPG and, licensed programs needed for, 147
    - RPG support for, 145–147
    - schematics in, 143–144
    - states and behaviors in, 143–144
    - versions of, 147
    - websites of interest for, 145
- K**
- key lists, 3
  - keywords, Java, 147
  - Klement, Scott, 4–5, 83, 142, 337, 338
- L**
- LeasePlan Portugal, 141
  - legacy printouts transformed into Excel files, 141–187
    - borders in, 156–157
    - cell types and styles in, 163
    - ColHeading in, 155–157
    - colors in, 156–157
    - column titles in, 158
    - CPYTOIMPF command in, 181
    - CreateCellStyle in, 153–155, 161, 163, 172
    - data types in, 149
    - Do loop in, 172
    - easy way to, 162–177
    - easier way for, 177–182
    - EasyXLS cheat sheet for, 183–187
    - EndXls in, 160–161, 162, 174
    - FileToXls in, 177, 178–182, 184
    - font selection and size in, 156–157
    - FormatColumns in, 151–152, 161
    - header row in, 157
    - HSSF APIs in, 141–142, 172
    - HSSFSheet\_CreateRow in, 160
    - HSSFSheet\_SetColumnWidth in, 152
    - IniXls in, 149–151, 161, 162
    - Java method calls in, 145–146
    - Java used in, 142–145
    - object creation in, 151
    - output spreadsheet to disk in, 164

P\_Type and P\_Style in, 172  
 physical file written to workbook, code for, 187  
 RPG support for Java and, 145–147  
 sample code for, 174–177, 185–187  
 template or existing spreadsheet as starting point for, 162–177  
 two-sheet example in, 174–177, 185–187  
 USROPN keyword in output file in, 177  
 variables defined for, 148–149  
 workbook and sheet creation in, 149–151  
 writing data in, 172  
 WrtXls in, 158–160, 161, 162  
 XlsCrtBook in, 162, 166, 165, 183  
 XlsCrtSheet in, 162, 166–168, 183  
 XlsWrtBook in, 163, 164, 172–174, 184  
 XlsWrtLin in, 163–164, 169–172, 181, 183–184  
 library lists, in real-time integration between PC and IBM i apps, 45–47  
 line charts, 277. *See also* column, line, and area chart creation  
 logical files, 3  
 Lotus Domino mail servers, 19–30. *See also* automate FTP via LotusScript  
 LotusScript, FTP automation using, 19–30. *See also* automate FTP via LotusScript  
 LotusScript primer, 20

**M**  
 methods, Java, 144–147  
 Microsoft Windows, 2  
 Mime and Mail (MMail), 4, 106, 120, 190  
   sending email from RPG program and, 128, 131, 133–134  
 MIME files, 4, 106  
 MISC service program, sending email from RPG program and, 131  
 MMail. *See* Mime and Mail (MMail)  
 MMAILSND service program, sending email from RPG program and, 131  
 MobilePhonesIntMap.HTML, 285  
 modules, 3

Multipurpose Internet Mail Extension. *See* MIME files; Mime and Mail (MMail)

**N**  
 naming conventions, 3

**O**  
 objects, in Java, 143–147  
 ODBC, real-time integration between PC and IBM apps using, 37, 38, 43–45  
 open source tools, 2, 4–5  
   CGIDEV2 as, 4, 189, 190  
   IFS tool as, 5, 83  
   Mime and Mail (MMail) as, 4, 106, 120, 190  
   POI-HSSF as, 4–5  
 orchestration, in Web services, 362

**P**  
 PAEZIP, sending email from RPG program and, 127  
 parameter variables, 3  
 passwords, FTP servers and, 11, 12  
 PC text file transfers to IBM i physical files, 31–35  
   Copy From Import File (CPYFRMIMPF) command in, 31–35  
   declaring a user-open file for, 34  
   delimited text files in, 32–34  
   drawbacks to FTP in, 34  
 PCs, real-time integration with IBM i. *See* real-time integration between PC apps and IBM i, 37–52  
 Perotti, Giovanni B., 4, 106  
 physical files, 3  
   text files transferred to. *See* PC text file transfers to IBM i physical files  
 pie chart creation, 190–207  
   associating data to the blank chart in, 194  
   BLOB data used in, 333  
   clearing the array in, 201–202  
   closing the function in, 195  
   columns and rows of data to include in, 193–194  
   copy members in, 204–205



- data table for, 205–206
  - displaying the chart in a browser window in, 206
  - drawing the chart in the browser window for, 194, 206
  - example of, 206
  - EXEC CMD in, 205
  - Footer section for, 201, 202
  - GCHARTS folder in, 202
  - GENCHRT\_PR in, 204–205
  - GenPieChart RPG procedure for, 196–200
  - Google API for, 190, 192
  - green screen data vs., an example of, 191
  - Header section for, 200–201
  - HTML code for, 200
  - IFS folder names in, 202
  - parameters used in GenPieChart in, 200
  - real-time creation of, using GenPieChart, 196–200
  - rows of data for, 205–206
  - slice title and names in, 206
  - slices of pie/rows of data in, 201–202
  - step-by-step through the code for, 193–195
  - STRPCCMD in, 206
  - template for, source code for, 195–196
  - title for, 205
  - TST\_GENPIE and TSTGENPIE1 programs in, 202, 203–204
  - values for, 194
  - variable declaration in, 204
  - Piles of Money chart, 297–301
  - PlaceFinder API, Yahoo, 338
  - PlaceFinder Web Service, 360
  - POI-HSSF, 4–5. *See also* HSSF
  - printer files, 2
  - printouts, transform legacy printouts to Excel files. *See* legacy printouts transformed into Excel files
  - PRIVATE authority, 18
  - procedures, 3
  - programs, compilation command for, 4
  - PUBLIC authority, 15, 16
- Q**
- QCMDEXC, 205, 206
    - real-time integration between PC and IBM i apps and, 48
    - sending email from RPG program and, 134
  - QCPYLESRC, 260
  - QRPGLSRC, 146
  - QSYSINC, 146
  - QUSFLD API, 82
  - QWCRSSTS, 259, 260
- R**
- real-time integration between PC and IBM i apps, 37–52
    - ADO DB connection used in, 39
    - closing files and ending program in, 49–52
    - enhancements possible for, 52
    - DBType variable for multiple database connections in, 44–45
    - library list creation in, 45–47
    - library lists in, using CHGLIBL, 46, 47
    - library lists in, using SETLIBL in, 46, 47
    - ODBC connection used in, 37, 38, 43–45
    - opening and clearing files in, 48
    - return code for, 41
    - RPG interface input and output parameters for, 38–41, 49
    - RPG program for, 45–52
    - sCall string in, 40
    - using QCMDEXC in, 48
    - validating parameters in, 48–49
    - variable declaration in, 45
    - VB code used in, 39–45
  - Remote Command servers, 28–30
  - Representational State Transfer. *See* REST Web services
  - REST Web services, 4, 337, 361–362, 409
  - REXEC command, 28–30
  - Rothman, Mel, 4
  - RPG, 2
    - IFS tool for, 5, 83
    - Java and, licensed programs needed for, 147
    - Java and, RPG support for, 145–147
    - Java versions for, 147

- sending an email from. *See* send email from
  - RPG program, 99
  - real-time integration between PC and IBM i apps and, 45–52
- RPGLE module compilation command, 3
- S**
- SAP Business Objects, 190
- SAVSECDTA, 18
- SAVSYS, 18
- schematics, Java, 143–144
- security
  - authority levels used in, 14, 16–17
  - authorization lists in, 13–18
  - FTP file transfers and, 11, 12, 34
- SELECT, 325
- send email from RPG program, 99–138
  - AddIFSFiles in, 127
  - ADDRESS service program in, 131
  - attachment type and conversion in, 103
  - CHGSPLFA command in, 106
  - cleanup in, 128–130
  - configuring your IBM i system to send email and, 131, 135–138. *See also* SMTP server
  - CPYTOPCD command in, 103
  - CSV2PF function in, 126
  - CvtLwcUpc in, 134
  - CVTSPLFPDF in, 121
  - destination arrays in, 111–115
  - distribution setup, 115–116
  - DSPFFD in, 126
  - DstMails in, 111
  - email address-related procedures in, 131–133
  - ExecCmd in, 134
  - ImpBody in, 116–117, 120–121
  - initialization for, 110
  - InternalAddr in, 106, 132
  - INVIMP and, 106
  - Mime and Mail (MMail) in, 106, 120, 128, 131, 133–134
  - MISC service program in, 131
  - miscellaneous procedures in, 134
  - MMailSender in, 128
  - MMAILSND service program in, 131
  - PAEZIP and, 127
  - parameters and work variables for, 106–110
  - preparation process in, 111
  - ProccFile in, 121–123
  - ProductionSys in, 110, 134
  - programs required to be installed for, 130
  - QCMDEXC in, 134
  - RmvPDFs in, 128–130
  - RmvSpl in, 128–130
  - RtvEmailAddr in, 106, 131
  - RtvEmailName in, 116, 131
  - RtvFlds in, 123–125
  - RtvGrpAddr in, 116, 131
  - RtvMail in, 115–116
  - RtvSeqNbr in, 119–120
  - RtvSmtprAddr in, 132
  - ScanForString in, 134
  - separator character in, 103
  - SNDDST command in, 101, 103
  - SndEmail procedure in, text email to max of three addresses, 99–101
  - SndFileByMail procedure in, email with attachment in, 101–103
  - SndMulFiles in, 71, 99, 106–130
  - SndSplfByMail in, to send spool files, 104–106
  - TrSpool in, 118–119
  - TrZip in, 126
  - WRKSPLF command in, 106
- service programs, compilation command for, 4
- SETLIBL command, 46, 47
- SMTP server, 135–138
  - alias names in, 135
  - automatic startup of, 135
  - commands used in, 135
  - distribution attributes for, 137
  - distribution queue for, 136
  - domain name of, 135
  - routing table for, 136
  - send and test send of email in, 137
  - user for, 136
- SNDDST, 101, 103
- source code, 3

SQLPRC service program, importing CSV files  
 with file corrections and, 95–98  
 SQLRPGLE, module compilation command, 3  
 states, in Java, 143–144  
 STRPCCMD, 62, 206  
 STRTCP, 10  
 STRTRCP, 135

## T

Table API and chart interactions, 301–313  
 ChartDraw in, 305  
 code for, 302  
 ComboTbl.tmpl in, 302–304  
 example of, 301  
 Footer1 in, 306  
 Footer2 in, 307  
 formatting the HTML for, 305  
 GenComboTblChart template for, 307–308  
 Google API for, 301  
 header and footer section in, 305  
 Proc routine in, 308–311  
 side by side positioning in, 312–313  
 TableDraw in, 306, 313  
 TableFooter in, 307  
 TSTGENCPT2 in, 301  
 width keyword use in, 313  
 text file to physical file transfers, 31–35.  
*See also* PC text file transfers to IBM i  
 physical files  
 Time Zone Web service, 362–375  
 tooltips and hover text, in geo map chart, 220,  
 229, 238  
 tree map creation, 313–321  
 code for, 314–316  
 columns and rows in, 316, 319  
 example of, 316  
 formatting of, 320  
 GenTreeMapChart in, 317  
 Google API for, 314  
 headers and footers, 318  
 hierarchical data organization in, 314  
 layers of data in, 316, 319  
 option selection and setting in, 316, 318,  
 320

titles in, 320  
 TreeMap.Tmpl template for, 317–318  
 TSTTREMAP1 in, 316, 319–320  
 TST\_GENPIE and TSTGENPIE1 programs,  
 202, 203–204  
 TST\_RTV, 330–331  
 TST\_SND, 329–330  
 TSTGENBAR1, 219  
 TSTGENCLA1, 272, 273–276  
 TSTGENCLA2, 272, 277  
 TSTGENCLA3, 272  
 TSTGENCMB1, 290–293  
 TSTGENCMB2, 290–293  
 TSTGENCPT2, 301  
 TSTGENGAU1, 258–259  
 TSTGENGAU2, 259–263  
 TSTGENINM1, 281  
 TSTGENINM2, 285  
 TSTGENMAP, 233–234  
 TSTGENMAP3, 246–248  
 TSTGENMAP4, 249–250  
 TSTTREMAP1, 316, 319–320

## U

USE authority level, 14, 16–17  
 user names, for FTP servers, 11, 12

## V

variables, 3  
 VB, real-time integration between PC and IBM  
 i apps and, 39–45  
 Visual Playground, Google, 250, 263, 293

## W

Walsh, Kevin J., 250  
 Web services  
 Country Code and Country Info Web service  
 and, 375–395  
 Find Nearby Points of Interest Web service  
 and, 396–409  
 Find Nearby Wikipedia Entries Web services  
 and, 409–420  
 GeoNames. *See* GeoNames Web services  
 orchestration in, 362

REST, 4, 337, 361–362, 409  
SOAP, 362  
Time Zone Web service and, 362–375  
Wikipedia Entries Web services,  
409–420  
Windows, 2  
work variables, 3  
WRKAUTL, 17  
WRKDIRE, 135, 136  
WRKSYSSTS, 259

## X

XML file processing, in GPS-enabled database,  
344–345  
XML-INTO, 337, 344–345, 349  
GPS-enabled database and, 338

## Y

Yahoo BOSS PlaceFinder Web Service, 360  
Yahoo PlaceFinder API, 338  
Yahoo Web service, 337