

Index

A

ASP.NET, 10

B

Base project. See Project, base

Billing table (SORBILL), 60

C

C#, 3, 6, 48, 92, 269

in building a Web service, 303-304, 309

scripting in SSIS, 229-230, 247-248, 252, 254-255, 258-259, 275-276

and Visual Studio, 10

Configuration, 75, 121, 298, 333-341

of connection manager, 159-160, 162-164

of DB2 connection (OLE DB), 85-86

of DWH Oracle source, 181-182

of Excel destination in export, 171-174

of Excel source in import, 205-206

of Execute SQL Task, 106, 191-192

deployment (manifest) and, 362, 363, 366-368

expressions and, 242-243

file, of SSIS project package, 33, 38, 42, 51-52, 241, 250, 298-299, 334-341, 363, 366-368

of flat file connection manager, 184-186, 198

of foreach loop container, 269, 272-273

of Oracle, 28, 81-83

of Oracle connection, 89-91

of ORD source, 179-181

of ORDORDER source, 136-137

of package logging, 215-223, 226

of package part, 260

parameters and, 49-50

project, 93

of script, 281-282

of sequence container, 289-291

of SOR DB2 source, 182-183

of SORPRODUCT, 138

of SQL Server connection, 88-89

of SQL Server instance, 18-21

and SSIS package execution, 370-371

variables and, 250, 256

of XML, 209, 213, 334

Connection manager(s), 34, 45, 99, 131, 133

adding a, 38, 85

in base SSIS project, 97, 104

configuration, 159-160, 162-164

and CSV file, in an import, 292

DB2, creating a, 85-87

DWH, 121, 123, 150, 157, 163,

168, 181, 190, 198, 204, 231,

235, 266

Excel, 171-174, 205, 238, 241,

243-244

error, in Oracle OLE DB

- installation, 78
- flat file, 158-162, 164-166, 184-186, 192-193, 199, 321
- folder, in Solution Explorer, 37-38
- HTTP, in Web service task, 315-316
- in ISPAC file (deployment), 344
- in logging, 218, 226
- Oracle, creating a, 89-91
- ORD, 111, 127, 136, 179, 208, 226, 277, 288-289
- in package execution, 370
- renaming, 91
- SMTP, 294-295
- SOR, 109, 125, 138, 157, 163, 168, 182, 190, 198, 204, 208, 231, 235
- SQL Server, creating a, 88-89
- Container(s), in a package, 38, 39, 43, 48-49
 - in commitment control, 285-287, 289-292
 - in flow control, 264-272
 - foreach loop, 268-272, 325, 328-330
 - copying, 118-122
 - in logging, 218
 - organizing flow in, 116-117
 - sequence, 248, 286-287, 289-292
- Control flow, in a package, 39-40, 50, 104-105, 108, 117, 118, 125, 216, 245, 248, 266, 268, 275, 293, 315, 335
 - in commitment control, 285-286
 - creating a package part, 259-260
 - vs. data flow, 264-265
 - defined, 264
 - in event handling, 278-280
 - view, 39-40

- Conversion of data. See Data conversion
- Conversion Wizard, 52-53, 365
- Converting a project, from project deployment to legacy package deployment model, 37, 50-53, 335, 365-366

D

- Database, mcporder_ssis, 67, 89, 227
- Data conversion, from one type to another, 111-113, 119-120, 125-126, 138, 140-141, 144, 147, 148, 151, 154, 237, 308-309
 - in an export, 168, 172, 183, 185
 - in an import, 206-207
 - shortcut tip, 139-140
- Data Definition Language (DDL), 56-57, 67, 71-73
- Data flow, 237, 244, 264, 278, 280
 - vs. control flow, 264-265
 - and export, 170, 179
 - and import, 192, 198, 209
 - merge join and, 144
 - path, 264
 - task, 48, 107-110, 115-119, 125-126, 131, 140, 157, 163, 168, 192, 198, 236, 275, 286, 320, 324
 - view, 39
- Data Markup Language (DML), 56-57, 67, 101
- Data warehouse, 55-57, 60, 75-76
 - database structure (Oracle), 68-74
 - table, 57, 68, 91-92, 101, 121, 123, 131-135, 147-150, 157
- DB2, 1, 3, 4, 9, 57, 236, 258
 - connection manager, creating, 85-88

- creating OLE DB source
 - connection to, 108-109, 115
 - generating XML in, 176-178
 - installing OLE DB providers for, 76-77
 - stored procedures and, 237
 - used for system of record (SOR)
 - database on IBM i, 55-56, 58-63, 75, 131-132, 179, 182-183, 185
 - DDL. *See* Data Definition Language (DDL).
 - Deployment. *See also* Package, deployment model and Project, deployment model
 - .ispac (ISPAC) file in, 36, 52, 344-345, 352, 355, 357, 359-360, 367
 - manual, 336, 339, 347, 366-367
 - model (package or project), 36-38, 40, 49, 50-53, 333, 335, 354, 357-368
 - of source code, to IBM i, 60-63
 - of source code, to SQL Server, 65-67
 - of SSIS project, 216, 220, 334, 341, 344-368
 - utility, 36
 - Wizard, 355-358
 - DML. *See* Data markup language (DML)
 - Downloadable code for book, 30, 56, 67, 71, 72, 101, 311
 - DSPFFD command, 63
 - DTEExec utility, 3, 215-216, 368-371
 - DTEExecUI utility, 3, 368-371
 - DWH. *See* Data warehouse
 - DWHPRODANALYSIS. *See* Data warehouse
- E**
- Entity relationship diagram (ERD), 58, 63-64, 68
 - Extract, transfer and load (ETL), 55, 101-154
 - how process works, 102-103, 111
 - package debugging, 114
 - SSIS for, 3
 - tools, 5
 - Excel (Microsoft), 1, 38, 55, 76, 155, 229
 - in file exports, 156, 168-174, 241
 - in file imports, 203-208
 - in logging, 220
 - renaming an output file, 240-247
 - with stored procedures, 233, 236-240
 - Expression Builder, 43-45, 244
- F**
- Fictitious Brewing Company, 56, 295-296
 - File, manifest. *See* Manifest file
 - Flow control. *See* Control Flow; Data Flow
 - FTP, for source code upload, 60-61
- G**
- Getting the most benefit from this book, 56-57
 - GitHub, 14-15
 - Goals of this book, 6
- I**
- IBM i, 9, 12, 58, 60-63, 76-77, 177
 - Integration Services. *See* SSIS
 - ISPAC (.ispac) file, 36, 52, 344-345, 352, 355, 357, 359-360, 367

J

Java, 2, 3, 6, 10, 31, 92, 269

L

Legacy model. See Package, deployment model

Logging, of a package, 215-223, 226

connection manager in, 218, 226

container in, 218, 226

Excel in, 220

order entry (ORD) database in, 226-227

XML in, 216-217, 220-223

M

Manifest file, 36, 344-348, 360-364

Mapping

fields (columns) 113-114, 119-120, 128-129, 160-161, 185, 207, 238

parameters, 233-235, 251

variables, 255, 271, 321

MCPress Database Agnostic

Base.dtsx, 97

Member table (SORMEMBER), 59, 64, 273

Microsoft Internet Web Server Internet Information Services (IIS), 11

MySQL, 3, 57, 75, 92

N

Naming conventions, 57, 170, 218, 225

O

ODBC, 3, 128, 233

driver installation, 76-83, 85

vs. OLE DB, 4-5

result set not supported, 268

OLE DB, 3, 136, 147-148, 150-151, 154, 157-158, 163, 165, 168, 180-182, 187, 201-202, 207, 213, 225, 283, 326

command, 125-129, 265

configuring a connection, 86-91, 106-108, 110-116

driver installation, 76-83

vs. ODBC, 4-5

stored procedures and, 232-233, 236-237, 239

used to update ORD data, 125-131

Oracle

Application Express (APEX), 29-30, 152

configuration of DWH source, 181-182

configuring, 28, 81-83

connection manager, 89-91, 121, 123, 157, 163, 168, 190, 198, 204, 231, 235, 266

database (DWH), 57, 68-74, 89-92, 101, 131-136, 147-152, 179, 181-183, 208-213

generating XML in, 175-176

installing, 27

installing OLE DB drivers for, 77-83

SQL Developer, 30

workspace, 69-71, 82, 209

Order entry database (ORD), 57, 63-65, 67, 75, 91-92, 101-104, 106
commitment control with, 288-298

in export, 179-180, 183

flow control used with, 265-278

in import, 191, 194, 208

in logging, 226-227

merging data from, into DWH,
131-152

ORDMEMBER table in, 64, 106,
111, 116, 119, 123, 129-130,
231, 236, 272, 326, 329

ORDORDER table in, 65, 67,
134, 136-137, 139-142, 144,
146, 153-154

ORDPRODUCT table in, 65,
119, 134, 146, 155, 157, 161,
163, 168-169, 172, 175, 179-
181, 191, 193-194, 197-201,
204, 207, 216, 246, 291-293

populating email records in, 122-
125

populating products table in, 118-
122

setting up as OLE DB target
database, 110-116

stored procedure used to update,
230-240, 272-274

updating data in, using OLE DB
command, 125-131

Web service used with, 303-311

P

Package, in SSIS

- commitment control and, 285-292
- configuration file. *See*
Configuration
- containers in, 38, 39, 43, 48-49
- control flow in, 39-40, 50, 104-
105, 108, 117, 118, 125, 216,
245, 248, 264-266, 268, 275,
293, 315, 335
- creation of, 34-35, 84-92
- debugging, 114-116, 161, 167,
173, 186
- defined, 3
- deployment model, 36-37, 38, 40,

- 50-53, 333, 344-347
- elements of, 48-49
- execution, 369-374
- Expression Builder and, 43-44
- logging, 215-223, 226
- Miscellaneous folder and, 38
- notification of failure for, 293-
299
- ORDImplementation, 103, 122,
129
- Package Parts folder and, 37, 38
- parameters, 49-50, 341-344
- part(s), 37, 229-230, 258-262
- properties, 41-42, 45
- reuse, 92-97, 105
- SSIS Packages folder and, 38
- SSIS Toolbox and, 40-41
- template creation, 97-99
- variables, 43-45, 47, 230, 250-
251
- views, 39-40
- Web service for a, 311, 315, 322,
331

PostgreSQL, 3, 57, 75, 92

Project, in SSIS

- base, 56, 75-99, 104, 122, 123
- entity relationship diagram (ERD)
of, 56-57
- folders, 38
- conversion of, to another
deployment model, 50-53, 335
- creation of, in Visual Studio, 34-
36
- defined, 34
- deployment of, 344-368
- deployment model, 36-37, 333,
341, 344, 367-368
- event handling in, 263, 278-293
- flow control in, 263, 264-278
- notifications in, 293-299

- overview of, showing file exports, 156
 - package part in. See Package, part(s)
 - parameters, 50, 53, 341-344
 - scripting in, 247-258
 - Web services with, 301-331
- R**
- RUNSQLSTM command, 58, 61-62
- S**
- Script task, 48
 - Script/scripting
 - C#, 229-230, 247-259, 275-276
 - DDL, for Oracle database, 71-73
 - Solution Explorer, 33, 37-38, 50, 96, 98, 103, 122, 133, 156, 163, 168, 178, 190, 198, 204, 208, 216, 231, 235, 241, 259, 266, 274, 279, 286
 - SQL Server
 - 2016, 5, 223
 - Agent, 3, 368, 371-373
 - configuration of instance, 18-21
 - creating connection manager for, 88-89
 - creating OLE DB destination connection to, 110-116
 - Data Tools (SSDT), 3, 9, 24-27, 34, 36, 51-52, 93, 341, 347-355, 357-359, 369-370
 - Developer Edition, 9, 12
 - Installation Center, 15, 21-22, 24
 - installing, 12-18
 - Management Studio (SSMS), 9, 21-23, 30, 65-67, 197, 302, 340, 347, 350-351, 360, 364-366, 371, 373-374
 - used for ORD database. See Order entry database (ORD)
- versions, 5
- SquirrelL, 31
 - SQL Server Data Tools (SSDT). See SQL Server, Data Tools (SSDT)
 - SQL Server Integration Services (SSIS)
 - benefits, 2
 - common elements used in a package, 48-49
 - deployment model. See Package, deployment model; Project, deployment; and Project, in SSIS
 - getting started with, 34-36
 - overview of, 3-5
 - package. See Package, in SSIS
 - project. See Project, in SSIS
 - scripting, with C#, 229-230, 247-259, 275-276
 - solution, described in the book, 6, 30, 36, 50, 92, 96, 215, 230
 - Toolbox, 40-41, 104, 108, 142, 145, 174, 208, 247, 260, 262, 293, 315, 328
 - SSMS. See SQL Server Management Studio (SSMS)
 - System of record (SOR), 55, 57-63
- T**
- Table
 - billing (SORBILL), 60
 - member (SORMEMBER), 59, 64, 109, 119, 124-125, 267
 - product analysis (DWHPRODANALYSIS), 68-74
 - product (SORPRODUCT), 59-60, 65, 116, 119, 135-136, 138-141, 143-144, 154, 176, 179,

183

Template

- loading the base package, 103-104, 122, 133, 156, 163, 168, 178, 190, 197, 204, 208, 231, 235, 266
- package, creating a, 97-99
- Visual Studio Business Intelligence, 27, 34

V

Variable(s), 42-46, 128, 234, 241-243, 246-251, 254-256, 259, 267, 298

- and configuration, 250, 256, 335, 337-339, 344
- and mapping, 255, 270-271, 321
- package, 43-45, 47, 230, 250-251
- scope, 43
- system, 43, 251, 258, 296
- user-defined, 43
- with Web services, 318-319, 323, 326-330

Visual Studio, 10, 24, 31, 84, 94, 99, 248, 259

- 2015 Community Edition, 9-12, 311
- for Applications, 252, 256
- for building Web services, 303-304, 309, 311
- Business Intelligence template, 26-27
- code structure in SSIS, 92-94
- for deploying or managing an SSIS package, 347-355, 358
- Dev Essentials account, 12
- Oracle Developer Tools for, 81
- configuration file and, 334, 337, 338
- in data export, 178-187
- in data import, 208-213

SQL Server Data Tools for (SSDT). *See SQL Server Data Tools (SSDT)*

W

Web service(s), 75, 265

- communication with SSIS and, 301-331
- for a package, 311, 315, 322, 331
- used with a project, 303-311
- used with order entry (ORD) database, 303-311
- Visual Studio used to build a, 303-304, 309, 311
- WCF Test Client, for debugging, 310-314
- XML in a, 301-303, 314, 316, 327

Windows Communication Foundation (WCF), 303-304, 309-310

- Test Client, for debugging a Web service, 310-314

X

XML, 3, 55, 76, 156, 240, 268

- configuration file and, 334, 337, 338
- in data export, 178-187
- in data import, 208-213
- generating using SQL, 174-178
- in logging, 216-217, 220-223
- in a Web service, 301-303, 314, 316, 327