

Index

#

11111111, 109, 112, 118, 119
22222222, 109, 111, 112, 119

A

Access Client Solutions (ACS), 39, 45, 99, 156, 158, 207, 210, 215, 226, 227–229, 278, 329, 368, 401
Access control, 4, 5, 6, 14, 142, 132, 147, 203, 226, 244, 246, 252, 341, 398, 399, 403, 404.
See also Row and column access control (RCAC); Role-based access
Active Directory (AD), 10, 18, 75, 213, 399
*ADD, 94, 133, 134, 135, 146, 171, 191, 192, 193, 364
Add Community for SNMP (ADDCOMSNMP), 222
Add Server Authentication Entry (ADDSVRAUTE), 223, 226
ADDCOMSNMP, 222
ADDSVRAUTE, 223, 226
Administration. *See* Security administration
Adopted authorities, 148–152, 348–349, 175–176, 177
Advanced Encryption Standard (AES), 199
AIX, 218, 380
Algorithms, encryption. *See* Encryption
*ALLOBJ, 6–7, 22, 23, 29–31, 41, 42, 55, 79, 82–85, 144–146, 148, 150, 151, 153, 157, 160, 163, 175, 176, 185, 186, 192, 203, 233, 245, 259, 261, 265, 266, 267, 269, 271, 281–293, 295, 300, 307, 310, 322, 327–330, 336, 337, 340, 344, 345, 354–357, 365, 366, 368, 371, 372, 374, 401–403, 407–409
Allow Object Differences (ALWOBJDIF), 285
ALWOBJDIF, 285

Analyze Default Password (ANZDFTPWD), 285
Analyze Profile Activity (ANZPRFACT), 95
Annual security assessments, 373–375
Anonymous FTP, 216–217
ANZDFTPWD, 285
ANZPRFACT, 95
Application Administration, 85, 155–158
Application programming interfaces (APIs), 100, 155–156, 177, 178, 263–264, 271
Application-only access, 262
Asymmetric keys, 198, 199, 209
Audit journal, 24, 25, 128–129, 62, 64, 67, 68, 69, 125, 126, 127, 165, 166, 176, 180, 225, 250. *See also* Auditing
*AUDIT, 22, 23, 82, 83, 275, 276, 277, 279, 283, 290, 300
Auditing, 28, 29, 30, 61–69, 76, 83, 176, 226, 250, 266, 281, 290, 292, 293, 295–326, 344, 345, 383, 384, 385, 398–409
Auditors, tips for, 398–409
AUTCHK (Authority Check) parameter, 190–195
Authentication Add Server Authentication Entry (ADDSVRAUTE), 223, 226
Authorities, 94, 129–134, 135, 136–137, 142–152, 167–168, 171–179, 187, 190–193, 267, 271–272, 282–293, 327–338, 348–349, 356, 362, 364, 365, 366, 371–372
*PUBLIC, 137–142, 179, 269–270
save/restore functions and, 152–153
special, 375–376, 401–402, 403–404
Authority, determining the source of, 330–331
Authority cache, 148
Authority collection, 328–338
Authority failure, debugging, 330
Authorization lists, 142–144

- Authorization schemes, 258–267
- *AUTLMGT, 133, 171
- autostart, 213–214, 224, 228, 235, 286, 274, 405
- Availability of data, 3
- Awareness. *See* Security awareness program
- B**
- Backup and recovery, 387. *See also* Incident recovery plan
- Backup, Recovery, and Media Services (BRMS), 156, 157, 204, 205, 224, 361
- Best practices, 1, 15, 202, 204, 208, 252, 370, 407
- BOSS option 47, in RCAC, 159, 166
- Bring Your Own Device (BYOD) issues, 16, 17
- Business contingency plans, 6, 253, 254
- C**
- Calls, library-qualified, 270–271
- Case-sensitive passwords, 112, 113
- Certificate Authorities (CA), 49
- CFGTCP, 214, 235
- Change Activation Schedule Entry (CHGACTSCDE), 95, 244
- Change Active Profiles List (CHGACTPRFL), 95
- Change Auditing Value (CHGAUD), 308
- Change Authority (CHGAUT), 172, 174, 333, 334
- Change Command Default (CHGCMDDFT), 213
- Change DDM TCP/IP Attributes (CHGDDMTCPA), 224
- Change Expiration Schedule Entry (CHGEXPSCDE), 93, 95
- Change FTP Attribute (CHGFTP), 213, 218, 243
- Change Function Usage (CHGFCNUSG), 156–157
- Change Job Description (CHGJOB), 25
- Change Library (CHGLIB), 35
- Change Object Auditing (CHGOBJAUD), 68, 226, 307–308, 321, 344
- Change Object Owner (CHGOBJOWN), 153
- Change Object Primary Group (CHGOBJPGP), 137
- Change Output Queue (CHGOUTQ), 190, 193
- Change Password (CHGPWD), 52, 55, 80, 364
- Change Security Auditing (CHGSECAUD), 299, 325
- Change Service Tools User Privileges screen, 115–116
- Change System Value (CHGSYSVAL), 22, 69
- Change User Audit (CHGUSRAUD), 289–290, 292, 305–306, 311
- Change User Profile (CHGPRF), 87
- Change User Profile (CHGUSRPRF), 43, 56, 61, 72, 80, 150, 151, 264, 266, 306, 404
- CHGACTPRFL, 95
- CHGACTSCDE, 95, 244
- CHGAUD, 308
- CHGAUT, 172, 174, 333, 334
- CHGCMDDFT, 213
- CHGDDMTCPA, 224
- CHGEXPSCDE, 93, 95
- CHGFCNUSG, 156–157
- CHGFTP, 213, 218, 243
- CHGJOB, 25
- CHGLIB, 35
- CHGOBJAUD, 68, 226, 307–308, 321, 344
- CHGOBJOWN, 153
- CHGOBJPGP, 137
- CHGOUTQ, 190, 193
- CHGPRF, 87
- CHGPWD, 52, 55, 80, 364
- CHGSECAUD, 299, 325
- CHGSYSVAL, 22, 69
- CHGUSRAUD, 289–290, 292, 305–306, 311
- CHGUSRPRF, 43, 56, 61, 72, 80, 150, 151, 264, 266, 306, 404
- CIPHER, 200
- Cipher management, system values, 31, 50–52, 211–212
- Classification of data, 11–13, 129, 256, 258, 270, 393
- Client Access, 158, 210, 227, 234, 368
- Cloud, outsourcing and, 252–253
- Cloud-based applications, 16, 201, 218, 237, 239, 254
- Column masks, 161, 162–166
- Common Criteria for Information Technology Security Evaluation, 21, 26, 33, 63, 64
- Communications security. *See* Networks and connectivity
- Certificate Authorities (CA) in, 49, 124, 209
- Digital Certificate Manager (DCM) in, 369–377. *See also* Incident response plan
- Confidential data, 5
- Confidentiality, data, 2–3

- Configuration settings, reviewing, 407
 Configure TCP/IP (CFGTCP), 214, 235
 Connectivity. *See* Networks and connectivity
 Consultants, security for, 291–293, 295
 Contingency plan, 254
 Control-block modification, 26, 27
 Copy Audit Journal Entries (CPYAUDJRNE),
 126, 165, 315, 318, 319, 325, 344, 357
 Copy Spooled File (CPYSPLF), 190, 192, 193
 Copy to Import File (CPYTOIMPF), 178
 Copy to Stream File (CPYTOSTMF), 178
 CPYAUDJRNE, 126, 165, 315, 318, 319, 325,
 344, 357
 CPYSPLF, 190, 192, 193
 CPYTOIMPF, 178
 CPYTOSTMF, 178
 creat(), 177
 Create CL Program (CRTCLPGM), 150
 Create Directory (CRTDIR), 366, 405
 Create Job Description (CRTJOB), 25
 Create Library (CRTLIB), 35, 366, 405
 Create Output Queue (CRTOUQ), 190–191,
 193, 194–195
 Create Service Tools User ID (CRTSSTUSR),
 109, 110, 120
 Create User Profile (CRTUSRPRF), 56, 72–73,
 90, 91, 96, 98, 214, 306, 337, 358, 404
 CRTCLPGM, 150
 CRTDIR, 366, 405
 CRTJOB, 25
 CRTLIB, 35, 366, 405
 CRTOUQ, 190–191, 193, 194–195
 CRTSSTUSR, 109, 110, 120
 CRTUSRPRF, 56, 72–73, 90, 91, 96, 98, 214,
 306, 337, 358, 404
- D**
- Data authorities, 130, 133–135, 138, 153, 171,
 172, 177
 Data Encryption Standard (DES), 111
 Data preservation, incident response, 382
 Data queues, 68, 130, 210, 309, 352
 Data transfer issues, 227–228
 Dates, 406–407
 DDM. *See* Distributed Data Management
 Debugging, 330, 351, 357
 Dedicated Service Tools (DST), 69, 71, 109,
 113, 114, 117, 118, 119, 125, 267, 312, 319
 Delete User Profile (DLTUSRPRF), 72, 214,
 404
- Deny by default concept, 1, 11, 129, 135, 184,
 244, 323, 339, 340, 403, 404
 Design considerations, application, 257–267
 Device profiles, 122–123
 Digital Certificate Manager (DCM), 210, 212,
 218
 Digital certificates, 122, 123, 124, 205, 209,
 212, 247, 249
 Digital signatures, 48, 49
 Directories, defined, 399–400
 Display Activation Schedule (DSPACTSCD),
 95
 Display Active Profiles List (DSPACTPRFL),
 95
 Display Audit Journal Entry (DSPAUDJRNE),
 315–316, 325
 Display Authority (DSPAUT), 373
 Display Authorization List (DSPAUTL), 373,
 376
 Display Authorization List Objects
 (DSPAUTOBJ), 373, 376
 Display Authorized Users (DSPAUTUSR), 371
 Display Expiration Schedule (DSPEXPCD),
 95
 Display Function Usage (DSPFCNUSG), 156,
 157
 Display Journal (DSPJRN), 315, 316–317, 318,
 325
 Display Log (DSPLOG), 296–298
 Display Object Authority (DSPOBJAUT), 364,
 373
 Display Security Auditing (DSPSECAUD), 325
 Display Service Tools User ID (DSPSSTUSR),
 120
 Display Spooled File (DSPSPLF), 192, 193
 Display System Value (DSPSYSVAL), 22, 370
 Display User Profile (DSPUSRPRF), 98, 224,
 284, 288, 336, 363, 371, 372, 375, 388
 Disposal of data, 11, 13
 Disposal of media and printed output, 393, 395
 Distributed Data Management (DDM), 6, 88,
 156, 161, 182, 210, 213, 222–226, 229, 233,
 234, 249, 261, 262, 343, 345, 372, 374, 404
 Distributed Relational Database Architecture
 (DRDA), 210, 222, 224, 225, 226, 229, 234
 DLTUSRPRF, 72, 214, 404
 Document Library Objects (DLOs), 169, 210
 Documentation of security policy, 9, 258, 370,
 376, 377
 Domain Name Service (DNS), 220

- Domain restrictions, 24–25
 - DSPACTPRFL, 95
 - DSPACTSCD, 95
 - DSPAUDJRNE, 315–316, 325
 - DSPAUT, 373
 - DSPAUTL, 373, 376
 - DSPAUTOBJ, 373, 376
 - DSPAUTUSR, 371
 - DSPEXPSCD, 95
 - DSPFCNUSG, 156, 157
 - DSPJRN, 315, 316–317, 318, 325
 - DSPLOG, 296–298
 - DSPOBJAUT, 364, 373
 - DSPSECAUD, 325
 - DSPSPLF, 192, 193
 - DSPSSTUSR, 120
 - DSPSYSVAL, 22, 370
 - DSPUSRPRF, 98, 224, 284, 288, 336, 363, 371, 372, 375, 388
 - Dynamic SQL, 152, 346–347, 354, 357, 358
- E**
- Edit Authorization List (EDTAUTL), 142
 - Edit Object Authority (EDTOBJAUT), 143, 165, 191
 - EDTAUTL, 142
 - EDTOBJAUT, 143, 165, 191
 - Elliptic Curve, 199
 - Email, 16, 17, 180, 199, 219–220, 391, 393, 394
 - Employees, disgruntled/terminated, 43, 75, 237, 303, 252
 - Encryption, 13, 15, 50, 111, 164, 197–205, 231, 247, 248, 252, 254, 269, 362, 395
 - End Host Server (ENDHOSTSVR), 228
 - End TCP/IP (ENDTCP), 224, 228
 - ENDHOSTSVR, 228
 - ENDTCP, 224, 228
 - Exit points/programs, 46, 47, 59, 186, 216–217, 221, 226, 227, 229, 230–231, 234, 235, 245, 249, 262, 268, 345, 374, 382, 384–385, 404
 - Extranets, 14, 15
- F**
- Federal Information Processing Standards (FIPS), 200
 - File attributes, 174–175
 - File shares, 83, 182–184, 201, 367, 374
 - File Transfer Protocol (FTP), 6, 140, 176, 182, 213, 243, 261, 340
 - Firewalls, 10, 14, 18, 215, 239, 240–242
 - Force conversion, 37
 - Force level, auditing, QAUDFRCLVL, 62, 63–64, 300, 310
 - Functional privileges, 109, 110, 114–115, 118–120, 125, 127
- G**
- Grant Object Authority (GRTOBJAUT), 129, 135, 142, 143, 191
 - Group authority, 145–146, 147, 176, 177, 260–261. *See also* Group profiles
 - Group Identification Number (GID), 32, 93, 101, 176, 263, 264
 - Group Policy Objects (GPOs), 228
 - Group profiles, 89–94, 97, 129, 136–137, 142, 143, 144, 146, 147, 148, 154, 220, 275–278, 346, 354, 365, 371, 386. *See also* Role-based access
 - GRTOBJAUT, 129, 135, 142, 143, 191
- H**
- Hackers, 78, 189, 219, 237, 242, 243, 244, 245, 247, 249, 373
 - Hardware Management Console (HMC), 218
 - Hash algorithms, 111, 198, 199
 - Health Insurance Portability and Accountability Act (HIPAA), 254
 - Help desk personnel, role-based access, 94, 148, 150, 266, 281, 286
 - High availability (HA), 67, 166, 201, 295, 309, 406
 - History log, 284, 296–298, 323, 324, 382, 385, 389
 - Host servers, 228
 - Hypertext Transfer Protocol (HTTP), 209
- I**
- IBM i, 397–398; terminology, 398–400
 - IBM i Access for Web, 229–230, 274
 - IBM i Access for Windows, 212, 227, 274
 - IBM Navigator for i. *See* Navigator for i
 - Import files, Copy to Import File (CPYTOIMPF), 178
 - Inactive profiles, removing, 407–408
 - Incident response plan, 254, 379–389
 - Independent ASP QSYS.LIB, 169
 - Independent Auxiliary Storage Pools (IASPs), 93, 169
 - Integrated database, defined, 399
 - Integrated file system (IFS), 46, 92, 129, 169–187, 22, 249, 263, 315, 331, 342, 367

Integrity of data, 3
 Internet Assigned Numbers Authority (IANA), 214
 Internet security, 237–254, 313
 Intranets, 14, 221, 248, 249, 392
 Intrusion detection, 64, 250–251, 301, 305, 322, 384
 *IOSYSCFG, 22, 23, 82, 83, 85, 186, 208, 265, 283
 IP packet filtering, 215–216, 235, 241
 IT staff, 6–7, 9, 13, 14, 77, 261, 281–293. *See also* Role-based access

J

Java Database Connectivity (JDBC), 229, 261, 342
 Job, defined, 400
 Job descriptions, 28, 29, 270, 345
 Job management, 25
 Job schedulers, 405
 JOBACN, 233
 Journals. *See* Auditing
 JSOX, 321

K

Kerberos, 222, 223, 225, 302
 Keys, encryption, 198–199, 200, 202–204, 205.
See also Encryption

L

Legal review of security policies, 19
 Levels, security, 21–30. *See also* individual security levels
 Libraries, defined, 399
 Library lists, 270
 Library-qualified calls, 48, 270–271
 Licensed Internal Code (LIC), 109, 117, 119
 Lightweight Directory Access Protocol (LDAP), 210, 213, 399
 Limiting what users see from the desktop, 156, 157, 228–229, 374
 Linux, 218, 221, 227, 321, 380, 384, 397, 399
 LMTCPB (Limit Capabilities), 87–88, 90, 154, 220, 221, 227, 260, 261, 265, 341, 364, 402
 Locking down system values, 69
 Logging. *See* Auditing; History log
 Logical partitions (LPARs), 85, 110, 213, 241, 369, 398
 Logon accounts, 17

M

Make Directory (MKDIR), 366, 405
 Malware, tips for avoiding, 186–187
 Management Central, networks and connectivity, 98, 210
 Management buy-in/involvement, 5–6, 7, 9, 18, 19, 240, 342, 392
 Masks, column, in RCAC. *See* Column masks
 Menu access control, 259–260
 MI instructions, restricted, 25
 Microsoft policies, 228
 MKDIR, 366, 405
 mkdir(), 177
 Mobile device security, 226, 232, 258, 391, 394, 395

N

Naming strategy, user profile, 72, 75–76
 Navigator for i, 72, 82, 172, 174, 181, 182, 185, 187, 196, 207, 217, 219, 227, 228, 235, 250, 278, 291, 305, 322, 324–326, 374, 401
 Network Address Translation (NAT), 216, 240
 Network administrator for IBM i, role-based access, 286
 Network file system (NFS), 169, 170
 Network security attributes, 233–234
 Networks and connectivity, 14–15, 207–235.
See also Internet security
 Notification of security policies, 18

O

*OBJALTER, 131, 133, 135, 171
 *OBJAUD, 62, 300, 310
 Object authorities, 130–133, 134, 167–168, 171–172, 178, 372–373, 374
 Object-level security, 339–359. *See also* Object management
 Objects, defined, 399
 *OBJEXIST, 130, 131, 133, 134, 135, 171, 180, 348
 *OBJMGT, 64, 65, 94, 130–133, 135, 150, 171, 178, 180, 301, 310, 348, 364
 *OBJOPR, 94, 130–133, 134, 135, 138, 146, 171, 329, 364
 *OBJREF, 131, 133, 135, 171
 Obsolete object removal, 187, 361, 363
 open(), 177
 Open Database Connectivity (ODBC), 227, 229
 OpenSSH, 218–219
 Operations Console, 122–123

- Operator role, QSYSOPR, 78, 213, 244, 264, 282–284
 - Optical file system (QOPT), 169
 - Output queues (printer), 189, 190, 192, 193, 195, 352. *See also* Printers and printed output
 - *OUTQ, 399
 - Outsourcing, and the cloud, 252
 - Ownership of applications, 264–267
 - Ownership of data, 13–14
 - Ownership of objects, 153–155
- P**
- Packet filtering, 215–216, 235, 241
 - Parking of illegal data, 218, 245
 - Password security, 22
 - Passwords, 17–8, 21, 22, 43–44, 71, 77–80, 89, 90, 95, 111–114, 122–123, 125, 150–151
 - Passwords, service tools, 111–114, 122–123, 125
 - Passwords, system values for, 52–61
 - Payment Card Industry Data Security Standard (PCI DSS), 232, 249, 257, 273, 321, 324
 - PC security, 122, 226–230
 - *PGMADP, 64, 65, 293, 301, 304–305
 - *PGMFAIL, 28, 64, 65, 67, 302, 310
 - *PGMR, 22, 23, 81, 82
 - Physical security, 6, 10, 189, 207
 - Pointer removal, 26–27
 - Policies. *See* Security policies and procedures
 - Portable Applications Solutions Environment (PASE), 32, 263
 - Ports, securing, 214–215
 - Post Office Protocol (POP), 219–220
 - Preserving data, incident response, 382
 - Print Adopting Objects (PRTADPOBJ), 167
 - Print Directory Information (PRTDIRINF), 187
 - Print Private Authorities (PRTPVTAUT), 167, 373
 - Print Profile Internals (PRTPRFINT), 96
 - Print Public Authorities (PRTPUBAUT), 167, 187, 373
 - Print Queue Authority Report (PRTQAUT), 195
 - Print SQL Information (PRTSQLINF), 347
 - Print System Security Attributes (PRTSYSSECA), 69
 - Print User Profile (PRTUSRPRF), 78, 96, 371
 - Print Validation List (PRTVLDL), 100–104
 - Printers and printed output, 189–196
 - Privacy issues, 4
 - Private authorities, 2, 94, 129–130, 136–137, 143, 146, 148, 151, 152, 167, 177, 178, 180, 275, 285, 286, 346, 373, 388. *See also* Authorities
 - Profile-swap APIs, 263
 - Profile-token APIs, 263
 - Programmer/analyst role, role-based access, 287–289
 - Proxy servers, 241
 - PRTADPOBJ, 167
 - PRTDIRINF, 187
 - PRTPRFINT, 96
 - PRTPUBAUT, 167, 187, 373
 - PRTPVTAUT, 167, 373
 - PRTQAUT, 195
 - PRTSQLINF, 347
 - PRTSYSSECA, 69
 - PRTUSRPRF, 78, 96, 371
 - PRTVLDL, 100–104
 - *PUBLIC, 137–142, 146, 179–180, 227, 260, 269–270, 350, 351–357
 - Public key infrastructure (PKI), 198
 - Public/private key pairs, 199, 209
- Q**
- QALWBJRST, 30, 32
 - QALWUSRDMN, 30, 33
 - QAUDCTL, 62–63, 300, 325, 362, 383, 400
 - QAUDENDACN, 62, 63, 300, 310
 - QAUDFRCLVL, 62, 63–64, 300, 310
 - QAUDJRN, 63, 64, 67, 299, 312, 315, 316, 324, 325
 - QAUDLVL, 28, 62, 64, 66, 67, 68, 126, 250, 289, 300–302, 304, 305, 306, 310, 311, 312, 322, 325, 362, 383, 384, 400
 - QAUDLVL2, 62, 66, 67–68, 300–302, 303
 - QAUTOCFG, 30, 34, 208
 - QAUTOVRT, 30, 35, 43, 208
 - QCMD, 27
 - QCONSOLE, 122, 497
 - QCRTAUT, 30, 35, 68, 138, 139, 140, 141, 309, 400
 - QCRTOBJAUD, 62, 68–69, 309
 - QDLS, 169
 - QDSCJOBIV, 30, 39–40
 - QDSPSGNINF, 30, 36, 89
 - QFileSvr.400, 170
 - QFRCCVNRST, 30, 32, 37–38
 - QHSTLOGSIZ, 297
 - QINACTITV, 31, 39–40, 214, 216, 243

- QINACTMSGQ, 31, 39–40
 QLMTDEVSSN, 40–41, 89
 QLMTSECOFR, 31, 41–42
 QMAXSGNACN, 31, 42–43, 80, 216
 QMAXSIGN, 31, 42–43, 80, 216, 400
 QNTC, 169, 170
 QOpenSys, 46, 169, 170, 179, 180, 367
 QOPT, 169
 QPGMR, 78, 213, 244, 264, 287, 288, 372, 383
 QPWDCHGBLK, 52, 60–61, 80, 89, 364
 QPWDEXPITV, 52, 55, 79, 89, 362, 363, 400, 402
 QPWDEXPWRN, 52, 61
 QPWDLMTAJC, 52
 QPWDLMTCHR, 52
 QPWDLMTREP, 52, 56
 QPWDLVL, 52–54, 58, 243, 362, 400
 QPWDMAXLEN, 53, 57
 QPWDMINLEN, 52, 57
 QPWDPOSDIF, 53, 57
 QPWDRQDDGT, 53, 56
 QPWDRQDDIF, 53, 58–59, 80
 QPWDRULES, 53, 55, 56–8, 77, 114, 245, 322, 400
 QPWDVLDPGM, 53, 59
 QRETSVRSEC, 43–44, 107
 QRMTSIGN, 31, 44–45
 QSCANFS, 31, 46–47
 QSCANFSCTL, 31, 46–47
 QSECOFR service tools user ID, 109, 110, 111, 112, 114, 118, 119, 120, 127
 QSECOFR user profile, 72, 78, 81, 110, 118, 120, 151, 155, 223, 226, 244, 245, 264, 267, 268, 283, 290, 303, 305, 310, 319, 322, 364, 371, 383, 401
 QSECURITY, 21–22, 29, 30, 31, 47, 67, 82, 243, 362, 400
 QSRV service tools user ID, 109, 110, 111, 112, 114, 118, 119, 120, 127
 QSRV user profile, 72, 78, 81, 110, 118, 120, 151, 155, 223, 226, 244, 245, 264, 267, 268, 283, 290, 303, 305, 310, 319, 322, 364, 371, 383, 401
 QSRVBAS, 78, 213, 244
 QSSLCSL, 31, 50, 211
 QSSLCSLCTL, 31, 50, 211
 QSSLPCL, 31, 50, 211, 400
 QSYS, 129, 134, 140, 297, 299, 318, 336, 375
 /QSYS.lib, 155, 183, 187
 QSYS.LIB, 169, 170, 172, 181, 182, 367
 QSYCHGPW, 52, 61, 80
 QSYSOPR, 78, 213, 244, 264, 282, 284
 QTEMP, 33, 62, 300, 318
 QTMHHTTP user profile, 180, 181
 Queries, object-level security, 345, 349, 352–354
 QUSEADPAUT, 31, 47–48, 349
 QUSER, 78, 244, 383
 QVIFYOBRST, 31, 48–49
- R**
- *R (Read) authority, 171, 177, 246
 *READ, 94, 133–135, 138, 171, 190, 191, 192, 193, 194
 Recovery. *See* Backup and recovery; Incident response plan
 Recreating the system after a breach, 388–389
 Registration Facility, Work with Registration Information (WRKREGINF), 230, 235
 Remote command, 88, 120, 216, 224, 227, 398
 Remote Execution (REXEC), 221, 405
 Resource security, 21, 23, 24, 47, 227
 Response plan. *See* Incident response plan
 Restore Authority (RSTAUT), 387–388
 Restore Object (RSTOBJ), 152
 Restore User Profile (RSTUSRPRF), 152, 244, 387
 Restoring security data, 387–388
 Restricted data, 12
 Retention of data, 11, 13, 253, 386
 Retrieve Directory Information (RTVDIRINF), 187
 Reviewing requirements for security, 7
 Revoke Object Authority (RVKOBJAUT), 129, 143, 191
 Risk assessment/evaluation, 7, 373, 374
 Risk tolerance, 238
 Role-based access, 273–279; for IT, 281–293
 Roles, 273, 282–291
 Root (^), 46, 169, 170, 172, 173, 179, 180, 182–187, 322, 367
 Row and column access control (RCAC), 158–167, 312
 RSA, 199
 RSTAUT, 387–388
 RSTOBJ, 152
 RSTUSRPRF, 152, 244, 387
 RTVDIRINF, 187
 Run Query (RUNQRY), 161, 162
 Run SQL Scripts, 99, 165, 329
 RVKOBJAUT, 129, 143, 191

S

- SANS Institute, 19
- Sarbanes-Oxley Act (SOX), 252, 273, 281, 321
- Save Security Data (SAVSECDTA), 137, 143, 244, 338, 386, 388, 408
- Save/Restore, 152–53, 165, 285
- SAVSECDTA, 137, 143, 244, 338, 386, 388, 408
- Scope of security project, 201–202
- SECBATCH tools, 69, 94, 167, 195
- SECTOOLS tools, 69, 94, 167, 187, 195, 275, 277, 279, 363
- Secure Hash Algorithm (SHA), 111
- Secure Shell (SSH), 218–19
- Secure Sockets Layer (SSL), 31, 50–52, 122, 209, 210, 211, 212, 218, 250
- Security administration, 361–368
- Security assessment, 373–375
- Security awareness program, 391–395
- Security data, 386–388
- Security incident response plan. *See* Incident response plan
- Security level 10, 21
- Security level 20, 22–24, 29, 82
- Security level 30, 23–24, 28, 29, 82
- Security level 40, 24–26, 27, 28–30, 47, 67, 243, 310, 362, 401
- Security level 50, 21, 26–27, 33
- Security policies and procedures, 9–19
- Security-related system values, 30, 52
- Send TCP/IP Spooled File (SNDTCPSPLF), 190, 192, 193
- Service functions, 109, 110, 114
- Service level agreements (SLAs), 5, 380, 381, 382
- Service tools, 51, 66, 69, 71, 83, 85, 109–128, 212, 267, 268, 304, 312, 314, 319, 351, 370, 374
- Service tools user identities, 109, 112, 118, 119
- Session time-out values, 39–40, 214, 235, 243
- Share, file shares, 53, 54, 182–186, 201, 208, 367, 374
- SIEM, 295, 320–323
- Sign-on security, 28, 30, 31, 36, 42–43, 44–45, 72, 80, 86, 113, 216, 250, 275, 286, 319, 321, 341, 364, 372, 383, 406
- Simple Mail Transfer Protocol (SMTP), 213, 219, 220
- Simple Network Management Protocol (SNMP), 213, 221–222
- Simple Network Time Protocol (SNTP), 222
- SNDTCPSPLF, 190, 192, 193
- Sniffers, wireless, 199, 232
- Social engineering probes, 239, 392
- Social media, 16, 17, 239, 393
- SOCKS servers, 241
- *SPLCTL, 22, 23, 82, 83, 85, 147, 192, 283, 284, 362
- Spooled files, 83, 85. *See also* Printers and printed output
- SQL, 131, 133, 140, 329
- SQL, dynamic, 152, 346–347, 354, 357, 358
- SQL views, 98–99, 168, 187, 196, 338
- Start Authority Collection (STRAUTCOL), 328, 332–334
- Start Pass Through (STRPASTHR), 45
- Start System Service Tools (STRSST), 66, 109, 110, 118
- Start TCP/IP (STRTCP), 213, 228
- Start TCP/IP Servers (STRTCPSVR), 213
- STRAUTCOL, 328, 332–334
- Stream files, Copy to Stream File (CPYTOSTMF), 178
- STRPASTHR, 45
- STRSST, 66, 109, 110, 118
- STRTCP, 213, 228
- STRTCPSVR, 213
- Symmetric keys, 198, 199, 209
- *SYSMGT, 64, 66, 302
- *SYSOPR, 22, 23, 81, 82
- *SYSTEM, 26
- System administrators, 69, 84, 91, 160, 296, 345, 401, 408–409. *See also* role-based access for IT
- System Service Tools (SST), 32, 66, 71, 109–128, 212, 268
- System values, 21–69, 400. *See also* System-level security; Specific system values
- System-wide auditing, 300–305
- Systems Network Architecture (SNA), 222, 233, 234
- Systems Network Architecture Distribution Services (SNADS), 234

T

- TCP/IP, 235, 238–250, 268–269, 405–406. *See also* Internet security; Networks and connectivity
- Telnet, 42, 65, 209, 210, 212, 213, 214, 215, 218, 230, 243, 263, 301, 405, 406
- Templates for user profiles, 362
- Threat evaluation, 4–5

Time-out intervals, 39–40, 214, 235, 243
 Training for security, 18, 189, 391, 392, 393
 Transport Layer Security (TLS), 50–52, 124,
 199, 209–212, 231, 246–249, 269
 Trojan horses, 269, 260, 271

U

UNIX, integrated file system (IFS), 22, 32, 93,
 135, 169, 170, 171, 178, 185, 213, 221, 263,
 321, 384, 399
 *UPD, 133, 135, 171, 364
 Update Data (UPDDTA), 161, 405
 *USE, 35, 92, 93–94, 135, 138
 *USER, 22, 23, 26, 81, 82, 148
 User Datagram Protocol (UDP), 65, 215, 301
 User defined file system (UDFS), 169
 User Function Registration APIs, 155–156
 User Identification (UID), 32, 93, 176, 263, 264,
 267
 User IDs, 71
 User profiles, 85–125, 192, 292–293, 376–379,
 399. *See also* Role-based access; Validation
 list users

V

V4R3, 21
 V5R1, 37, 38
 V6R1, 31, 52, 53, 55, 56, 225
 V7R1, 93, 98, 200, 210, 225, 322
 V7R2, 56, 57, 66, 67, 98, 158, 166, 167, 225,
 262, 300, 302, 322
 V7R3, 65, 187, 267, 300, 302, 327, 337, 346,
 347, 349
 V7R4, 51, 109, 114, 120, 122, 124, 127, 187,
 211, 327, 332, 333, 338, 345, 347, 349
 Validation, passwords, QPWDVLDPGM, 53,
 59
 Validation list print program, 100–104
 Validation lists, 44, 66, 71, 99–107, 247, 248,
 265, 271, 302, 314. *See also* User profiles
 Vendor, security questionnaire, 268
 Vendors, security for, 291–293, 295
 Virtual private networks (VPNs), 15, 199, 231,
 235, 241
 Virus scanning, 46–47, 185–186, 219, 269

W

*W (Write) authority, 171
 Web applications, 181, 246–249, 254, 265, 269

Windows, 22, 54, 182, 183, 213, 221, 227, 228,
 384, 397
 Windows NT Server file system (QNTC), 169,
 170
 Wireless considerations, 15, 231–232
 Work with Authority (WRKAUT), 172–173
 Work with Function Usage (WRKFCNUSG),
 156, 157, 159, 228
 Work with Names for SMTP
 (WRKNAMSMTP), 219
 Work with Object Links (WRKLNK), 172, 220
 Work with Objects by Primary Group
 (WRKOBJPGP), 137
 Work with Output Queue (WRKOUTQ), 190,
 192, 193
 Work with Output Queue Description
 (WRKOUTQD), 190
 Work with Point-to-Point TCP/IP
 (WRKTCPPTP), 246
 Work with Registration Information
 (WRKREGINF), 230, 235
 Work with Service Tools Security Data menu,
 112–113, 123, 125
 Work with Service Tools User IDs panel, 110,
 111
 Work with Spooled Files (WRKSPLF), 192,
 349
 Work with System Security panel, 117, 123–
 124
 Work with System Values (WRKSYSVAL),
 22, 230, 275, 277, 279
 WRKAUT, 172–173
 WRKFCNUSG, 156, 157, 159, 228
 WRKLNK, 172, 220
 WRKNAMSMTP, 219
 WRKOBJPGP, 137
 WRKOUTQ, 190, 192, 193
 WRKOUTQD, 190
 WRKREGINF, 230, 235
 WRKSPLF, 192, 349
 WRKSYSVAL, 22, 230, 275, 277, 279
 WRKTCPPTP, 246

X

*X (Execute) authority, 171

Z

z/OS, 218

