

Index

A

absolute positioning in Swing, 437
acknowledge mode, JMS messages, MDBs, and, 301
action beans, Struts and, 54, 55
Action class, Struts and, 65-68, **66**, **67-68**
action listeners, 442-443, **443**, 448-451, **448-451**
ActionForm beans, Struts and, 54, 55-56, 60-65, **61**,
62, **63**, **64-65**
ActionServlet, Struts and, 54, 55
Admin Console, XA datasources and creation, 114
administrative structure of WebSphere, 373-378, **374**
advertisement filters, 50-53, **51**, **52**
alias destination, 307
Annotate view, 475, **475**
annotation-based programming, 267, 378-384
 CVS Annotate view in, 475, **475**
 in J2EE, 378-384
 metadata in, 378
 method added to session bean in, 381-384, **381**,
 382, **383**, **384**
 session beans and, 267
Apache Axis, Web services and runtime, 331
Application Client, Web development in, 21
application heap analysis, 539-542, **539**, **540**, **541**
application logic, in MVC design pattern, 54
architectural and application analysis using visual
 modeling, 589-596
 browse diagrams in, 589, 593-594, **593**, **594**
 edit diagrams in, 589
 Javadoc creation using UML diagrams in, 595-596,
 595
 topic diagrams in, 589, 590-593, **590-592**

attributes, visual modeling of, 562-563, **565**, **566**, **567**,
568
authentication, 392-396
Authorization Constraint wizard, 395-396, **396**

B

batch update facility, Java Database Connectivity
 (JDBC) and, 106-108, **106-107**, **108**
bean-managed persistence, 235
bean-managed transactions (BMT), 301
binding and enabling security, 399-402
bottom-up mapping, 233
 visual modeling of, 584-585, **584**, **587**
branches, 472
branching using multiple streams, in team CVS
 development, 503-510, **503**
breakpoint setting, 14, 18, **18**, **19**, 136-137, **137**
browse diagrams, in architectural and application
 analysis, 589 593-594, **593**, **594**
build paths, 14
bus destination, service integration bus (SIB) and, 307
bus members, service integration bus (SIB) and, 305-306
business delegates, 307
business logic, session beans and, 270, **270-271**

C

CallableStatement class in JDBC, 102
calling stored procedure from Java, 133-136, **134**, **135**, 136
cascade delete and relationships, 251-252, **252**
catching up a file for modification, CVS, 497-498,
497, **498**, **499**

- CD companion to book, 2-4
 - cells, WebSphere, 374
 - class creation, Java applications and, 16, **16**
 - class loaders and loading, Java, 413-419, **413**, **416**, **417**
 - class path in, 415
 - context type, 415
 - equals() returns false in, 418-419
 - J2EE-specific, 416
 - JAR files in, 415-416, 415
 - loading down the loader chain and, 419-420
 - manifest files in, 415-416
 - problems and conflicts in, 418-420
 - WebSphere Application Server and, 416-418, **417**, **418**
 - class modification, Java applications and, 17
 - class path in class loading, 415
 - class statistics view, Java Profiling Agent, 529-530, **530**
 - client proxy, Web services and, 333, 346-352, **347**, **348**, **349**
 - client session, in Web development, 26-27, 33-34, **33**, **34**
 - Cloudscape, 2, 4, 89
 - connection creation for, 95, **96**
 - Java Database Connectivity (JDBC) and, 106
 - transaction support in, 114
 - Code Assist, SQLJ and, 139, **139**
 - collection limits, in profiling, logging, 520-521, **521**
 - column definitions, database development and, 99, 100*t*
 - committed transactions, XA datasources and, 113-114
 - comparing files in Package Explorer view, 14
 - compilation errors, Quick Fix, 576, **576**
 - composer and converter for EJBs, 233, 257-266
 - custom composer creation for, 260-262, **261**, **262**
 - mapping EJB to RDB in, 263-264, **264**
 - meet-in-the-middle mapping and, 262-263
 - concurrent team-development scenarios, team CVS, 490-491, **491**
 - Concurrent Versions System (CVS), 3, 19, 469. *See also* team development with CVS
 - connections, database, 94-98, 94*t*
 - Console view, 17, **17**
 - consumer, in service integration bus (SIB), 304
 - container-managed persistence (CMP), 235-247, **237**, 247-257, 266
 - container-managed transactions (CMT), 301
 - Content Area dialog, 37-38, **37**
 - Content Assist feature, 13, **13**
 - context type class loaders, 415
 - controller, in MVC design pattern, 54
 - converter. *See* composer and converter for EJBs
 - copy helpers, Enterprise JavaBeans (EJBs) and, 277
 - correlation, 7
 - custom tags, Struts and, 54, 56
 - CVS Annotate view, 475, **475**
 - CVS Repositories Exploring perspective, 474-475, **474**
 - CVS Repositories view, 474-475
 - CVS. *See* team development with CVS
- ## D
- data classes, Enterprise JavaBeans (EJBs) and, 277-280, **279**
 - Data Definition view, 89, **90**
 - data graphs, **218**, 219
 - SDO relational records and, 143
 - session beans and, 267
 - XML development and, 165, 216
 - Data Mediator Service (DMS), 143, 267
 - SDO and, 216
 - data model, 581, **581**
 - data objects
 - SDO relational records and, 143
 - session beans and, 267
 - XML development and, 165, 216
 - Data perspective, 12
 - database development and, 89
 - table creation using, 93-101
 - data stores, SDO relational records and, 143
 - data visualization, 580-581, **580**
 - data-access beans, 102
 - database development, 2, 3, 89-159
 - accessing data using Java programs in, 102-113
 - Cloudscape and, 89, 106
 - column definitions in, 99, 100*t*
 - connection creation for, 94-98, 94*t*
 - Cloudscape, 95, **96**
 - DB2, 94-95
 - Oracle Database, 96-97
 - SQL Server, 97-98
 - Sybase, 98
 - Data Definition view in, 89, **90**
 - data model in, 581, **581**
 - Data perspective in, 89
 - data visualization in, 580-581, **580**
 - data-access beans in, 102
 - database creation for, 98-100
 - Database Explorer view in, 89-90, **90**
 - datasources in, 92, 113-120
 - Admin Console creation of, 114
 - committed transactions in, 113-114
 - creation of, 115-116
 - EAR Deployment descriptor and, 114

- Java Authentication and Authorization Service (JAAS) alias and, 114, 117
- Java Naming and Directory Interface (JNDI) and, 117-120, **119-120**
- local vs. distributed transactions in, 113
- required database resource properties for, 116, 116*t*
- rollback transactions in, 113-114
- running servlet for, 120
- servlet for, 113, 117-120, **119-120**
- transactions in, 113
- XA. *See* XA datasources in, 120
- DB beans and, 92, 110-113, **111, 112, 113**
- DB Output view in, 89, **90**
- DB2 Universal Database and, 89, 91
- DDL script generation for XSD and table creation for, 208, **209**
- Debug perspective and, 92
- drivers for, 92, 102, 214*t*
 - JDBC, 105*t*, 114, 115*t*, 116*t*, 136, 136*t*,
- filters in, 465-467, **466, 467**
- Insert statement creation for, 100-101, **101**
- Java Database Connectivity (JDBC) and, 91-92, 102-106
 - batch update facility in, 106-108, **106-107, 108**
 - CallableStatement class in, 102
 - PreparedStatement class in, 102, 108-110, **108-109, 110**
 - Select program creation for, 102-106, **103-104, 105**
 - Statement class in, 102
 - update program using PreparedStatement in, 108-110, **108-109, 110**
- Java Naming and Directory Interface (JNDI) and, 92, 117-120, **119-120**
- mapping in, 239-240, **240**, 253-254, **254**, 262-263, 587-589, **588**
- Microsoft SQL Server and, 89
- Oracle Database and, 89
- project creation for, 93
- schema creation for, 98-100, 98
- SDO relational records in, 143-158
 - data graphs in, 143
 - Data Mediator Service (DMS) in, 143
 - data objects in, 143
 - data stores in, 143
 - Enterprise Java Beans (EJBs) and, 143
 - Java Server Faces (JSF) and, 143, 144
 - JDBC Mediator for, 143-144
 - modify file (displayAll.jsp) in, 144-149, **145, 146, 147, 148, 149**
 - modify file (displayRecord.jsp) in, 149-154, **150, 151, 152, 153, 154**
 - modify file (editRecord.jsp) in, 154-156, **155, 156**
 - testing, 156-158, **157, 158**
 - Web project created for, 144
 - XML and, 143
- SQL Query Builder in, 91
- SQL Scrapbook in, 90
- SQL statements for, 89, 91, 92
- SQLJ and Java in, 91-92, 138-143
 - Code Assist in, 139, **139**
 - connecting to database for, 138-139
 - datasource connection for, 139
 - DB2 customizer for, 142, **142**
 - Java application creation for, 141, **141**
 - JDBC connection for, 139
 - modifying files in, 140, **141**
 - result-set file creation in, 139-140
 - running, 143, **143**
 - saving files in, 139
- stored procedures in, 91, 126-138
 - calling, in a Java program, 133-136, **134, 135, 136*t***
 - creating, 127-133
 - debugging, in DB2, 136-138, **137, 138**
 - JDBC and, 131-133, **131-132**
- Sybase Enterprise Systems and, 89
- table creation in, using Data perspective, 93-101
- table definition creation for, 98-100
- top-down mapping in, 239-240, **240**, 253-254, **254**, 587-589, **588**
- UML, relational database elements mapping to, 579, 579*t*
- user-defined functions in, 91
- views or database tools for, 89
- XA datasources in, 120-126
 - Java Transaction API (JTA) in, 121-122, **121**
 - JDBC providers for, 122, 122*t*
 - running transaction servlet for, 125-126, **126**
 - servlet creation for, 122, **123-125**
 - two datasources in, creating, 122
- XML development and, 208
- Database Explorer view, 89-90, **90**
- datasources
 - Admin Console creation of, 114
 - committed transactions in, 113-114
 - database development and, 92, 113-120
 - EAR Deployment descriptor and, 114
 - enhanced EAR file and, 384-390, **386, 387, 388, 389, 390**
 - Enterprise JavaBeans (EJBs) and, 243, 243*t*, 255-256, 265

Datasources, *continued*

- Enterprise JavaBeans (EJBs) and, associating, 244, **244**
- Java Authentication and Authorization Service (JAAS) alias and, 114, 117
- Java Naming and Directory Interface (JNDI) and, 117-120, **119-120**
- local vs. distributed transactions in, 113
- required database resource properties for, 116, 116*t*
- rollback transactions in, 113-114
- service integration bus (SIB) and, 287-288
- servlet for, 113, 117-120, **119-120**
- SQLJ and, 139
- transactions, 113
- WebSphere, 374
- XA datasources and, 117-120, **119-120**. *See also* database development

DB beans, database development and, 92, 110-113, **111, 112, 113**

DB Output view, 89, **90**

DB2 Universal Database, 2, 89

- complimentary copy download of, 93
- connection creation for, 94-95
- database development and, 91
- debugging stored procedures in, 136-138, **137, 138**
- SQLJ and, customizer for, 142, **142**
- stored procedures in, 91, 127-129, **128, 129, 136-138, 137, 138**
- transaction support in, 114
- user-defined functions in, 91

db2diag.log, 547

DDL script generation for XSD and table creation, 208, **209**

Debug perspective, 12, 18, **19, 92**

debugging, 18, **18, 19**

- breakpoint setting in, 14, 18, **18, 19, 136-137, 137**
- database development and, 92
- Debug perspective in, 18, **19**
- Java applications and, 14, 18, **18, 19**
- stored procedures, in DB2, 136-138, **137**
- WebSphere, and restarting in, 373
- XML development and, 194

declarative security concepts, 392-398

delegates, business, 307

DELETE, 25

deployment descriptor, 22

- Enterprise JavaBeans (EJBs) and, 234-235

Design view, 30

discovering a Web service, 366, **366**

distributed transactions, XA datasources and, 113

do method, Struts and, 57-58

Document Object Model. *See* DOM parser, 182

document type definition (DTD) files, XML development and, 161-163, **163**

DOM parser, XML development and, 165, 182-183, 188-190, **189-190**

drivers, database, 92, 102, 214*t*

- JDBC, 105*t*, 114, 115*t*, 116*t*, 136, 136*t*

durable vs. nondurable subscription, 293

dynamic structure modeling, 570-576, **571-575**

Dynamic Web Projects Folder, 22

E

EAR Deployment descriptor, XA datasources and, 114

EAR files, 28, 235, 384-390, **386, 387, 388, 389, 390**

- enhanced type, with datasource, 384-385, **386, 387, 388, 389, 390**
- Enterprise JavaBeans (EJBs) and, 235
- profiling, logging, and, 514-515
- security for, 398-399

Eclipse, ix-x, 11

Eclipse Modeling Framework (EMF), 219-221, **220, 221**

- SDO and, 219-221, **220, 221**

edit diagrams, architectural and application analysis, 589

editor for Java, 13

EJB Query Language (EJB QL), 235

email, JavaMail in Web application and, 40-46

enhanced EAR files with datasource, 384-390, **386, 387, 388, 389, 390**

enterprise application project (EAR). *See* EAR files

enterprise application security, 398-399

Enterprise JavaBeans (EJBs), 3, 10, 233-290

- Add Access Bean dialog box for, 278, **278**
- annotation-based programming and, 378-381, **379, 380-381**
- associating datasource to, 244, **244**
- bean-managed persistence in, 235
- client access to, 276-282
 - copy helpers and, 277
 - data classes and, 277-280, **279**
 - factory classes and, 277-280
 - Java bean wrappers and, 276-277, 278, 281-282
- composer and converter for, 233, 257-266
 - custom composer creation for, 260-262, **261, 262**
 - database fields for, 259, 259*t*
 - DDL and table for, 258, **258**
 - EAR and EJB project creation for, 259
 - entity bean fields for, 258, 258*t*
 - entity bean generation for, 259-260, **260**
 - mapping EJB to RDB in, 263-264, **264**
 - meet-in-the-middle mapping and, 262-263

- container-managed persistence in, 235-257, **237**
 - copy helpers and, 277
 - creating, 248-250, **249**, **250**
 - data classes and, 277-280, **279**
 - datasource creation for, 243, 243*t*, 255-256, 265
 - datasource setting for EJB and, 265
 - DDL run on target database server using, 240-241, 254-255
 - deployment of, 234-235
 - EJB Query Language (EJB QL) and, 235
 - Enterprise Archive (EAR) files and, 235
 - entity beans as, 233
 - creating, 237-239, **237**, **238**, 248-250, **249**, **250**, 259-260, **260**
 - container-managed persistence in, 247-257
 - cascade delete and relationships in, 251-252, **252**
 - foreign key attributes and relationships in, 251-252, **252**
 - navigable roles and relationships in, 251-252, **252**
 - relationships in, 250-252, **251**, **252**, **253**
 - return type attributes and relationships in, 252, **252**
 - roles and relationships in, 251-252, **252**, **253**
 - top-down mapping, 253-254, **254**
 - container-managed persistence and, 235-247, **237**
 - factory classes and, 277-280
 - finder methods in, 235, 241-242, **242**
 - J2EE and, 233
 - JAR files for, 235
 - Java bean wrappers and, 276-277
 - Java Naming and Directory Interface (JNDI) and, 234, 276
 - JavaServer Faces (JSF) and, 78
 - mapping in, 233, 239-240, **240**, 253-254, **254**, 262-263. *See also* modeling, below
 - message-driven bean (MDB) as, 233, 234, 291. *See also* JMS messages and message-driven beans
 - model-view-controller (MVC) design pattern and, 233
 - modeling
 - bottom-up mapping in, 584-585, **584**, **587**
 - data model in, 581, **581**
 - data structure modeling in, 577-582
 - data visualization in, 580-581, **580**
 - EJB mapping and modeling in, 582-587, **582-587**
 - Information Engineering (IE) diagram support in, 577-582
 - Integration Definition for Information Modeling (IDEFIX) diagram support in, 577-582, **583**
 - mapping to RDB in, 587-589, **588**
 - relational database elements mapping to UML elements in, 579, 579*t*
 - relationships in, 586, **586**
 - stereotypes in, 579, 579*t*
 - top-down mapping in, 587-589, **588**
 - navigable roles and relationships in, 251-252, **252**
 - project creation in, 236, **236**
 - relationships in, 247-248, **248**, 250-252, **251**, **252**, **253**
 - SDO relational records and, 143
 - security for, 403-414
 - session beans as, 233, 234, 266-276
 - annotation support and, 267
 - business logic in, code for, 270, **270-271**
 - container-managed persistence (CMP) in, 266
 - creation of, using wizard, 267
 - facades of, 266, 272-275, **273**, **274**, **275**
 - interface for, 269, **269**
 - reference to, 268-269
 - remote interface for, business methods in, 271-272, **272**
 - service data objects (SDO) and, 266, 267, 272-275, **273**, **274**, **275**
 - stateless type, creating, 268
 - stateless vs. stateful, 266
 - testing facade of, 275-276
 - Swing and, 423
 - testing, using universal test client in, 244-247, **245**, **246**, 256-257, **256**, 265-266
 - top-down mapping, 239-240, **240**, 253-254, **254**, 587-589, **588**
 - transactions using, 282-290
 - attribute setting for, 288-289, **289**
 - datasource for, 287-288
 - logging beans for, 283-285, **284**
 - reference for logger in, 285-287, **286-287**
 - testing logger for, 288, **288**, 290
 - UML Visual Editor for Java and EJB tool for, 556-557
 - visual modeling and, 555, 576-589
 - Web development in, 21
 - entity beans, 233. *See also* Enterprise JavaBeans (EJBs)
 - creating, 237-239, **237**, **238**, 248-250, **249**, **250**, 259-260, **260**
 - cascade delete and relationships in, 251-252, **252**
 - container-managed persistence and, 235-247, **237**, 247-257
 - foreign key attributes and relationships in, 251-252, **252**
 - navigable roles and relationships in, 251-252, **252**
 - relationships in, 247-248, **248**, 250-252, **251**, **252**, **253**
 - return type attributes and relationships in, 252, **252**
 - roles and relationships in, 251-252, **252**, **253**
- error pages, in Web development, 35-40, 39-40, **39**, **40**

- errors, 13
 - Problem view and, 13
 - Task view and, 13
- executing/ running Java application, 17, **17**
- execution flow view, Java Profiling Agent, 525-527, **526, 527**
- execution time analysis, 518-520. *See also* tracing application execution
- Extensible Markup Language (XML). *See* XML development
- extensible stylesheet language transformations (XSLT)
 - creating new package for, 195-196, **195, 196**
 - editing XSL files for, 198-200, **198, 199, 200, 201**
 - HTML, XML document transformed into, 203-205, **203-205, 206**
 - inlined XSL style sheet and, 193, **193**
 - Java API for XML Processing (JAXP) and, 194, 202, **202, 203**
 - namespaces and, 197, **197**
 - XML development and, 165, **166**, 191-206
 - XSL style sheets and, 192-193, **192, 193**
- F**
- facades, for session beans, 266, 272-275, **273, 274, 275**
- Faces. *See* Java Server Faces
- facets, in XML schema (XSD) files, 180-182, 181-182*t*
- factory classes, Enterprise JavaBeans (EJBs) and, 277-280
- family of products with RAD, 10
- features, RAD, 8
- FileServingServlet disablement, security, 397-398, **398**
- filters
 - advertisement type, 50-53, **51, 52**
 - logger type, 47-50, **48, 49, 50**
 - profiling, logging, and, 518-520
 - servlet. *See* Web development table, 465-467, **466, 467**
- finder methods, Enterprise JavaBeans (EJBs) and, 235, 241-242, **242**
- fixes, 9
- formatting preferences selection, 13, **13**
- foreign destination, 307
- foreign key attributes and relationships, 251-252, **252**
- FrontController pattern, Struts and, 55
- G**
- Gallery view, 23, **24**
- garbage collection, 542-543, **543**
- GET, 25
- getters and setters
 - Java Visual Applications and, 441-442, **441, 442**
 - visual modeling and, 569-570, **570**
- GridBagLayout in Swing, 438-440, **438, 439, 440**
- groups and security role mapping, 399-400, **400, 407-408, 407**
- GUI components and Java Visual Applications, changes to, 421
- H**
- HEAD stream, in team CVS development and, 52, 474, 499-503
- history, 14
 - CVS Resource history view in, 476, **476**
 - in team CVS development and, 470-471, **470**
- HTML, 21
 - error pages in, 39-40, **39, 40**
 - forms using, in Web development, 26
 - page templates for, 35-40
 - Web development in, 23
 - XML document transformed into, 203-205, **203-205, 206**
- HTTP
 - programmatic security concepts in, 396-397
 - servlet filters and, 46-47
 - in Web development, 25-34
 - in Web services, 329, 330, 352, 353
- I**
- IBM Agent Controller, profiling, logging, and, 514
- images, in Web development, 21
- Information Engineering (IE) diagram, 557, 577-582
- inlined XSL style sheet, 193, **193**
- Insert statement creation, database development and, 100-101, **101**
- installing RAD, 5
- integration and RAD, 5
- Integration Definition for Information Modeling (IDEFIX) diagram, 557, 577-582, **583**
- Iyengar, Sridhar, xi
- J**
- J2EE, ix-x, 3, 4, 5, 6, 10, 21, 369-420
 - annotation-based programming in, 378-384
 - metadata in, 378
 - method added to bean in, 381-384, **381, 382, 383, 384**
 - session bean using, 378-381, **379, 380-381**
 - class loaders and loading, 413-419, **413, 416, 417**
 - class path in, 415

- context type, 415
- equals() returns false in, 418-419
- J2EE-specific, 416
- JAR files in, 415-416, 415
- loading down the loader chain and, 419-420
- manifest files in, 415-416
- problems and conflicts in, 418-420
- WebSphere Application Server and, 416-418, **417, 418**
- EJB security and, 403-414
- enhanced EAR files and datasource in, 384-390, **386, 387, 388, 389, 390**
- Enterprise JavaBeans (EJBs) and, 233
- JMS messages, MDBs, and, creating projects for, 309-310, **309, 310, 311**
- JMS messages, MDBs, and, enabling development capability for, 308, **308**
- profiling, logging, and, 513, 516, 517, 522, 524-525, **525**
- SDO and, 217
- security in, 390-403. *See also* security in J2EE
 - authentication in, 392-396
 - Authorization Constraint wizard for, 395-396, **396**
 - binding and enabling, 399-402
 - declarative security concepts in, 392-398
 - enterprise applications and, 398-399
 - Enterprise JavaBeans (EJBs) and, 403-414
 - FileServlet disablement and, 397-398, **398**
 - permissions in, 405-406, **406**
 - programmatically security concepts in, 396-397
 - role-based development in, 391, 392*t*
 - role definition in, 404-405
 - role mapping in, to users and groups, 399-400, **400, 407-408, 407**
 - role references in, 412-413, **413**
 - Security Constraints wizard for, 395, **395**
 - testing, 403, 410-412, **411, 412**
 - Web applications and, 392-398, **393, 394, 395, 396**
 - WebSphere and, enabling, 400-402, **401, 402, 408-410, 409, 410**
 - visual modeling and, 555, **598**
- Web development in, 21
- WebSphere version 6.0 development in, 370-378
 - administrative structure of, 373-378, **374**
 - cells, nodes, and servers in, 374
 - datasources in, 374
 - debugging and restarting in, 373
 - features of, 370-372
 - JMX management for, 372
 - Network Deployment (ND) version of, 374
 - new server creation in, 371, **372**
 - platform support for, 372
 - port assignment for profiles in, 375, **376**
 - profile support in, 373, 374-378, **376**
 - publishing code to, 372-373
 - runtimes of, 371, **371**
 - server creation in, 376-378, **377**
 - test environment in, 370
- J2EE perspective, 12
- J2EE Request Profiler, 513, 516, 517, 522, 524-525, **525**
- JAR files, 14
 - class loaders and loading, 415-416, 419
 - Enterprise JavaBeans (EJBs) and, 235
- Java, ix, 3, 10, 11-19
 - breakpoint setting in, 14, 18, **18, 19**
 - build paths in, 14
 - class creation in, 16, **16**
 - class loaders and loading in, 413-419, **413, 416, 417**
 - class modification in, 17
 - class structure modeling, using UML, 559-570, **560, 562**. *See also* visual modeling
 - dynamic structure modeling in, 570-576, **571-575**
 - field creation for, 563-564, **563, 564*t***
 - getters and setters added to, 569-570, **570**
 - operations added to, 568-569, **569**
 - Package Explorer view in, 561, **561**
 - Perspective Layout for, 560, **560**
 - popup menus for, 564, **564**
 - Quick Fix for compilation errors in, 576, **576**
 - relationships and attributes in, 562-563, **565, 566, 567, 568**
 - sequence diagrams in, 570-576, **571-575**
 - comparing files in Package Explorer view in, 14
 - Console view in, 17, **17**
 - creating an application in, 15-19
 - database access using, 102-113
 - database development and, 91-92
 - debugging in, 14, 18, **18, 19**
 - editor for, 13
 - executing/ running, 14, 17, **17**
 - formatting preferences selection for, 13, **13**
 - JAR files and, 14
 - Java perspective for, 12
 - Java scriptlets in, 26
 - profiling, logging, and, 513, 516, 517, 525-535
 - project creation in, 15-16, **15**
 - servlets in, 22, 25-34, **32, 33**
 - SQLJ and, 141, **141**
 - SQLToXML in, 213-215, **213-214, 214*t*, 215**

Java, *continued*

- stored procedures and, calling, 133-136, **134**, **135**, 136*t*
 - UML Visual Editor for Java and EJB tool for, 556-557
 - visual modeling and, 555, 558-576
 - Web development in, 22
- Java 2 Platform Enterprise Edition. *See* J2EE, 3
- Java API for XML Processing (JAXP), 165, 182-190
- DOM parser and, 182-183, 188-190, **189-190**
 - package creation for, 183
 - parsers for, 182-183
 - SAX parser and, 182-183, 186-187, **186-187**, **188**
 - XML and XSD file creation for, 184-185, **184**, **185**
 - XML development and, 165, 182-190
 - XSLT and, 194, 202, **202**, **203**
- Java APIs for Implementing Enterprise Web Services. *See* JSR-109
- Java APIs for XML-based Remote Procedure Calls. *See* JAX-RPC
- Java archive. *See* JAR files
- Java Authentication and Authorization Service (JAAS) alias, XA datasources and, 114, 117
- Java bean wrappers, Enterprise JavaBeans (EJBs) and, 276-277, 278, 281-282
- Java Beans, JavaServer Faces (JSF) and, 78
- Java Beans view, Java Visual Applications and, 421
- Java Connector Architecture (JCA), 267
- JMS messages, MDBs, and, 303
 - SDO and, 216
- Java Database Connectivity (JDBC), 91-92, 102
- batch update facility in, 106-108, **106-107**, **108**
 - CallableStatement class in, 102
 - Cloudscape and, 106
 - DB beans vs., 110-113, **111**, **112**, **113**
 - drivers for, 105*t*, 114, 115*t*, 116*t*, 136, 136*t*, 214*t*
 - PreparedStatement class in, 102, 108-110, **108-109**, **110**
 - SDO relational records and, Mediator for, 143-144
 - Select program creation for, 102-106, **103-104**, **105**
 - service integration bus (SIB) and, 306
 - SQLJ and, 139
 - Statement class in, 102
 - stored procedures in, 127, 131-133, **131-132**
 - XA datasources and, providers for, 122, 122*t*, 122
- Javadoc creation using UML diagrams, 595-596, **595**
- JavaMail in Web application, 40-46. *See also* Web development
- Java Messaging Service. *See* JMS messages and message-driven beans
- Java Naming and Directory Interface (JNDI), 40, 43, 92
- database development and, 92, 117-120, **119-120**
 - Enterprise JavaBeans (EJBs) and, 234, 276
 - JavaMail and, 40, 43
 - mapping local names in, 315-317, **316**
 - service integration bus (SIB) and, 306
- Java perspective, 12
- Java Profiling Agent, 513, 516, 517, 525-535
- class statistics view in, 529-530, **530**
 - execution flow view in, 525-527, **526**, **527**
 - memory leak analysis using, 537-547
 - method invocation table in, 532-535, **533**, **534**
 - method invocation view in, 530-532, **531**, **532**
 - package statistics view in, 527-529, **528**, **529**
- JavaScript files, 22
- Java Server Faces (JSF), x, 5, 78-88
- creating, 79-82, **79**, **80**, **81**, **82**, 79
 - decoupling of Web components with, 78
 - Designer view in, 78
 - enterprise Java Beans (EJBs) and, 78
 - Java Beans and, 78
 - modifying page (menus.jsp) in, 82-86, **83**, **84**, **85**, **86**, 82
 - modifying page (result.jsp) in, 86, **87**, 86
 - page templates for, 35-40
 - Relational Records, Relational Record Lists and, 78
 - SDO relational records and, 143, 144
 - testing the application in, 87-88, **87**, **88**, 87
 - user interface (UI) design and, 78
 - Web project creation for, 79
 - Web services and, 78-79, 78
- Java Server Page (JSP), 3, 21
- creating, 29-31, **29**, **30**
 - execution of, 31, **31**
 - page templates for, 35-40
 - scriptlets in, 26
 - Struts and, 58-60, **59**, **60**
 - Tiles framework and, 73-75, **74**, **75**, 76
 - variables implicit in, 27-28, 28*t*
 - Web development and, 23, 25-34
- JavaSource files, in Web development, 22
- Java Transaction API (JTA), XA datasources and, 121-122, **121**
- Java Virtual Machine Profiler Interface (JVMPPI), 513
- Java Visual Applications, 421-467, **422**
- getters and setters in, 441-442, **441**, **442**
 - GUI components and, changes to, 421
 - Java Beans view and, 421
 - look-and-feel motifs in, 422, **423**
 - palette in, 421
 - Properties view and, 421
 - Swing and, 422, **423**
 - absolute positioning in, 437

- action listeners in, 442-443, **443**, 448-451, **448-451**
- binding details field and text area to table in, 463-465, **464**, **465**
- binding name/ID table to Web service in, 458-463, **458-463**
- client Notepad application creation in, 424-436
- Enterprise JavaBeans (EJBs) and, 423
- filters for tables in, 465-467, **466**, **467**
- GridBagLayout in, 438-440, **438**, **439**, **440**
- importing files to WSDL Editor in, 453-455, **453**, **454**, **455**
- layout managers in, 437, **437**
- Loan Calculator application in, 443-447, **444-448**, 445*t*, 447*t*
- logic for menu options in, 430-436, **430-436**
- menu options in, 428-429, **428**, 429*t*, **429**, **430**
- Notepad.java classes in, 424, **425**
- reusable panel and multiple layouts in, 436-451
- text area added to, 425-428, **426**, **427**, **428**
- Visual Editor for, 424, **425**
- Web services and, 423, 451-467, **452**
- Visual Editor for, 424, **425**
- JAX-RPC, 330, 331, 334
- JMS messages and message-driven beans, 3, 267, 291-328
 - business delegates in, 307
 - durable vs. nondurable subscription in, 293
 - Java Connector Architecture (JCA), 303
 - message consumer MDB development in, 321-327
 - ActivationSpace and destination binding to, 325-326,
 - ActivationSpec creation for, 326-327
 - creating MDB for, 322-324, **322**, **323**, **324**
 - display-message code for, 324-325, **324**, **325**
 - testing, 327, **327**
 - message headers in, 295
 - message objects in, 295
 - message payload in, 295-296
 - message properties in, 295
 - message selector in, 295
 - message types in, 295-296, 296*t*
 - message-driven beans (MDBs) in, 296-300
 - acknowledge mode in, 301
 - activation configuration properties in, 302, **303**
 - ActivationSpec and destination in, 303-304, **304**
 - bean-managed transactions (BMT) in, 301
 - characteristics of, 297
 - consumer type, 321-327
 - container-managed transactions (CMT) in, 301
 - creating, 322-324, **322**, **323**, **324**
 - deployment descriptor configuration for, 300-304
 - destination type in, 300
 - durability setting in, 300
 - interfaces for, 297
 - Java Connector Architecture (JCA), 303
 - lifecycle of, 297-299, **299**
 - listener port setting in, 301-302, **302**
 - message selector for, 301
 - non-JMS messaging system support in, 297
 - point-to-point (p2p) models for, 296
 - publish and subscribe (pub/sub) models for, 296
 - statelessness of, 297
 - transaction type for, 301
 - transactions using, 299-300
 - messaging models in, 292
 - point-to-point (p2p) models for, 292, 293-294, **294**
 - publish and subscribe (pub/sub) models for, 292-293, **292**
 - QueueConnectionFactory in, 294-295
 - queues and, 293
 - SDO and, 216
 - service integration bus (SIB) in, 297, 304-307
 - alias destination for, 307
 - bus destination of, 307, **308**
 - bus members in, 305-306
 - consumer, 304
 - destination for, 304
 - foreign destination for, 307
 - JDBC and, 306
 - JNDI and, 306
 - messaging bus in, 305
 - messaging engines in, 306
 - point-to-point (p2p) model for, 305
 - producer, 304
 - publish/subscribe (pub/sub) model for, 305
 - queue destination for, 307, **308**
 - SIB Service in, 305
 - topic space destination for, 307
 - universal unique identifier (UUID) and, 306
 - structure of message in, 296, **296**
 - TopicConnectionFactory in, 294
 - WebSphere support for, 291
 - writing JMS application with JMS API for, 307-321
 - enabling J2EE development capability for, 308, **308**
 - J2EE project creation for, 309-310, **309**, **310**, **311**
 - JNDI local name mapping in, 315-317, **316**
 - object creation in, 317-319, **319**
 - receive message servlet creation in, 313-315, **313-**
 - send message servlet creation in, 311-313, **311**
 - testing application in, 320-321, **320**, **321**

JMX management for WebSphere, 372
JSR-109, 330, 331, 335

L

layout managers in Swing, 437, **437**
layouts in Swing, 436-451
learning curve for RAD, 1-2
listener port, JMS messages, MDBs, and, 301-302, **302**
listeners, 442-443, **443**, 448-451, **448-451**
Loan Calculator application, 443-447, **444-448**, 445*t*, 447*t*
local history, 14
local transactions, in XA datasources, 113
Log and Trace Analyzer Tool, 7
log files, 7-8
logger filter, 47-50, **48**, **49**, **50**
logging beans, 283-285, **284**
Logging Tool, 4
logging. *See* profiling and logging
LoggingUtil.log files, 7-8, 7
logic for menu options, 430-436, **430-436**
look-and-feel motifs, Java Visual Applications and, 422, **423**

M

maintenance stream, team CVS development and, 504-507, **505**
manifest files in class loading, 415-416
many-to-many relationships, 250-252, **251**, **252**, **253**, 247-248, **248**
mapping
 in Enterprise JavaBeans (EJBs) and, 233, 239-240, **240**, 253-254, **254**, 262-263
 of relational database elements, to UML elements in, 579, 579*t*
meet-in-the-middle mapping, 233, 262-263
memory leak analysis, 518-520, **519**, 537-547
 application heap analysis in, 539-542, **539**, **540**, **541**
 attaching application for, 538
 fixing the leak in, 544-545, **545**
 garbage collection and, 542-543, **543**
 Java Profiling Agent for, 537-547
 monitoring application for, 538, **539**
 object reference collection in, 543-544, **544**
 package statistics view in, 539-542, **539**, **540**, **541**
 source code viewing for, 544-545, **545**
 verifying fixes to, 547-548, **547**
menu options in Notepad application, 428-429, **428**, 429*t*, **429**, **430**
 logic for, 430-436, **430-436**

merging with a branch, in team CVS development, 507-508, **508**
message headers, 295
message objects, 295
message payload, 295-296
message properties, 295
message selector, 295
message types, 295-296, 296*t*
message-driven bean (MDB), 3, 233, 234
 ActivationSpace and destination binding to, 325-326, **326**
 ActivationSpec creation for, 326-327
 creating, 322-324, **322**, **323**, **324**
 display-message code for, 324-325, **324**, **325**
 testing, 327, **327**
messaging engines, service integration bus (SIB) and, 306
messaging models, 292
metadata, annotation-based programming and, 378
metadata directory, 7-8
method invocation table, Java Profiling Agent, 532-535, **533**, **534**
method invocation view, Java Profiling Agent, 530-532, **531**, **532**
Microsoft SQL Server. *See* SQL Server
middleware, with RAD, 6
Model Driven Development, x
model-view-controller (MVC) design pattern, 54, **55**
 Enterprise JavaBeans (EJBs) and, 233
 Tiles framework and, 73
modules, in Web development, 21

N

name/ID table, binding Web service to, 458-463, **458-463**
namespaces, 168
 XML schema (XSD) files and, 168
 XSLT and, 197, **197**, 197
navigable roles and relationships, 251-252, **252**
navigation, in Web development in, 35-40
 navigation bar creation, 36-39
Network Deployment (ND) version of WebSphere, 374
nodes, WebSphere, 374
Notepad.java application, 424, **425**

O

object reference collection, 543-544, **544**
one-to-one relationships, 247-248, **248**, 247, 250-252, **251**, **252**, **253**
operations in class diagram, 568-569, **569**
optimistic vs. pessimistic versioning, 472

- Oracle Database, 2, 89
 column definitions in, 99, 100*t*
 connection creation for, 96-97
 stored procedures and in, 127, 129-130, **130**
 transaction support in, 114
- P**
- Package Explorer view, comparing files, 14, 561, **561**
- package statistics view, 527-529, **528, 529**
 profiling, logging, and, 539-542, **539, 540, 541**
- Page Designer tool, 23
- page templates, in Web development, 35-40
- Page Template tag, 37, **37**
- palette, Java Visual Applications and, 421
- Palette view, 23, **24, 37, 37**
- parallel development in single stream, team CVS, 499-503, **499-502**
- pattern matching, XML schema (XSD) files and, 177, **177**
- performance analysis, 516-537
 attaching to an application for, 517-522, **517**
 class statistics view in, 529-530, **530**
 collection limit setting for, 520-521, **521**
 destination project for, 521-522, **521**
 execution flow view in, 525-527, **526, 527**
 execution time analysis in, 518-520
 filter sets for, 518-520
 J2EE Request Profiler for, 524-525, **525**
 Java Profiling Agent for, 525-535
 memory leak analysis in, 518-520, **519**
 method invocation table in, 532-535, **533, 534**
 method invocation view in, 530-532, **531, 532**
 monitoring the application in, 522-523, **523, 524**
 package statistics view in, 527-529, **528, 529**
 Profile mode for, 516
 Profiling tab settings for, 518-520
 source code viewing in, 535-537, **536**
- permissions in security, 405-406, **406**
- persistence, in EJBs, bean- vs. container-managed, 235, 247-257
- Perspective Layout, in visual modeling, 560, **560**
- perspectives, 12-13
 team CVS development and, 473-479
- pessimistic versioning, 472
- plug-ins for RAD, 8-10, 8
- point-to-point (p2p) models for, 292, 293-294, **294**
 service integration bus (SIB) and, 305
- popup menus, in visual modeling, 564, **564**
- port assignment for profiles in WebSphere, 375, **376**
- POST, 25
- PreparedStatement class in JDBC, 102, 108-110, **108-109, 110**
- Problem view, 13
 team CVS development and, 478, **478**
- Process Advisor in RUP, 601-602, **601**
- Process Browser, visual modeling and, 597-601, **597**
- producer, in service integration bus (SIB), 304
- Product Updater, 8-10
- productivity, 5
- Profile mode, profiling, logging, and, 516
- profile support, WebSphere, 373, 374-378, **376**
- profiling and logging, 511-554
 db2diag.log in, 547
 EAR files for, 514-515
 example use of, 513-514
 IBM Agent Controller and, 514
 importance of, 511-512
 J2EE Request Profiler for, 513, 516, 517, 522, 524-525, **525**
 Java Profiling Agent for, 513, 516, 525-535
 Java Virtual Machine Profiler Interface (JVMPi) and, 513
 memory leak analysis using, 537-547
 application heap analysis in, 539-542, **539, 540, 541**
 attaching application for, 538
 fixing the leak in, 544-545, **545**
 garbage collection and, 542-543, **543**
 Java Profiling Agent for, 537-547
 monitoring application for, 538, **539**
 object reference collection in, 543-544, **544**
 package statistics view in, 539-542, **539, 540, 541**
 source code viewing for, 544-545, **545**
 verifying fixes to, 547-548, **547**
- package statistics view in, 539-542, **539, 540, 541**
- performance analysis using, 516-537
 attaching to an application for, 517-522, **517**
 class statistics view in, 529-530, **530**
 collection limit setting for, 520-521, **521**
 destination project for, 521-522, **521**
 execution flow view in, 525-527, **526, 527**
 execution time analysis in, 518-520
 filter sets for, 518-520
 J2EE Request Profiler for, 524-525, **525**
 Java Profiling Agent for, 525-535
 memory leak analysis in, 518-520, **519**
 method invocation table in, 532-535, **533, 534**
 method invocation view in, 530-532, **531, 532**
 monitoring the application in, 522-523, **523, 524**
 package statistics view in, 527-529, **528, 529**
 Profile mode for, 516

- profiling and logging, performance analysis, *continued*
 - Profiling tab settings for, 518-520, **520**
 - source code viewing in, 535-537, **536**
 - Profile mode for, 516
 - testing setup for, 515, **515**
 - tools for, 512-513
 - trace.log in, 547
 - tracing application execution using, 547-553
 - analyzing logs in, 551-553
 - correlating logs for, 549-551, **550, 551**
 - db2diag.log in, 547
 - importing log files to workspace for, 548-549
 - logs for (trace.log, db2diag.log), 547
 - symptom database for, 551-552, **552**
 - trace.log in, 547
 - when to profile, 512
 - Profiling Tool, 4
 - programmatic security concepts, 396-397
 - project creation in RAD, 12
 - Java applications and, 15-16, **15**
 - projects, in Web development, 21-22, **22**
 - Properties view, Java Visual Applications and, 421
 - publish and subscribe (pub/sub) models for, 292-293, **292**
 - service integration bus (SIB) and, 305
 - publishing a Web service, 333, 361-367
 - publishing code to WebSphere server, 372-373
 - PUT, 25
- Q**
- queue destination, 307, **308**
 - QueueConnectionFactory, 294-295
 - queues, JMS messages, MDBs, and, 293
 - Quick Fix for compilation errors, 576, **576**
- R**
- Rational Application Developer (RAD), ix-x, 4-6
 - breakpoint setting in, 14, 18, **18, 19**, 136-137, **137**
 - build paths in, 14
 - comparing files in Package Explorer view in, 14
 - Console view in, 17, **17**
 - Content Assist feature in, 13, **13**
 - debugging in, 18, **18, 19**
 - family of products with, 10
 - features for, 8
 - formatting preferences selection for, 13, **13**
 - help system for, 6-8
 - installation of, 5
 - integration and, 5
 - J2EE and. *See* J2EE
 - learning curve for, 1-2
 - local history in, 14
 - Log and Trace Analyzer Tool for, 7
 - log files and, 7-8
 - perspectives in, 12-13
 - productivity and, 5
 - project creation in, 12, 15-16, **15**
 - Rational Software Development Platform and, 5
 - standards and middleware currency with, 6
 - starting, 11-12, **11**
 - support for, 4-5, 6-8
 - tools for, 5-6
 - updates and plug-ins for, Product Updater and, 8-10
 - views in, 13
 - WebSphere Application Server and. *See* WebSphere Application Server
 - Welcome page for, 12, **12**
 - workspace location in, 11-12
 - Rational ClearCase LT, 469. *See also* team development with CVS
 - Rational DeveloperWorks, 10
 - Rational Functional Tester, 10
 - Rational Software Architect, x, 10
 - Rational Software Development Platform, 5, 558, 559*t*
 - Rational Software Modeler, 10
 - Rational Unified Process (RUP), x, 4, 555, 557-558, 596-604, **597, 598**. *See also* visual modeling
 - changing process in, preference setting for, 602-604, **603**
 - Process Advisor in, 601-602, **601**
 - Process Browser, 597-601, **597**
 - roles and responsibilities diagrammed using, 599-600, **599**
 - tool mentors in RUP and, 600-601, **600**
 - Rational Web Developer, 10
 - RedHat Linux 7
 - team CVS development and, 484-490, **484-490**
 - refresh packs, 9
 - Relational Records, Relational Record Lists, JavaServer Faces (JSF) and, 78
 - relational records, SDO. *See* SDO relational records
 - relationships
 - in Enterprise JavaBeans (EJBs), 247-248, **248**, 250-252, **251, 252, 253**
 - visual modeling of, 562-563, **565, 566, 567, 568**, 586, **586**
 - repositories, CVS, 471-472, 483-484, **483**, 485-486, **485, 486**, 493-494, **494**
 - CVS Repositories Exploring perspective in, 474-475, **474**

- result-set file creation, SQLJ and, 139-140
 return type attributes and relationships, 252, **252**
 reusable panel application in Swing, 436-451
 role-based development, 391, 392*t*
 role definition, security, 404-405
 role mapping in security, to users and groups, 399-400, **400**, 407-408, **407**
 role references in security, 412-413, **413**
 roles and relationships, 251-252, **252**, **253**
 roles and responsibilities diagrammed using RUP, 599-600, **599**
 rollback transactions, XA datasources and, 113-114
 runtimes, WebSphere, 371, **371**
- S**
- SAX parser, XML development and, 165, 182-183, 186-187, **186-187**, **188**
 schema, in database development, 98-100
 scriptlets, Java, 26
 SDO relational records, 143-158
 data graphs in, 143
 Data Mediator Service (DMS) in, 143
 data objects in, 143
 data stores in, 143
 Enterprise Java Beans (EJBs) and, 143
 Java Server Faces (JSF) and, 143, 144
 JDBC Mediator for, 143-144
 modify file (displayAll.jsp) in, 144-149, **145**, **146**, **147**, **148**, **149**
 modify file (displayRecord.jsp) in, 149-154, **150**, **151**, **152**, **153**, **154**
 modify file (editRecord.jsp) in, 154-156, **155**, **156**
 testing, 156-158, **157**, **158**
 XML and, 143
 security in J2EE, 390-403
 authentication in, 392-396
 Authorization Constraint wizard for, 395-396, **396**
 binding and enabling, 399-402
 declarative security concepts in, 392-398
 enterprise applications and, 398-399
 Enterprise JavaBeans (EJBs) and, 403-414
 FileServingServlet disablement and, 397-398, **398**
 permissions in, 405-406, **406**
 programmatic security concepts in, 396-397
 role-based development, 391, 392*t*
 role definition in, 404-405
 role mapping in, to users and groups, 399-400, **400**, 407-408, **407**
 role references in, 412-413, **413**
 Security Constraints wizard for, 395, **395**
 testing, 403, 410-412, **411**, **412**
 Web applications and, 392-398, **393**, **394**, **395**, **396**
 WebSphere and, enabling, 400-402, **401**, **402**, 408-410, **409**, **410**
 Security Constraints wizard, 395, **395**
 Select program creation, Java Database Connectivity (JDBC) and, 102-106, **103-104**, **105**
 sequence diagrams, in visual modeling, 570-576, **571-575**
 sequential development, in team CVS development, 492-499, **492**
 servers in WebSphere, 374
 Service Data Object (SDO), 143. *See also* SDO
 relational records
 APIs for, 217-219, **217**, **218**
 class creation in, 231-232, **231-232**
 copying XSD and XML files to, 222
 data graphs and, 216, **218**, 219, 267
 Data Mediator Service (DMS) and, 216, 267
 data objects and, 216, 267
 disconnected architecture of, 216-217, **217**
 Eclipse Modeling Framework (EMF) and, 219-221, **220**, **221**
 extending classes in, 228-230, **228-230**
 getters and setters in, 217-218
 Java Connector Architecture (JCA) and, 216, 267
 JMS messages and, 216, 267
 loading from XML, 222-223, **222-223**
 navigating, 223-224, **223-224**
 new package creation for, 221
 SDO Generator for, 222
 session beans and, 266, 267, 272-275, **273**, 274
 updating, 225-228, **225**, **226-227**
 XML development and, 165, 190, 216-232
 XPath and, 219
 XPath and, lookups using, 224-225, **225**
 Service Deployment Configuration, for Web services, 333-335, **334**, 341-342, **342**
 service integration bus (SIB), 304-308
 alias destination for, 307
 bus destination of, 307, **308**
 bus members in, 305-306
 consumer, 304
 destination for, 304
 foreign destination for, 307
 JDBC and, 306
 JMS messages, MDBs, and, 291, 304-307
 JNDI and, 306
 messaging bus in, 305
 messaging engines in, 306
 point-to-point (p2p) model for, 305

- service integration bus (SIB), *continued*
 - producer, 304
 - publish/subscribe (pub/sub) model for, 305
 - queue destination for, 307, **308**
 - SIB Service in, 305
 - topic space destination for, 307
 - universal unique identifier (UUID) and, 306
- service-oriented architecture (SOA), 329. *See also* Web services
- servlets, Java, 3, 21, 25
 - creation of, 31-33, **32, 33**
 - datasources in, in database development, 113-120
 - filters for, 46-53, **47, 53**. *See also* Web development in Web development, 22, 25-34
 - XA datasources and, 122, **123-125**
- session, in Web development, 26-27, 33-34, **33, 34**
- session beans, 233, 234, 266-276. *See also* Enterprise JavaBeans (EJBs)
 - annotation support and, 267
 - annotation-based programming and, 378-381, **379, 380-381**
 - business logic in, code for, 270, **270-271**
 - container-managed persistence (CMP) in, 266
 - creation of, using wizard, 267
 - facades of, 266, 272-275, **273, 274, 275**
 - interface for, 269, **269**
 - method added to, 381-384, **381, 382, 383, 384**
 - reference to, 268-269
 - remote interface for, business methods in, 271-272, **272**
 - service data objects (SDO) and, 266, 267, 272-275, **273, 274, 275**
 - stateless type, creating, 268
 - stateless vs. stateful, 266
 - testing facade of, 275-276
- Simple API for XML. *See* SAX parser
- Simple Object Access Protocol (SOAP), 329, 331, 350-355, **353-354, 355**. *See also* Web services
- simpleType and complexType definitions, XML schema (XSD) files and, 167
- site map creation, in Web development, 36-39
- SMTP mail server, JavaMail and, 40-41
- software configuration management (SCM), 469. *See also* team development with CVS
- source code viewing, using profiling, 535-537, **536**
- Source view, 33
- SQL Query Builder, database development and, 91
- SQL Scrapbook, database development and, 90
- SQL Server, 2, 89
 - column definitions in, 99, 100*t*
 - connection creation for, 97-98
 - stored procedures and, 127, 131, **131**
 - transaction support in, 114
 - XML development and, SQLToXML and XMLToSQL translators for, 165, 206-215
- SQL statements, in database development, x, 89, 91, 92, 138. *See also* SQLJ
- SQLJ, 138-143
 - Code Assist in, 139, **139**
 - connecting to database, 138-139
 - database development and, 91-92, 138-143
 - DB2 customizer for, 142, **142**
 - Java application creation for, 141, **141**
 - JDBC connection for, 139
 - modifying files in, 140, **141**
 - result-set file creation in, 139-140
 - running, 143, **143**
 - saving files in, 139
- SQLToXML and XMLToSQL translators, 165, 206-215
 - copying or creating XSD files for, 207, **207**
 - data from XML, in database, 212-213, **212, 213**
 - database connection for, 208
 - DDL script generation for XSD and table creation for, 208, **209**
 - INSERT and SELECT statements in, 209-211, **209, 210**
 - Java application with SQLToXML in, 213-215, **213-214, 214*t*, 215**
 - new package creation for, 207
 - XST template generation for, 211, **212**
- standards, with RAD, 6
- starting Rational Application Developer (RAD), 11-12, **11**
- stateless vs. stateful session beans, 266
- Statement class in JDBC, 102
- stereotypes, in visual modeling, 579, 579*t*
- stored procedures, 126-138
 - calling, in a Java program, 133-136, **134, 135, 136*t***
 - creating, 127-133
 - database development and, 91, 126-138
 - debugging, in DB2, 136-138, **137, 138**
 - JDBC and, 131-133, **131-132**
- streams, 472
- Struts, 5, 54-72
 - action beans in, 54, 55
 - Action class in, 65-68, 65-68, **66, 67-68**
 - ActionForm beans in, 54, 55-56, 60-65, **61, 62, 63, 64-65**
 - ActionServlet in, 54, 55
 - adding support for, to existing Web module, 56-58
 - custom tags in, 54, 56
 - do method in, 57-58
 - FrontController pattern in, 55

- Java Server Page (JSP) in, 58-60, **59**, **60**
 Model-View-Controller (MVC) design pattern in,
 54, **55**
 running sample application of, 68, **69**, 71, **71**
 SubmitAction class in, 65-68, 65-68, **66**, **67-68**
 SubmitForm in, 58, 60-65, **62**, **63**, **64-65**
 validation in, 69-71, **70**
 Web Diagram tool in, 56, 72, **72**
- stubs, 370
 style sheets, 21
 SubmitAction class, in Struts, 65-68, 65-68, **66**, **67-68**
 SubmitForm, in Struts, 58, 60-65, **62**, **63**, **64-65**
 Swing, 422, **423**
 absolute positioning in, 437
 action listeners in, 442-443, **443**, 448-451, **448-451**
 binding details field and text area to table in,
 463-465, **464**, **465**
 client application creation in, 424-436
 Enterprise JavaBeans (EJBs) and, 423
 filters for tables in, 465-467, **466**, **467**
 getters and setters in, 441-442, **441**, **442**
 GridBagLayout in, 438-440, **438**, **439**, **440**
 importing files to WSDL Editor in, 453-455, **453**,
 454, **455**
 Java Visual Applications and, 422, **423**
 layout managers in, 437, **437**
 Loan Calculator application in, 443-447, **444-448**,
 445*t*, 447*t*
 multiple layouts in, 436-451
 Notepad application example using
 logic for menu options in, 430-436, **430-436**
 menu options in, 428-429, **428**, 429*t*, **429**, **430**
 text area added to, 425-428, **426**, **427**, **428**
 Notepad.java classes in, 424, **425**
 reusable panel application in, 436-451
 Visual Editor for, 424, **425**
 Web services and, 423, 451-467, **452**
- Sybase Enterprise Systems database, 2, 89
 column definitions in, 99, 100*t*
 connection creation for, 98
 stored procedures and, 127, 130, **130**
 transaction support in, 114
- symptom database, tracing execution using, 551-552, **552**
 synchronization, in team CVS development, 472,
 476-479
 conflicts in, 509-510, **509**, **510**
 Synchronize view in, 476-477
 Team Synchronizing perspective in, 476-479, **477**
 Synchronize view, CVS, 476-477
- T**
 tables, 98-100
 Data perspective for, 93-101
 DDL script generation for XSD and table creation
 for, 208, **209**
 filters for, 465-467, **466**, **467**
- Task view, 13
 team CVS development and, 478-479, **479**
 TCP/IP monitor, Web services and, 351-358, **351**, **353**
 team development with CVS, 469-510
 branches in, 472
 branching using multiple streams in, 503-510, **503**
 catching up a file for modification, 497-498, **497**,
 498, **499**
 concurrent team-development scenarios for,
 490-491, **491**
 connection testing in, 483-484
 CVS Annotate view in, 475, **475**
 CVS Repositories Exploring perspective in,
 474-475, **474**
 CVS Repositories view in, 474-475
 CVS Resource history view in, 476, **476**
 enabling, 473-474, **473**
 file modification in, 496-497
 file retrieval in, 496-497, **496**
 file/project creation in, 493-495, **493**
 folders in, 485-486, **485**
 HEAD stream in, 474, 499-503
 history option in, 470-471, **470**, 476
 installation of, 479
 RedHat Linux 7, 484-490, **484-490**
 testing, 487-490, **488-490**
 Windows, 479-484, **480-484**
 maintenance stream creation in, 504-507, **505**
 merging with a branch in, 507-508, **508**
 optimistic vs. pessimistic versioning in, 472
 parallel development in single stream in, 499-503,
 499-502
 perspectives and views in, 473-479
 Problems view in, 478, **478**
 repositories in, 471-472, 483-484, **483**, 485-486,
 485, **486**, 493-494, **494**
 sequential development in, 492-499, **492**
 streams in, 472
 synchronization in, 472, 476-479
 synchronization conflicts in, 509-510, **509**, **510**
 Synchronize view in, 476-477
 Tasks view in, 478-479, **479**
 Team Synchronizing perspective in, 476-479, **477**
 user accounts and groups in, 484-485

team development with CVS, *continued*
 user environment in, 487, **487**
 versioned object base (VOB) repository
 organization in, 471
 versions in, 473
 workspace in, 470-471, **470**, 491, **491**
 xinetd service in, 486-487, **486**, **487**
Team Synchronizing perspective, 476-479, **477**
template page, Tiles framework and, (layout.jsp) for,
 76, **77**
templates, in XML development, 193-194, **193**
Tiles framework, 73-78. *See also* Web development
tool mentors in RUP, 600-601, **600**
tools for RAD, 5
top-down mapping, 233, 239-240, **240**, 253-254, **254**
 visual modeling and, 587-589, **588**
topic diagrams, in architectural and application
 analysis, 589, 590-593, **590-592**
topic space destination, 307
TopicConnectionFactory, 294
Trace Analyzer Tool. *See* Log and Trace Analyzer Tool
trace.log, 547
tracing application execution, 547-553
 correlating logs for, 549-551, **550**, **551**
 importing log files to workspace for, 548-549
 symptom database for, 551-552, **552**
transactions, 121-122
 attribute setting for, 288-289, **289**
 bean-managed transactions (BMT) in, 301
 container-managed transactions (CMT) in, 301
 datasource for, 287-288
 Enterprise JavaBeans (EJBs) and, 282-290. *See also* Enterprise JavaBeans (EJBs)
 Java Transaction API (JTA) in, 121-122, **121**
 logging beans for, 283-285, **284**
 reference for logger in, 285-287, **286-287**
 service integration bus (SIB) and, 299-300
 testing logger for, 288, **288**, 290
 XA datasources and, 113, 120-126
troubleshooting for RAD, 6-7
try/catch blocks, **223-224**
tutorials in book, 2

U

UML notation, x. *See also* visual modeling
UML Visual Editor for Java and EJB tool for, 556-557
Unified Modeling Language (UML), 556-557. *See also* visual modeling
Unified Process. *See* Rational Unified Process

Universal Description Discovery and Integration
(UDDI), 329-330
Universal Test Client (UTC)
 Enterprise JavaBeans (EJBs) and, 244-247, **245**,
 246, 256-257, **256**, 265-266
 security testing on, 410-412, **411**, **412**
 Web services and, 335, 350, 358-361, **359**, **360**
 universal unique identifier (UUID), service integration
 bus (SIB) and, 306
 updates for RAD, 8-10
 user accounts and groups, team CVS development
 and, 484-485
 user environment, team CVS development and, 487, **487**
 user interface (UI) design, JavaServer Faces (JSF) and, 78
 user-defined functions, database development and, 91
 users and security role mapping, 399-400, **400**,
 407-408, **407**

V

validation, in Struts, 69-71, **70**
variables, implicit in JSPs, 27-28, 28*t*
versioned object base (VOB) repository, 471
versioning, 473
 optimistic vs. pessimistic, 472
views, 13
 database tools, 89
 in MVC design pattern, 54
 team CVS development and, 473-479
Visual Editor, 424, **425**
visual Java, 3
visual modeling, x, 4, 555-604
 architectural and application analysis using, 589-596
 browse diagrams in, 589, 593-594, **593**, **594**
 edit diagrams in, 589
 Javadoc creation using UML diagrams in,
 595-596, **595**
 topic diagrams in, 589, 590-593, **590-592**
 Enterprise JavaBeans (EJB) application modeling
 using, 555, 576-589
 bottom-up mapping in, 584-585, **584**, **587**
 data model in, 581, **581**
 data structure modeling in, 577-582
 data visualization in, 580-581, **580**
 EJB mapping and modeling in, 582-587, **582-587**
 Information Engineering (IE) diagram support
 in, 577-582
 Integration Definition for Information Modeling
 (IDEFIX) diagram support in, 577
 mapping to RDB in, 587-589, **588**

- relational database elements mapping to UML
 - elements in, 579, 579*t*
 - relationships in, 586, **586**
 - stereotypes in, 579, 579*t*
 - top-down mapping in, 587-589, **588**
 - importance of, 556-557
 - Information Engineering (IE) diagram support in, 557, 577-582
 - Integration Definition for Information Modeling (IDEFIX) diagram support in, 557, 577-582, **583**
 - J2EE and, 555
 - Java application modeling using, 555, 558-576
 - class structure modeling in, 559-570, **560**, **562**
 - dynamic structure modeling in, 570-576, **571-575**
 - field creation for, 563-564, **563**, 564*t*
 - getters and setters added to, 569-570, **570**
 - operations added to, 568-569, **569**
 - Package Explorer view in, 561, **561**
 - Perspective Layout for, 560, **560**
 - popup menus for, 564, **564**
 - Quick Fix for compilation errors in, 576, **576**
 - relationships and attributes in, 562-563, **565**, **566**, **567**, **568**
 - sequence diagrams in, 570-576, **571-575**
 - Javadoc creation using UML diagrams in, 595-596, **595**
 - Quick Fix for compilation errors in, 576, **576**
 - Rational Software Development Platform and, 558, 559*t*
 - Rational Unified Process (RUP) in, 555, 557-558, 596-604, **597**, **598**
 - changing process in, preference setting for, 602-604, **603**
 - J2EE and, **598**
 - Process Advisor in, 601-602, **601**
 - Process Browser for, 597-601, **597**
 - roles and responsibilities diagrammed using, 599-600, **599**
 - tool mentors in, 600-601, **600**
 - tools for, 558, 559*t*
 - UML Visual Editor for Java and EJB tool for, 556-557
 - understanding process of, 596-604
 - Unified Modeling Language (UML) in, 556-557
 - Content Area dialog in, 37-38, **37**
 - deployment descriptor (web.xml) and, 22
 - Dynamic Web Projects Folder for, 22
 - Enterprise JavaBeans (EJBs) and, 21
 - error pages in, 39-40, **39**, **40**
 - Gallery view for, 23, **24**
 - HTML and, 21, 23
 - images in, 21
 - J2EE and, 21
 - Java Server Pages (JSP) and, 21, 23, 25-34
 - creation of, 29-31, **29**, **30**
 - Design view in, 30
 - enterprise application project (EAR) in, 28
 - execution of, 31, **31**
 - HTML forms in, 26
 - HTTP-based requests in, 25-34
 - Java scriptlets in, 26
 - servlets, Java, creation of, 25-34, **32**, **33**
 - session in, 26-27, 33-34, **33**, **34**
 - Source view in, 33
 - variables implicit in JSP and, 27-28, 28*t*
 - JavaMail feature in, 40-46
 - email servlet creation for, 43-46, **44**, **45-46**
 - Java Naming and Directory Interface (JNDI) and, 40, 43
 - SMTP mail server for, 40-41
 - testing the servlet for, 46
 - WebSphere Server setup for, 41-42, **42**
 - JavaScript files in, 22
 - JavaServer Faces (JSF) in, 78-88. *See also*
 - JavaServer Faces (JSF) creating, 79-82, **79**, **80**, **81**, **82**
 - decoupling of Web components with, 78
 - Designer view in, 78
 - enterprise Java Beans (EJBs) and, 78
 - Java Beans and, 78
 - modifying page (menus.jsp) in, 82-86, **83**, **84**, **85**, **86**
 - modifying page (result.jsp) in, 86, **87**
 - Relational Records, Relational Record Lists and, 78
 - testing the application in, 87-88, **87**, **88**
 - user interface (UI) design and, 78
 - Web project creation for, 79
 - Web services and, 78-79
 - JavaSource files for, 22
 - modules in, 21
 - navigation bar creation in, 36-39
 - Page Designer tool for, 23
 - Page Template tag in, 37, **37**
 - page template, navigation, error pages in, 35-40
- W**
- WAR files, in Web development, 22
 - Web component, in Web development, 21
 - Web deployment descriptor (web.xml), 22
 - Web development, 21-88. *See also* J2EE.
 - Application Client and, 21

- Web development, *continued*.
 - Palette view in, 23, **24**, 37, **37**
 - projects in, 21-22, **22**
 - running the Web site in, 38, **39**
 - servlet filters in, 46-53, **47**, **53**
 - advertisement filters in, 50-53, **51**, **52**
 - HTTP requests and, 46-47
 - logger filter in, 47-50, **48**, **49**, **50**
 - servlets, Java and, 21, 22
 - site map creation in, 36-39
 - site structure creation in, 35-36
 - Struts for, 54-72. *See* Struts, 54
 - style sheets in, 21
 - Tiles framework in, 73-78
 - decoupling Web components with, 73-75, **73**, **75**
 - Java Server Pages (JSP) and, 73-75, **74**, **75**, 76
 - Model-View-Controller (MVC) design pattern in, 73
 - reference to, from JSP page, 77-78, **77**
 - running, 78
 - template page (layout.jsp) for, 76, **77**
 - WAR file in, 22
 - Web component in, 21
 - Web Diagram tool and, 22-23, **23**
 - Web page creation in, 36-39
 - Web perspective and, 23
 - Web Site Navigation tool and, 22, **22**, 35-36, **36**
 - WebContent directory for, 22
- Web Diagram tool, 22, 56, 72, **72**
- Web page creation, 36-39. *See also* Web development
- Web perspective, 12, 23
- Web Service Description Language (WSDL), 329-330, 334, 355-358, **356**, 453-455, **453**, **454**, **455**
 - importing files to, 453-455, **453**, **454**, **455**
- Web Service Inspection Language (WSIL), 329-330
- Web services, x, 3, 329-368
 - binding details field and text area to table in, 463-465, **464**, **465**
 - binding name/ID table to, 458-463, **458-463**
 - bottom-up vs. top-down code to, 332
 - client creation in, 367
 - client proxy for, 333, 346-352, **347**, **348**, **349**
 - creation of, from Java bean, 333, **333**, 335-352
 - code for bean in, 337-341, **338-339**, **340-341**
 - deploying, 341-342, **342**
 - EAR file creation for, 336, **337**
 - proxy and sample for, 346-352, **347**, **348**, **349**
 - testing, 342-346, 350-352
 - Web project creation for, 336, **337**
 - discovering, 366, **366**
 - filters for tables in, 465-467, **466**, **467**
 - HTTP and, 329, 330, 352, 353
 - Java APIs for Implementing Enterprise Web Services (JSR-109) and, 330, 331, 335
 - Java APIs for XML-based Remote Procedure Calls (JAX-RPC) and, 330, 331, 334
 - JavaServer Faces (JSF) and, 78-79
 - publishing, 333, 361-367
 - business entity, 363-364, **364**
 - client creation in, 367
 - Publication wizard for, 361-363, **362**
 - service, 364-365, **365**
 - test registry for, 363, **363**, **364**, **365**
 - Web Services Explorer for, 361-363
 - runtimes available for, 331
 - Service Deployment Configuration for, 333-335, **334**, 341-342, **342**
 - service-oriented architecture (SOA) and, 329
 - Simple Object Access Protocol (SOAP) and, 329, 331, 350-352, 353-355, **353-354**, **355**
 - skeleton code (top-down WSDL) for, 332
 - Swing and, 423, 451-467, **452**
 - TCP/IP monitor and, 351-352, **351**, **353**
 - testing, 358-361, **359**, **360**
 - Simple Object Access Protocol (SOAP) and, 350-351, 352
 - test registry for, 363, **363**, **364**, **365**
 - Universal Test Client (UTC) for, 350, 358-361, **359**, **360**
 - Web Services Explorer for, 350-351
 - XML and, 350
 - tools for in RAD, 330-331
 - Universal Description Discovery and Integration (UDDI) and, 329-330
 - Universal Test Client (UTC) for, 335, 350, 358-361, **359**, **360**
 - Web Service Description Language (WSDL) and, 329-330, 334, 355-358, **356**, 453-455, **453**, **454**, **455**
 - Web Service Inspection Language (WSIL) and, 329-330
 - Web Services Explorer for, 333, 342-346, **343**, **344**, **345**, 350-351, 361-363
 - Web Services Interoperability Organization (WS-I.org) and, 330
 - wizard for, 331-335, **332**
 - XML and, 329, 330, 350, 353
 - Web Services Explorer, 333, 342-346, **343**, **344**, **345**, 350-351, 361-363
 - Web Services Interoperability Organization (WS-I.org), 330
 - Web Site Navigation tool, 22, **22**, 35-36, **36**
 - Web Tools Project, ix
 - WebContent directory, 22

- WebSphere, ix-x, 1-2, 3, 5
 - administrative structure of, 373-378, **374**
 - cells, nodes, and servers in, 374
 - class loaders and, 416-418, **417, 418**
 - datasources in, 374
 - debugging and restarting in, 373
 - development in, 370-378
 - EAR file and datasource creation in, 384-390, **386, 387, 388, 389, 390**
 - features of, 370-372
 - JMS messages, MDBs, and, 291
 - JMX management for, 372
 - Network Deployment (ND) version of, 374
 - new server creation in, 371, **372**
 - platform support for, 372
 - port assignment for profiles in, 375, **376**
 - profile support in, 373, 374-378, **376**
 - publishing code to, 372-373
 - runtimes of, 371, **371**
 - security and, enabling, 400-402, **401, 402**, 408-410, **409, 410**
 - server creation in, 376-378, **377**
 - test environment in, 370
 - Web services and runtime, 331
 - WebSphere Studio Application Developer, 1-2
 - Welcome page for RAD, 12, **12**
 - Windows, team CVS development and, 479-484, **480-484**
 - workspace, in team CVS development and, 470-471, **470, 491, 491**
 - workspace location in Rational Application Developer (RAD), 11-12, **11**
 - wrappers, Enterprise JavaBeans (EJBs) and, 276-277, 278, 281-282
- X**
- XA datasources, 120-126. *See also* database development
 - Java Transaction API (JTA) in, 121-122, **121**
 - running transaction servlet for, 125-126, **126**
 - servlet creation for, 122, **123-125**
 - xinetd service, team CVS development and, 486-487, **486, 487**
 - XML development, ix, 3, 161-232
 - creating files in, 161, **162**, 166-182
 - data graphs and, 165, 216
 - data objects and, 165, 216
 - debugging, 194
 - document type definition (DTD) files and, 161-163, **163**
 - DOM parser and, 165, 182-183, 188-190, **189-190**
 - extensible stylesheet language transformations (XSLT) and, 165, **166**, 191-206
 - creating new package for, 195-196, **195, 196**
 - editing XSL files for, 198-200, **198, 199, 200, 201**
 - HTML, XML document transformed into, 203-205, **203**
 - inlined XSL style sheet and, 193, **193**
 - Java API for XML Processing (JAXP) and, 194, 202, **202**,
 - namespaces and, 197, **197**
 - templates and, 193-194, **193**
 - testing, 201, **201**
 - XPath and, 191-195, **191**
 - XPath Expression Builder and, 194, 198-200, **198, 200**
 - XSL file creation for, 196-197, **197**
 - XSL style sheets and, 192-193, **192, 193**
 - facets in, 180-182, 181-182*t*
 - Java API for XML Processing (JAXP) and, 165, 182-190
 - DOM parser and, 182-183, 188-190, **189-190**
 - package creation for, 183
 - parsers for, 182-183
 - SAX parser and, 182-183, 186-187, **186-187, 188**
 - XML and XSD file creation for, 184-185, **184, 185**
 - namespaces in, 168
 - parsing or accessing files in, 165, 182
 - SAX parser and, 165, 182-183, 186-187, **186-187, 188**
 - service data objects (SDO), 143, 165, 190, 216-232
 - APIs for, 217-219, **217, 218**
 - class creation in, 231-232, **231-232**
 - copying XSD and XML files to, 222
 - data graphs and, 216, **218, 219**
 - Data Mediator Service (DMS) and, 216
 - data objects and, 216
 - disconnected architecture of, 216-217, **217**
 - Eclipse Modeling Framework (EMF) and, 219-221, **220, 221**
 - extending classes in, 228-230, **228-230**
 - getters and setters in, 217-218
 - J2EE and, 217
 - Java Connector Architecture (JCA) and, 216
 - JMS messages and, 216
 - loading from XML, 222-223, **222-223**
 - navigating, 223-224, **223-224**
 - new package creation for, 221
 - SDO Generator for, 222
 - updating, 225-228, **225, 226-227**
 - XPath and, 219
 - XPath and, lookups using, 224-225, **225**

XML development, *continued*

- SQLToXML and XMLToSQL translators for, 165, 206-215
 - copying or creating XSD files for, 207, **207**
 - data from XML, in database, 212-213, **212, 213**
 - database connection for, 208
 - DDL script generation for XSD and table creation for, 208, **209**
 - INSERT and SELECT statements in, 209-211, **209, 210**
 - Java application with SQLToXML in, 213-215, **213-214**, 214*t*, **215**
 - JDBC drivers and, 214*t*
 - new package creation for, 207
 - XST template generation for, 211, **212**
- templates and, 193-194, **193**
- Web services and, 329, 330, 350
- wizards for, in RAD, 161, **162**
- XML schema (XSD) files and, 161-165, **164**, 166-182, **166-167**
 - creating, 169-173, **169-173**
 - data types in, 167
 - expanding, 174-179, **174, 175, 176, 177-178**
 - generating XML file from existing, 173, **174**, 180-182, **180**
 - namespaces and, 168
 - pattern matching in, 177, **177**
 - simpleType and complexType definitions in, 167
 - simpleType facets in, 180-182, 181-182*t*
 - XML Schema conformity and, 167, **167**
- XPath and, 165, **166**, 191-195, **191**
 - inlined XSL style sheet and, 193, **193**
 - templates and, 193-194, **193**

- XPath Expression Builder and, 194, 198-200, **198, 200**
 - XSL style sheets and, 192-193, **192, 193**
- XPath Expression Builder and, 194, 198-200, **198, 200**
- XSL style sheets and, 192-193, **192, 193**
- XML schema (XSD) files, 161-165, **164**, 166-182, **166-167**
 - creating, 169-173, **169-173**
 - data types in, 167
 - DDL script generation for, and table creation for, 208, **209**
 - expanding, 174-179, **174, 175, 176, 177-178**
 - generating XML file from existing, 173, **174**, 180-182, **180**
- JAXP and, 184-185, **184, 185**
- namespaces and, 168
- pattern matching in, 177, **177**
- simpleType and complexType definitions in, 167
- simpleType facets in, 180-182, 181-182*t*
- SQLToXML and XMLToSQL translators and, 207, **207**
- XML Schema conformity and, 167, **167**
- XPath and XPath Expression Builder, 194, 198-200, **198, 200**
 - inlined XSL style sheet and, 193, **193**
 - SDO and, 219
 - SDO and, lookups using, 224-225, **225**
 - XML development and, 165, **166**, 191-195, **191**
 - XSL style sheets and, 192-193, **192, 193**
- XSL, 3
- XSL style sheets, 192-193, **192, 193**
- XST template generation, 211, **212**

Z

- zero-to-many relationships, 247-248, **248**, 250-252, **251, 252, 253**