

# Index

*Boldface numbers indicate illustrations, code, or tables.*

## A

- abbreviation <abbr> tag, **34**
- absolute hyperlinks, 99–100
- access control, 201, 202
- Access database software, 187
- actions, in JSP, 409, 423, **423**
- ActionScript, 10
- Active Server Pages (ASP), 179, 280. *See also* ASP.NET
- Ada 95, 10
- addition operator, 222
- address coding issues, 527–528
- address tag, 26
- Adobe Dreamweaver, 131, **132**, 207, 412, 528
- Adobe Illustrator, 121
- adware, **198**
- Ajax, 7–8, 13, 184
- alert function, 239, **239**
- alignment, 62, 63, **63**, 67
  - table data, 157–159, **158**, **159**
- AltPress.org, 504
- anchor <a> tag, 93–94, 96–99, **96–99**
- anchor method, **246**
- anchors, 93
- and/or/not logical operators, in ASP.NET, 373–374, **374**
- AndAlso/OrElse, in ASP.NET, 374, **373–374**
- Angie’s List, 506
- angle brackets and tags, 19
- Apache Derby, 303
- Apache Tomcat, 412
- API, 183, 185, 194
- appearance of elements in CSS, 75–77
- AppleScript, 10
- application logic. *See* Logic
- application methods, in JSP and, 435, **435**
- application scope, 435
- application servers, 183, **183**
  - PHP and, 284
  - security and, 202–203
  - server-side programming and scripting in, 184–186, **184**, 208–209
  - testing compatibility of, 186–187
- applications and application development, 1, 3, 5, 179–206
  - Active Server Pages (ASP) and, 179
  - Ajax and, 7–8
  - APIs and, 194
  - application servers for, 183, **183**
  - business application software and, 183–187
  - CGI and, 181
  - client in, 180
  - client-side programming and scripting in, 183–184
  - cloud services and, 203–204
  - compatibility issues and, 186
  - components of, 180–193, **180**
  - conversion tools and, 197
  - database in, 187–188
  - devices and, 7
  - fear of technology and, 10–11
  - HTML in, 181, 183
  - HTTP and, 184–186, **184**
  - IT staff and, 5–6, **6**
  - JavaServer Pages (JSP) and, 179
  - job market for, 12–13
  - languages used in, 10
  - legacy code reuse and, 5, 193–194
  - password protection and, 202
  - performance issues and, 191–193
  - PHP and, 179
  - platforms and, 6–7
  - process of, 4–10
  - Rapid Application Development (RAD) and, 185–186
  - scripting gateways and, 184
  - security and, 198–203. *See also* Security
  - server-side programming and scripting in, 184–186, **184**
  - Service-Oriented Architecture (SOA) in, 8–9
  - Simple Object Access Protocol (SOAP) in, 9
  - skill set required for, 11–12
  - standards for, 5
  - stored procedures and, 194–196, **195**
  - technology selection for, 186, 525
  - testing devices, browsers, OS, connections and, 186–187
  - user-defined functions (UDFs) and, **196–197**

- Web browsers in, 181
- Web hosting and, 203–204
- Web servers and, 181
- Web services and, 9–10
  - website design and, 188–191
- applying CSS to Web pages, 52–59
- Archie search engine, 498
- <area> tag, 129, **129**
- arithmetic operators, 218, **218**
- arranging content, 149–178
  - <div> tag for, 149
  - frames for, 149, 168–169, **169**
  - purpose of, 149–151
  - sample Web page showing, 173–176, **174–176**
  - search engine optimization (SEO) and, 151
  - <span> tag for, 149
  - tables for, 151–161. *See also* Tables
  - Web forms and, 170–173, **170, 171, 172**. *See also*
    - Web forms
  - Web page structure and, 151
- array functions
  - ASP.NET and, **369–370**
  - PHP and, 302
- arrays
  - ASP.NET and, 369–370
  - ASP.NET and, Dim statement for, 363, **363**
  - index for, in PHP, 299
  - JavaScript and, 254–258, **255–258**
  - multidimensional, 301–302, **301, 302**
  - PHP and, 288, 299–302, **299–302**
- <article> tag, **42**
- <aside> tag, **42**
- Ask.com, 503
- ASP, 10, 185
- ASP.NET, 2, 7, 20, 185, 194, 207, 345–407, 487, 497, 528
  - advantages and disadvantages of, 346–347
  - and/or/not logical operators in, 373–374, **374**
  - array functions in, **369–370**
  - arrays in, 369–370
  - arrays in, Dim statement for, 363, **363**
  - built-in functions in, 367–370, **367–371**
  - buttons and options for, in message box, 361–362
  - calling a function in, 366, **366–367**
  - CGI vs., 346
  - code-behind file in, 357
  - CodeFile attribute in, 357
  - Common Language Runtime (CLR) and, 345
  - connectivity and, 405
  - controls/standard controls in, 382, **382**
  - conversion functions in, **368–369**
  - data types in, 366
  - databases and, 395–404, **396–404**
  - date/time functions in, **368**
  - delimiters for, percent sign tags, 358, 359, **359**
  - For Next and For Each loops in, 376–378, **377–378**
  - form creation in, 395–404, **396–404**
  - formatting functions in, **368–369**
  - functions in, 365–371
  - HTML and, 347–349
  - HTML controls in, 381
  - if statement in, 371–373, **372, 373**
  - installation of, 349
  - Internet Information Server (IIS) and, 349, 354–355, **355**
  - Java vs., 346
  - JSP and, 409, 410
  - language attribute in, 357
  - logical operators in, 373–374
  - login controls in, 383, **383**
  - loops in, 376–380
  - math functions in, **369**
  - message box in, 359–362, **359–360**
  - miscellaneous functions in, 370, **370–371**
  - navigation controls in, 383, **383**
  - open source for, 345–346
  - page directives in, 357–362, **357**
  - PHP and, 280–281, 346
  - processing cycle in, 347–349, **347, 348**
  - ResponseWrite method in, 358, **358**
  - Select Case statement in, 375–376, **375–376**
  - server information in, 349, 354–355, **355**
  - server-side coding in, 347
  - short-circuit logical operators, AndAlso/OrElse in, 374, **373–374**
  - SQL Server and, 405
  - string functions in, **370**
  - subprocedures in, 364–365, **364, 365**
  - table creation in, 381–395, **381–395**
  - tools for, Visual Studio, 349, **349**
  - updating data in, with FormView, 395–404, **396–404**
  - validation controls in, 383, **383**
  - variables in, 362, **362**
  - VB.NET and, 345
  - VBScript in, 355–356, **356–357**
  - Visual Web Developer and, Web form creation
    - with, 399–404, **399–404**
  - While/Do While/Until loops in, 379–380, **379, 380**
  - wizard for, creating a Web form/Web page with, 350–354, **350–354**
- aspect ratios, 120

- assignment operators
  - in JavaScript, 218, **218**
  - in PHP and, 289–290, **289–290**
- asynchronous, 8
- Asynchronous JavaScript, 8
- attributes, 19
- audience for website, 478, 480–481
- audio
  - attributes for <audio> element in, 135
  - <audio> tag, 133–135, **135**
  - controls attribute for, 135
  - embedding on Web pages, 133
  - emulator for, 136, **136**
  - formats for, 134
  - links for, 134, **134**
  - media files and, 136
  - plug-ins and, 133
  - sample Web page using, 144, **144–147**
  - <source> tag and, 137
  - Web browser support for, 133, 136, **136, 137**
- author tag, 23
- autostart, 142
- B**
- <b> tag, **34, 35, 36, 36, 60**
- background of elements in CSS, 73–75, **75, 79**
- bandwidth, 193
- banner exchange, 516–517, **517, 518**
- Berners-Lee, Timothy, 18, 479
- best practices, 525–536
  - address coding issues in, 527–528
  - Cascading Style Sheets (CSS) in, 527
  - code validators and, 528–529
  - coding standards in, 529
  - cutting-edge coding techniques in, 527
  - documentation in, 529
  - focusing on objectives in, 525
  - font selection, 532–533
  - JavaScript support coding in, 530–532, **530–532**
  - specifications and standards in, 528
  - structure of site in, 525–526, **526**
  - technology selection and, 527
  - testing websites and code in, 533–535
- BestEzines.com, 506
- big method, **246**
- Bing, 96, 498–499, 505, **498, 499**
- bitmaps, 133
- blink method, **246**
- block value, 68
- block-level elements, 25–34, **25**
- <blockquote> tag, 25, 29
- BMP format, 133
- body of table, <tbody> tag, 159–161, **160–161**
- <body> tag, 21, 22, 23, 24, 79
- bold font, <b> tag, **34, 35, 36, 36, 60**
- bold method, **246**
- Boolean data type, 216
  - PHP and, 288
  - JavaScript and, 252, **252**
- borders, 63–64, **64, 70–73, 71, 72, 73, 152**
- bottom property, 66
- box model, CSS and, 63–64, **64, 63**
- boxes, rounded corners on, 72–73, **73, 72**
- <br> tag, 36, **36, 37**
- break statement, JavaScript and, 229–230, **229–230**
- browser-based applications, 1
- browsers. *See* Web browsers
- business applications, 4, 183–187
  - client-side programming and scripting in, 183–184
  - compatibility issues and, 186
  - HTML and, 183
  - HTTP, 184–186, **184**
  - Rapid Application Development (RAD) and, 185–186
  - scripting gateways and, 184
  - server-side programming and scripting in, 184–186, **184**
  - technology selection for, 186, 525
  - testing devices, browsers, OS, connections and, 186–187
  - tools for, 185
- C**
- C/C++, 2, 10, 13, 17, 209, 280
- C#, 345
- caching, Web, 193
- calendar functions, PHP and, 302
- Call Level Interface (DB2 CLI), 303
- captions, <figurecaption> tag, 126, **126, 127**
- Cascading Style Sheets (CSS), 2, 10, 13, 18, 49–92, 525, 527–529
  - appearance of elements in, 75–77
  - applying style sheets to Web pages, 52–59
  - arrangement of elements in, 63–67, **64**
  - background of elements in, 73–75, **75**
  - border box in, 63–64, **64**
  - box model of, 63–64, **64**
  - child selectors in, 83
  - class selector in, 50, 78
  - classes in, 50, 78, **78**
  - content box in, 63–64, **64, 63**
  - declaration in, 50

- descendant selectors in, 83
  - display of elements in, 67–73, **68–73**
  - embedded style sheets in, 53–55, **53–54, 55**
  - external style sheets in, 55–58, **56, 57, 58**
  - font styles in, 59–60
  - how it works, 50–52, **50, 51, 52**
  - HTML and, 49
  - ID in, 85–86, **86**
  - id selector in, 50
  - images incorporated into Web pages using, 122–127
  - importing style sheets in, 58–59, **59**
  - inheriting properties in, 79–85, **79–85**
  - inline style sheets in, 53, **53**
  - links and, defining stylesheets with, 104
  - margin box in, 63–64, **64**
  - multiple style rules to one selector in, 51–52, **51**
  - nested classes/subclasses in, 84–85
  - order of precedence in, 52
  - padding box in, 63–64, **64**
  - presentational languages and, 49
  - properties in, 50, 59–86
  - sample of, 86–90, **86–90**
  - selector in, 50
  - shorthand notation in, 64
  - standards and versions for, 50
  - style rules in, 50–51, **50, 51**, 59–86
  - tables in, 77
  - vertical-align property in, 67
  - virtual style sheets and, 52
  - Web browsers and, 51–52
  - z-index property in, 67
- case of font, 62
- case sensitivity, 20
- in JavaScript, 210
  - in JSP, 413
  - in PHP, 291
- catch statement, **243–245, 242**
- catching errors
- JavaScript and, 242–245
  - onerror event handler, 261–263, **262, 263**
- category-focused vertical search engines, 504
- CCI, 10
- cells, in table, 156–157, **157**
- centering text, 27
- CGI, 2, 4, 181, 184, 185, 199, 200, 411
- ASP.NET and, 346
  - JSP and, 410
  - PHP and, 279
- ChaCha, 505
- character encoding, 23
- character references. *See* Escape codes; Special characters
- charAt method, **246**
- charCodeAt method, **246**
- charset attribute, links and, 94
- check boxes, 173
- child selectors, 83
- Chrome, 1, 3, 23, 120, 122–123, 181, 207, 258, 428, 486–487, **23, 123, 486, 487**
- circle, <area> tag and, 129, **129**
- <cite> tag, **34**
- class property, 81
- class selector, CSS and, 50, 78
- classes
- in CSS, 50, 78, **78**
  - JSP and, 410
- clear property, 65
- client-based applications, 1
- client-side language, 281
- client-side programming and scripting, 3–4, 183–184, 191–192
- clients, 1, 3, 180
- client-side programming and scripting in 3–4, 183–184, 191–192
  - performance and, offloading tasks to, 191–192
- cloud services, 4 203–204
- CMM, 10
- COBOL, 10, 17
- <code> tag, **34**
- code checkers, 526–527
- code validators, 526–527
- code-behind file, ASP.NET and, 357
- CodeFile attribute, ASP.NET and, 357
- coding
- <code> tag, **34**
  - code checkers, 527–528
  - cutting-edge, 527
  - documentation for, 529
  - JavaScript support coding in, 530–532, **530–532**
  - specifications and standards for, 528
  - standards for, 529
  - testing, 533–535
  - validators for, 528–529
  - performance issues and, 193
  - security issues and, 200
- <col> and <colgroup> tags, 163–166, **164–166**
- collapse property, 66
- colocation, 203. *See also* Web hosting
- color
- font, 60, 61–62, **62**
  - hex codes for, 61–62, **62**

- Color Graphics Monitor Adapter (CGA), 119
- column/row headers (table), <th> tag for, 155–156, **155, 156**
- columns/column groups, <col> and <colgroup> tags for, 163–166, **164–166**
- comments, 24–25, **24–25**  
 in JavaScript, 210–211, **211**  
 in PHP, 286, **286**
- Common Gateway Interface (CGI). *See* CGI
- Common Language Runtime (CLR), 345
- comparison operators  
 in JavaScript, 218, **218–219**  
 in PHP, 290, **290**
- compatibility issues, Web browsers, 186, 475–493
- components of a Web application, 180–193, **180**
- compound statements, in JavaScript, 215, 227–228, **228**
- compression, 121, 133
- concat method, **246**
- concept-based search engines, 505
- conditional statements  
 in JavaScript, 223–227  
 in PHP, 291, **291**
- configuration and performance, 192
- confirm function, 239–240, **240**
- connectivity  
 ASP.NET and, 405  
 PHP and, 330, 341, **341–342**  
 speed and, 480, 491  
 testing compatibility of connections in, 186–187
- consultants for search engine optimization, 521
- contact information, in Website design, 191
- container tags, 19
- content  
 arranging. *See* Arranging content  
 design considerations for, 189  
 search engines and SEO in, 520–521
- content box, in CSS, 63–64, **64**
- content, HTML, 19
- continue statement, JavaScript and, 230–232, **230–232**
- controls  
 in ASP.NET, 382, **382**  
 for Web form, 171, **172**
- conversion functions, in ASP.NET, **368–369**
- conversion tools, 197
- cookies, 263–265, **263–265**  
 get/set methods in JSP and, 441–444, **441–444**  
 JavaScript and, 210  
 JSP and, 441–444, **441–444**  
 PHP and, 306–308, **307, 308**
- coordinates, <area> tag and, 129, **129**
- CorelDRAW, 121
- corners, rounded, 72–73, **73**
- Crack, 199
- crawler. *See* Web crawlers
- cropping, 77
- CSS. *See* Cascading Style Sheets
- cursor property, 67–68
- cutting-edge coding techniques, 527
- ## D
- data security, 202
- data types  
 in ASP.NET, 366  
 in JavaScript, 216–222, **216**  
 in PHP, 288, **288–289**
- database management systems (DBMS), 4, 187. *See also* Databases
- database triggers. *See* Triggers, database
- databases, 4–5, 187–188  
 ASP.NET and, 395–404, **396–404**  
 database management systems (DBMS) and, 187  
 filters in PHP and, 322–323, **322–323**  
 JSP and, 444–469  
 Open Database Connectivity (ODBC) standard and, 280  
 PHP supported, list of, 279–280, 327–342  
 platforms for, 7  
 relational database management systems (RDBMS) and, 187  
 SQL and, 187  
 stored procedures and, 194–196, **195**  
 triggers for, 187–188, **188**  
 user-defined functions (UDFs) and, 196–197, **196, 197**  
 user-defined table functions (UDTFs), 196–197, **197**
- date objects  
 get and set methods for, 250–252, **250–252**  
 JavaScript and, 248–252, **248–252**
- date/time functions  
 in ASP.NET, **368**  
 in PHP, 308–311, **308–311**
- DB2, 187, 444
- DB2 functions, PHP and, 303
- dBase, 187
- dBase functions, PHP and, 303
- <dd> tag, 26, 33–34, **33, 34, 80, 81**
- declaration, CSS and, 50
- declaration tag, JSP and, 416, **416**
- deep linking, 96
- defined functions, 236

- definitions, 25
  - definitions <dd> tag, 26, 33–34, **33, 34**, 80, 81
  - deprecated features, 18
  - descendant selectors, 83
  - description list <dl> tag, 25, 33–34, **33, 34**, 80, 83
  - description term <dt> tag, 23, 25, 33–34, **33, 34**, 80, 81
  - description, meta, 513
  - design. *See* Applications and application development
  - detection of Web browsers, 493–494
  - development. *See* Applications and application development
  - development
  - devices, 7
    - testing compatibility of, 186–187
  - Dim statement, in ASP.NET, 363, **363**
  - directives, JSP, 419–423, **420**
  - directory functions, PHP and, 303
  - display of elements in CSS, 67–73, **68–73**
  - display property, 67–68
  - distributed denial of service (DDoS) attacks, **198**
  - <div> tag, 25, 40, **40–41**, 42, 97 149
  - <dl> tag, 25, 33–34, **33, 34**, 80, 83
  - Do While loop
    - in ASP.NET and, 379–380, **379, 380**
    - in JavaScript, 233, **233**
    - in PHP and, **296, 297**
  - doctype, 21
  - DOCTYPE declaration (DTD), 528–529
  - DOCTYPE tag, 20–22, **20, 22**
  - Document Object Model (DOM), 8, 478–479
  - document type definition (DTD), 21–22, **22**
  - documentation, 529
  - Dogpile, 505
  - domain names, performance and, 193
  - double data type, in PHP, 288
  - Dreamweaver, 131, **132**, 207, 412, 528
  - <dt> tag, 25, 33–34, **33, 34**, 80, 81
  - DuckDuckGo, 505
  - Dylan, 10
  - dynamic applications, 6
  - dynamic components to minimize impact of Web
    - browser differences, 493
  - dynamic documents, 3, 20
  - dynamic HTML, 478
  - dynamically generated pages, 520–521
- E**
- e-bot. *See* Web crawlers
  - eBusiness MBA Guide, 498
  - echo command, 286
  - echo statement, in PHP and, 298, **298–299**
  - Eclipse, 207, 412, 528
  - ECMA, 487
  - Edge, 1, 3, 23, 181, 258
  - editors, for JSP, 412
  - Educationworld.com, 506
  - Eiffel, 10
  - elements, 19, 25–47
    - arrangement of, 63–67, **64**
    - block-level, 25–34, **25**
    - grouping. *See* Block-level elements
    - inherited properties in, 79–85, **79–85**
    - nested, 22
    - text-level, 34–39, **34**
  - else statement, 224–226, **224–226**
  - <em tag>, **34**
  - email, 311–317
    - forms using, 313–314, **313, 314**
    - injection attacks and, 314–317, **314–317**
    - mail function of PHP, 311–317
    - MIME standards for, 314
    - PHP and, 311–317
    - SMTP standards for, 314
    - standards for, 314
  - <embed> tag, video and, 140, 141–142, **142**
  - embedded CSS style sheets in, 53–55, **53–54, 55**
  - Emphasis <em tag>, **34**
  - employment opportunities, 12–13
  - empty statements, in JavaScript, 228
  - empty tags, 19
  - emulator, audio, 136, **136**
  - end tag, 2
  - Enhanced Graphics Adapter (EGA), 119
  - equality operator, 221
  - error catching
    - in JavaScript, 242–245
    - onerror events and, **243–245**
    - try catch throw statements, **243–245**
  - error functions, in PHP, 303
  - error handling
    - error handlers in PHP and, 319–321, **319–321**
    - in HTML, 20
    - in JavaScript, 242–245
    - in JSP, 421–423, **421–423**, 469–474, **470–474**
    - logging, 318–319, **318**
    - PHP and, 317–321
  - escape characters, 217, **217**
  - escape codes, 37–39
  - escape function, **238**
  - eval function, **237**
  - events, in JavaScript, 219, 258–263
    - handlers for, 258–263, **258–259**

exception handling, in JSP, 469–474, **470–474**  
 expression statements, in JavaScript, 227–232  
 expression tag, in JSP, 417–418, **418**  
 expressions, in PHP, 287–288  
 Extended Log File Format (ELF), 482  
 external CSS style sheets, 55–58, **56, 57, 58**  
 external JavaScript files, `<script>` tag for, 214, **214**

## F

Facebook, 522  
 Fantom, 10  
 fear of technology and Web development for, 10–11  
 feedback on Website design, 191  
`<figure>` tag, 126, **126, 127**  
`<figurecaption>` tag, 126, **126, 127**  
 file open function, in PHP, 338–340, **338–340**  
 File Transfer Protocol. *See* FTP  
 filesystem functions, 303  
 filter functions, in PHP, 303  
 filters, in PHP, 322–323, **322–323**  
 Finger, 199  
 Firefox, 1, 3, 23, 181, 258, 487  
 firewalls, 199  
 fixed method, **246**  
 Flash shockwave, 140  
 float data type, in PHP, 288  
 float property, 66  
 fontcolor method, **246**  
 fonts, 57, 59–60, 532–533
 

- alignment, 62, 63, **63**
- case, 62
- color of, 60, 61–62, **62**
- common, list of, 532–533
- indents, 62
- letter spacing of, 62
- selection criteria for, 532–533
- shadow effect, 62
- size of, 1, 60, 65
- style of, 60
- underline/overlines, 62
- weight of, 60

 fontsize method, **246**  
`<footer>` tag, 22, **42, 43–44, 43–44**  
 footer of table, `<tfoot>` tag, 159–161, **160–161**  
 for in loop, 234–235, **234–235**  
 for loops, 229
 

- in JavaScript, 234–235, **234–235**
- in PHP and, 297–299, **298**

 For Next/For Each loops, in ASP.NET, 376–378, **377–378**  
 foreach loops, 298–299, **298**

form validation, in JavaScript, 265–277, **265–277**  
`<form>` tag, 170–173, **170, 171, 172**  
 formatting functions, in ASP.NET and, **368–369**  
 forms. *See* Web forms, 170  
 FormView, ASP.NET and, 395–404, **396–404**  
`<frame>` tag, 168–169  
 frames, 149, 168–169, 169
 

- inline, `<frame>` and `<iframe>` for, 168–169
- sample Web page using, 173–176, **174–176**
- tables and, 152

 frameworks, JavaScript and, 208  
 Frequently Asked Questions (FAQ) sample, 97–99, **97–99**  
 fromCharCode method, **246**  
 FTP, 102, 199, 303
 

- Web hosting and, 203

 FTP functions, in PHP and, 303  
 FTP links, 102–103, **103**  
 full-path hyperlinks, 99–100  
 functions
 

- in ASP.NET, 365–371
- in JavaScript, 236–242. *See also* Functions, JavaScript
- in JSP, **438–439**
- in PHP, 302–306
- user-defined, in PHP, 304–305, **304**

 functions, JavaScript
 

- calling, 236–237, **236–237**
- defined, 236
- defining, in HTML documents, 236
- `<head>` tag and, 236
- message, 239

 predefined, 237–239, **237–238**

## G

gateways, scripting. *See* Scripting gateways  
 GEL, 10  
 geocoding/geoparsing, 505  
 get and set methods, for dates,
 

- in JavaScript, 250–252, **250–252**
- in JSP, 441–444, **441–444**

 GET, 324–326, **324–325**  
 GIF format, 121  
 Gimp, 132  
 global variables, in JavaScript, 215  
 Glyphic Script, 10  
 Google, 24, 121, 499, 505, 508–509, 520  
 Google Chrome, 1, 3, 23  
 Google Maps, 8  
 Gopher, 199  
 graphical user interface (GUI), 131, 478

graphics, 5  
grouping elements. *See* Block-level elements  
Guile, 10

**H**

<h1-h6> tags, 1, 2, 22, 25, 83  
hacking, **198**  
handheld devices, 3, 7  
handlers, event, 258–263, **258–259**  
hardware, 3, 4  
    Web browsers and, 487–488  
hash tables, 503–504, **503, 504**  
<head> tag, 22–23, **22, 24, 236**  
head, in document, 21  
<header> tag, 42, **42**  
headings <h1-h6> tags, 1, 2, 25, 26, **26, 83**  
height property, 65  
hex codes, for color, 61–62, **62**  
hidden inputs in forms, 173  
hidden property, 66  
high-definition (HD) video, 120  
Highlighted text <mark> tag, **34**  
HIPAA, 5, 203  
horizontal rules <hr> tag, 25, 28–29, **29**  
hosting. *See* Web hosting, 4  
Hotels.com, 506  
hotspots, 124, 130, **130, 131**  
<hr> tag, 25, 28–29, **29**  
href attribute, 94, 100, 130  
hreflag attribute, 94  
HTML, 1, 3–4, 10, 13, 17–48, 181, 183, 528, 529  
    angle brackets and tags in, 19  
    ASP.NET and server-side coding in, 347, 381  
    attributes in, 19  
    basic page in, 18–19  
    business applications and, 183  
    Cascading Style Sheets (CSS) in. *See* Cascading  
    Style Sheets (CSS)  
    case-sensitivity and, 20  
    client-side programming and scripting in, 183–184  
    code checkers for, 528–529  
    comments in, 24–25, **24–25**  
    container tags in, 19  
    content in, 19  
    CSS and, 49  
    DOCTYPE and document type definition (DTD)  
    in, 20–22, **20, 22, 528**  
    dynamic, 478  
    earlier versions of, 21  
    elements in, 19, 25–47. *See also* Elements  
    empty, self-contained, single-sided tags in, 19

errors in, 20  
event handlers and, 258–263, **258–259**  
form validation in JavaScript and, 266–277, **266–  
277**  
functions in JavaScript and, 236  
<html> tag in, 22, 24  
HTML4, 21  
HTML5, 18–21, 23, 25, 27, 29, 36, 42–44, **42**  
images incorporated into Web pages using, 122–  
127  
JavaScript and, 207, 208, 210  
JavaScript and, placing, 212–214, **213–214**  
JavaScript and, support coding in, 530–532, **530–  
532**  
JSP and, 409, 412–413, **412**  
nested elements in, 22  
PHP and, 280  
sample page, **45–47**  
semantic languages and, 18, 49  
start/end tags and, 19  
structural elements in, 18, 39–44  
tagnames in, 19  
tags in, 18–19, **19**  
VBScript placement in, 356, **356–357**  
void elements in, 19  
Web browsers and, 476  
Web forms and, 324–326, **324–325**  
wrapper methods, 247  
XHTML, 18  
<html> tag, 22, 24  
HTML4, 21  
HTML5, 18–21, 23, 25, 27, 29, 36, 42–44, **42**  
HTTP, 99, 181, 184–186, **184, 192**  
    CGI and, 185  
    request/response cycle in, 4  
    Server-Side Includes (SSI) and, 185  
    server-side programming and scripting in, 184–  
    186, **184**  
    traffic load and, 193  
    traffic managers, 193  
    Web browsers and, 478  
HTTP functions, in PHP and, 303  
hyperlinks. *See* Links  
HyperTalk, 10  
hypertext links. *See* Links  
Hypertext Markup Language. *See* HTML  
Hypertext Transfer Protocol. *See* HTTP



## I

- <i> tag, **34**, 35, 36, **36**, 60
- IBM, 17
- IBM Cloudscape, 303
- IBM DB2, 4
- IBM Universal Database, 303
- IBM i, 10
- Icon, 10
- id attribute, links and, 94
- id selector, CSS and, 50
- ID, in CSS, 85–86, **86**
- identifiers, in JavaScript, 211, **211**
- <iframe> tag, 168–169
- if else statement
  - in JavaScript, 224–226, **224–226**
  - in PHP, 291–293, **291–293**
- if elseif else statement
  - in PHP, 293–294, **294**
- if statement
  - in ASP.NET, 371–373, **372**, **373**
  - in JavaScript, 223, 223
  - in PHP, 291–293, **291–293**
- Illustrator, 121
- <img> tag, 122–123
- image buttons in forms, 173
- image maps, 124, 128–132
- images/image files
  - broken (not found), 122, **123**
  - captions and, <figurecaption> tag for, 126, **126**, **127**
  - compression in, 121
  - coordinates and <area> tag for, 129, **129**
  - dos and don'ts of working with, 133
  - <figure> tag for, 126, **126**, **127**
  - file types/formats, 120–121, **120**
  - hotspots in, 124, 130, **130**, **131**
  - href attribute and, 130
  - hyperlinks for, 127–128, **127–128**
  - image maps and, 124, 128–132
  - <img> tag for, 122
  - incorporated into Web pages, 122–127
  - ismap for, 124
  - resolution in, 124–125, **124**, **125**, 126
  - sample of Web page using, 125–**126**
  - scalability in, 121
  - search engines and SEO in, links to, 514–517, **515–518**
  - sizing of, 124–125, **124**, **125**, 126
  - tools for, 132
  - transparency in, 121
  - usemap for, 124
  - vector graphics and, 121
  - Web browser compatibility with, 121
- immutability of string values, in JavaScript, 217
- implicit objects, in JSP, 416, **416**, 433–435, **433**
- importing CSS style sheets, 58–59, **59**
- include directive, in JSP, 420–421, **420**
- incremental development, 529
- indentation, 62
- index, for PHP arrays, 299
- indexing, search engines and SEO in, 500, 503–504, **503**, **504**
- indexOf method, **246**
- inequality operator, 221
- inheritance
  - child selectors in, 83
  - descendant selectors in, 83
  - JSP and, 410
  - properties/elements, 79–85, **79–85**
- injection attacks, email, 314–317, **314–317**
- inline CSS style sheets in, 53, **53**
- inline frames, <frame> and <iframe> for, 168–169
- input or text box, for Web forms, 173
- instances, in JSP, 410
- integer data type, in PHP, 288
- integrated development environments (IDE), 207, 349, 412, 528
- interpreted languages, 207
- Internet Explorer, 1, 3, 21, 181, 258, 486–487, **486**, **487**
- Internet Information Server (IIS), 281
  - ASP.NET and, 349, 354–355, **355**
- Internet Live Stats, 499
- Internet local search, 505
- Internet Protocol (IP). *See* IP
- invisible links, 103
- IP, 9–10, 99
- iPads, 3, 7
- isFinite function, **237**
- ismap, 124
- isNaN function, **238**
- ISO, 485
- IT staff, 5–6, **6**
- Italic <i> tag, **34**, 35, 36, **36**, 60
- italics method, **247**

## J

- Java, 7, 9, 10, 13, 184, 185, 207, 209, 411, 493
  - ASP.NET and, 346
  - JSP and, 409
  - PHP and, 281–282
- Java Development Kit (JDK), JSP and, 412

- Java Runtime Environment (JRE), 281, 428
- Java Server Pages. *See* JSP
- Java servlets, 185, 410
- Java Virtual Machine (JVM), 7, 411, 412
- JavaBeans, 410
- JavaScript, 2, 3–4, 8, 10, 13, 183, 184, 207–278, 487, 492, 497, 528, 529
  - advantages and disadvantages of, 209
  - arrays in, 254–258, **255–258**
  - Boolean data type in, 216
  - Boolean objects in, 252, **252**
  - breaking text strings in, 215, **215**
  - case sensitivity and, 210
  - comments in, 210–211, **211**
  - compound statements in, 215
  - conditional statements in, 223–227
  - cookies and, 210, 263–265, **263–265**
  - data types in, 216–222, **216**
  - date objects in, 248–252, **248–252**
  - dynamic Web page creation and, 210
  - error catching in, 242–245
  - escape characters in, 217, **217**
  - events and, 210
  - events in, 258–263
  - expression statements in, 227–232
  - external files for, <script> tag for, 214, **214**
  - form validation in, 265–277, **265–277**
  - forms and, 210
  - frameworks for, 208
  - functions in, 236–242
  - HTML and, 207, 208, 210, 212–214, **213–214**
  - identifiers in, 211, **211**
  - immutability of string values in, 217
  - integrated development environments (IDE) for, 207
  - interpreted languages and, 207
  - JSP and, 410, 411
  - loops in, 229, 232–235
  - math objects in, 253–254, **253–254**
  - methods in, 217, 245
  - numbers in, 216
  - object class in, 245
  - object-oriented programming (OOP) and, 245
  - objects in, 245–254
  - operators in, 217–222, **218**
  - PHP and, 280
  - pop-up windows and, 210
  - precedence of operators in, 219–222, **221–222**
  - properties in, 245
  - reserved words in, 211–212
  - reusing code in, 208
  - sandbox for, 208
  - search engines and SEO in, 521
  - semicolons in, 212
  - server-side scripting vs., 208–209
  - statements in, 212, 222–242
  - string object in, 246–248, **246–248**
  - strings in, 216–217
  - support coding in, 530–532, **530–532**
  - syntax of, 210–212
  - uses for, 210
  - validation and, 210
  - variables in, 215
  - VBScript vs., 209
  - Web browsers and, 207, 208, 210
  - whitespace in, 212
  - wrapper methods, HTML and, 247
- JBuilder, 412
- job market, 12–13
- JPEG format, 121, 133
- jQuery, 10, 184
- JSP, 2, 10, 20, 185, 194, 207, 409–475, 487, 497, 527
  - actions in, 409, 423, **423**
  - adding data to a database with, 449–455, **449–455**
  - advantages and disadvantages of, 411–412
  - application methods in, 435, **435**
  - application scope in, 435
  - ASP.NET and, 409, 410
  - case sensitivity of, 413
  - CGI and, 410
  - classes in, 410
  - compiler for, 410
  - cookies in, 441–444, **441–444**
  - database access in, 444–469
  - declaration tag in, 416, **416**
  - directives in, 419–421, **420**
  - displaying database records in, 444–449, **444–4489**
  - editors for, 412
  - error handling in, 421–423, **421–423**, 469–474, **470–474**
  - exception handling in, 469–474, **470–474**
  - expression tag in, 417–418, **418**
  - functions in, **438–439**
  - getting started with, requirements for, 412
  - HTML and, 409, 412–413, **413**
  - implicit objects in, 416, **417**, 433–435, **433**
  - include directive in, 421–422, **421**
  - inheritance in, 410
  - instances in, 410
  - integrated development environments (IDE) for, 412
  - Java and, 409

- Java Development Kit (JDK) for, 412
  - Java Runtime Environment (JRE) and, 428
  - Java servlets in, 410
  - Java Virtual Machine (JVM) and, 411, 412
  - JavaBeans and, 410
  - JavaScript and, 410, 411
  - jsp:<fallback> tag in, 423, 424, **423**
  - jsp:<forward> tag in, 424, **425**
  - jsp:<getProperty> tag in, 425, **425–426**
  - jsp:<include> tag in, 426–427, **426–427**
  - jsp:<param> tag in, 427–428, **427–428**
  - jsp:<plugin> tag in, 428–429, **429**
  - jsp:<setProperty> tag in, 429, **429–430**
  - jsp:<useBean> tag in, 430–433, **430–432**
  - page directive in, 422–423, **422–423**
  - page scope in, 434
  - pageContext methods in, 435, **435**
  - PHP and, 409, 410
  - request and response cycle in, 434, **434**
  - request methods in, 434, **434**
  - response methods in, 434, **434**
  - scope attribute in, 430, **431**
  - script example of, 412–413, **412**
  - scripting elements in, 415
  - scriptlet tag in, 418–419, **419**
  - Servlet API and, 409
  - session methods in, 435, **435**
  - sessions in, 434–435, 439–440, **439, 440**
  - SQL and SQL Server for, 444
  - standard tag libraries (JSTL) in, 436–439, **436**
  - superclasses in, 410
  - syntax of, 409, 413–423, **413–415**
  - tag libraries in, 409, 436–439, **436–439**
  - tags in, 413
  - template text in, 415
  - updating a database with, 455–469, **455–469**
  - uses of, 410–411
  - variables in, 415, **416**
  - Web server for, 412
  - XML and, 409
- JSP standard tag libraries (JSTL), 436–439, **436**
- jsp:<fallback> tag, 423, **424**
  - jsp:<forward> tag, 424, **425**
  - jsp:<getProperty> tag, 425, **425–426**
  - jsp:<include> tag, 426–427, **426–427**
  - jsp:<param> tag, 427–428, **427–428**
  - jsp:<plugin> tag, 428–429, **429**
  - jsp:<setProperty> tag in, 429, **429–430**
  - jsp:<useBean> tag, 430–433, **430–432**
  - justifying text, 27
- ## K
- key page submission, search engines and SEO in, 521–522
  - keystroke logging, **198**
  - keywords and search engine optimization (SEO), 507, 509–511, **510, 511**
  - meta tags and meta keywords, 509–511, **510, 511**, 513–514
  - <keywords> tag, 23
  - Komodo IDE, 207, 526
  - QXML, 10
- ## L
- labeled statements, in JavaScript, 228–229, **228–229**
  - landscape property, 77
  - Language attribute, in ASP.NET and, 357
  - languages, coding/computer, 2–3, 10, 17, 49, 207, 281, 286
  - platforms for, 7
  - presentational, 18
  - selection of, 2–3
  - semantic, 18
  - languages, human
  - links to define alternate, 104
  - Web browsers and, 482–486
  - lastIndexOf method, **247**
  - layout of page (landscape vs. portrait), 77
  - LDAP, 203
  - left-aligning text, 27
  - legacy apps/legacy code, 1, 5
  - incremental development and, 529
  - legacy code reuse and, 193–194
  - platforms for, 7
  - legal requirements, 5
  - length property, 246
  - letter spacing of font, 62
  - <li> tag, 25, 31, 82
  - Linda, 10
  - Line break <br> tag, 36, **36, 37**
  - Lingo, 10
  - link method, **247**
  - <link> tag, 23, 103
  - LinkedIn, 520
  - links, 68–69, **69**, 93–118, 189
  - absolute hyperlinks and, 99–100
  - anchor <a> tag for, 93–94, 96–99, **96–99**
  - audio and, 134, **134**
  - charset attribute and, 94
  - CSS and, defining a style sheet with, 104
  - deep linking and, 96

- default appearance of, 100
  - exchange of, in SEO, 516–517, **517**, **518**
  - external, in SEO, 518–520, **519**, **520**
  - Frequently Asked Questions (FAQ) sample using, 97–99, **97–99**
  - FTP, 102–103, **103**
  - full-path, 99–100
  - hotspots and, 124, 130, **130**, **131**
  - href attribute and, 94, 100
  - hreflang attribute and, 94
  - Hypertext Transfer Protocol (HTTP) and, 99
  - id attribute and, 94
  - images and, 127–128, **127–128**
  - Internet Protocol (IP) and, 99
  - invisible, 103
  - language, alternate languages and, 104
  - <link> tag, 23, 103
  - mailto, 100–102, **101**, **102**
  - name attribute and, 94
  - navigation <nav> tag and, **42**, 42–43, **43**
  - placing on page, 93–95
  - protocol or scheme of a URL and (http), 99
  - relative hyperlinks and, 100
  - rev attribute in, 105
  - sample page using, 105–116, **105–116**
  - search engines and SEO in, 95–96, 514–517, **515–518**
  - target attribute and, 94–95
  - text, 514
  - title attribute and, 94
  - tooltips and, 94–95, **95**
  - types of, 99, **105**
  - Uniform Resource Identifiers (URIs) in, 99–100
  - video and, 137, **137**
- Linux, 3, 187
- Lisp, 10
- list items <li> tag, 31–33, **32**, **33**
- list style properties, 75–76
- lists, 25, 30–34, 75–76, 80–82, **80**, **81**
- nested, 82–84, **82**, **85**
- local variables, in JavaScript, 215
- logging, 303
- error handling in PHP and, 318–319, **318**
  - Extended Log File Format (ELF), 482
  - security and, 199
- Logic, 5
- logical operators
- in ASP.NET and, 373–374
  - in JavaScript, 219, **219**
  - in PHP and, 290, **290**
- login controls, in ASP.NET, 383, **383**
- Logo, 10
- loops,
- break statement in, 229–230, **229–230**
  - continue statement in, 230–232, **230–232**
  - in ASP.NET, 376–380
  - in JavaScript, 229–235
  - in PHP, 295–299
- loosely type languages, 286
- lossless and lossy compression, 121, 133
- ## M
- Mac OS, 3
- mail functions, in PHP, 303, 311–317
- mailto links, 100–102, **101**, **102**
- <main> tag, **42**, 43, **43**
- <map> tag, 129
- maps, image, 124, 128–132
- margin box, CSS and, 63–64, **64**, 63
- margin property, 70
- margins, 70
- <mark> tag, **34**
- marker offset property, 76
- marks property, 77
- markup languages, 1
- match method, **247**
- math functions, 303
- ASP.NET and, **369**, 369
- math objects, in JavaScript, 253–254, **253–254**
- MC Press Bookstore, 4
- media files, 136
- media-focused vertical search engines, 506
- message box, in ASP.NET, 359–362, **359–360**
- message functions, 239
- meta descriptions, 513
- meta robots tags, 513
- <meta> tag, 22, 23, **23**
- meta tags and meta keywords, 509–511, **510**, **511**, 513–514
- methods, in JavaScript, 217, 245
- Microsoft Access, PHP and, 280
- Microsoft Edge, 1, 3, 23
- Microsoft Expression, 207, 528
- Microsoft Internet Explorer, 1, 3
- Microsoft Visio, 121
- MIME standards, 314
- ML, 10
- modern application development, 1
- Modula-3, 10
- monitors, Web browsers and, 488–490, **488–490**
- Mozilla Firefox, 1, 3, 23
- multidimensional arrays, in PHP, 301–302, **301**, **302**

multimedia, 119–148. *See also* Audio; Images/image files; Video  
 MySQL, 4, 187, 303, 444

## N

name attribute, links and, 94  
 natural language queries in search engines and SEO, 505  
 <nav> tag, **42**, 42–43, **43**  
 navigation, 189, **190**  
   ASP.NET and, controls for, 383, **383**  
   links for, <nav> tag, **42**, 42–43, **43**  
 nested classes/subclasses, CSS and, 84–85  
 nested elements, in HTML, 22  
 nested lists, 82–84, **82**, **85**  
 nested tables, 166–168, **166–168**  
 .NET, 2, 9, 13, 280, 345, 411, 493, 528  
 NetBeans, 412  
 NetBeans IDE, 207  
 Netcraft, survey of top server software, 181–182, **182**  
 Netscape, 21, 181  
 Network File System (NFS), 199  
 Network Information Services (NIS), 199  
 NewtonScript, 10  
 <noscript> tag, 530–531, **530–532**  
 Notepad, 207, 412  
 Notepad++, 56, 98, 207, 528  
 NULL, in PHP, 288  
 number function, **238**  
 numbers, in JavaScript, 216

## O

object class, in JavaScript, 245  
 object-oriented programming (OOP), 245  
 <object> tag, video and, 140, 143–144, **143**, **144**  
 objective of the website, 525  
 objects  
   in JavaScript, 245–254  
   in JSP, implicit, 416, **416**, 433–435, **433**  
   in PHP, 288  
 Obliqu, 10  
 <ol> tag, 25, 31–33, **32**, **33**, 83  
 onabort event handler, **258**  
 onblur event handler, **258**  
 onchange event handler, **258**  
 onclick event handler, **258**  
 onclick event handler, 259–260, **259–260**  
 ondblclick event handler, **258**  
 onerror event handler, **258**  
 onerror event handler, 261–263, **262**, **263**  
 onfocus event handler, **258**

onkeydown event handler, **258**  
 onkeypress event handler, **258**  
 onkeyup event handler, **258**  
 onload event handler, **259**  
 onmousedown event handler, **259**  
 onmousedown event handler, 260, **261–262**  
 onmousemove event handler, **259**  
 onmouseout event handler, **259**  
 onmouseover event handler, **259**  
 onmouseup event handler, **259**  
 onreset event handler, **259**  
 onresize event handler, **259**  
 onselect event handler, **259**  
 onsubmit event handler, **259**  
 onunload event handler, **259**  
 Open Database Connectivity (ODBC), 280  
 open source software, 280  
 Opera, 3, 181, 258, 482, 486, **486**  
 operating systems, 3, 7  
   PHP and, 283  
   testing compatibility of, 186–187  
   Web browsers and, 490–491  
 operators  
   in JavaScript, 217–222, **218**  
   in PHP, 289–290, **289–290**  
 option boxes in forms, 173  
 Oracle, 187, 411, 443  
 order of precedence in CSS, 52, **52**  
 ordered lists <ol> tag, 25, 31–33, **32**, **33**, 83  
 orphans property, 77  
 outsourcing, 13–14  
 overflow property in, 66  
 overlines, 62

## P

<p> tag, 25, 26–27, **27**,  
 padding box, in CSS, 63–64, **64**  
 padding properties, 64  
 page breaks, 76–77  
 page directive, 422–423, **422–423**  
   ASP.NET and, 357–362, **357**  
 page properties, 76–77  
 page scope, 434  
 page title, search engines and SEO, 512–514, **512**, **513**  
 pageContext methods, in JSP, 435, **435**  
 PageRank (Google), 508–509, **508**  
 paid search engine ranking, 521  
 Paint.net, 132  
 paragraphs <p> tag, 25, 26–27, **27**  
 parseFloat function, **238**  
 parseInt function, **238**

- passwords, 202
- PCs, 7
- PDA, 3, 7
- PDO, 280
- performance issues, 191–193
  - bandwidth and, 193
  - client-side scripting and, 191–192
  - coding techniques and, 193
  - configuration and, 192
  - domain names and, 193
  - HTTP traffic managers and, 193
  - offloading tasks to clients and, 191–192
  - response standards and, 192
  - traffic load and, 193
  - Web application design and, 191
  - Web caching and, 193
  - Web servers and, 192
- Perl, 10, 13, 185, 199, 207
- phishing, **198**
- Photo Impact, 132
- Photoshop, 132
- Photosuite, 132
- PHP, 2, 10, 13, 20, 179, 185, 194, 207, 279–343, 411, 487, 493, 497, 528
  - advantages and disadvantages of, 282–283, **282–283**
  - arrays in, 299–302, **299–302**
  - ASP.NET vs., 280–281, 346
  - case sensitivity in, 291
  - CGI and, 279
  - comments in, 286, **286**
  - conditional statements in, 291, **291**
  - connectivity in, 330, 341, **341–342**
  - cookies in, 306–308, **307, 308**
  - data access in, 331
  - data and databases in, 327–342
  - data types in, 288, **288–289**
  - data updates in, 335–338, **335–338**
  - databases supported by, list of, 279–280
  - downloading program files for, 284
  - dynamic Web applications using, 279
  - echo command in, 286
  - echo statement in, 298, **298–299**
  - email and, 311–317
  - error handlers in, 317–321, **319–321**
  - expressions in, 287–288
  - file open function and, 338–340, **338–340**
  - filters in, 322–323, **322–323**
  - form creation in, 331–333, **331–333**
  - forms in, 324–326, **324–325**
  - free/no-cost, 283–284
  - functions in, 302–306
  - GET, POST, and REQUEST in, 324–326, **324–325**
  - HTML and, 280
  - if/if else statements in, 291–293, **291–293**
  - index for arrays in, 299
  - Java vs., 281–282
  - JavaScript vs., 280
  - JSP and, 409, 410
  - logging errors in, 318–319, **318**
  - loops in, 295–299
  - loose typing of, 286
  - mail function in, 311–317
  - Microsoft Access and, 280
  - multidimensional arrays in, 301–302, **301, 302**
  - Open Database Connectivity (ODBC) standard and, 280
  - operating systems compatible with, 283
  - operators in, 289–290, **289–290**
  - PDO extension and, 280
  - preg\_match function in, 314
  - preparing server for, 284
  - search engines and SEO in, 521
  - semicolon in, 285
  - sessions in, 326–327, **326–327**
  - SQL and, 280, 328
  - statement terminator in, 285
  - stored function in, 305–306, **305–306**
  - switch statement in, 294–295, **294–295**
  - syntax of, 285–290
  - tags in, 285
  - text files and, 338–340, **338–340**
  - timestamps and date/time functions in, 308–311, **308–311**
  - user IDs (UIDs) and sessions in, 326–327, **326–327**
  - user-defined functions in, 304–305, **304**
  - uses for, 284
  - variables in, 286–287, **287**
- Pinterest, 522
- platforms, 4, 6–7
- plug-ins, audio, 133
- PNG format, 121, 133
- point size of fonts, 60
- policies for security. *See* Security
- polygons, <area> tag and, 129, **129**
- pop-up windows, in JavaScript, 210
- portals, 183
- portrait property, 77
- position property, 66–67
- POST, 324–326, **324–325**
- <pre> tag, 25, 28, **28**
- precedence of operators, in JavaScript, 219–222, **221–**

- 222**  
 predefined functions, in JavaScript, 237–239, **237–238**  
 preformatted text <pre> tag, 25, 28, **28**  
 preg\_match function, in PHP, 314  
 presentational languages, 18, 49  
 Priceline.com, 506  
 prompt function, 240–241, **240–241**  
 properties  
   in CSS, 50, 59–86  
   in JavaScript, 245  
 protocols, 99  
 Python, 10, 13, 184, 185
- Q**  
 queries, search engines and SEO in, 504–505  
 quirks mode, 21  
 quotes <blockquote> tag>, 25, 29–30, **30**
- R**  
 radio buttons, 173  
 ranking factors, search engines and SEO in, 502, **502**, 507  
 Rapid Application Development (RAD), 185–186  
 Rational Application Developer for WebSphere, 412  
 rectangle, <area> tag and, 129, **129**  
 refresh tag, 23  
 relational database management systems (RDBMS), 187. *See also* Databases  
 relational operators, 222  
 relative hyperlinks, 100  
 replace method, **247**  
 request and response cycle, in JSP, 434, **434**  
 request methods, in JSP, 434, **434**  
 REQUEST, 324–326, **324–325**  
 reserved words, in JavaScript, 211–212  
 resolution, 3  
   of images, 124–125, **124**, **125**, 126  
   Web browsers and, 488–490, **488–490**  
 resource, in PHP, 288  
 response methods, in JSP, 434, **434**  
 ResponseWrite method in, 358, **358**  
 return statement, 241, **241–242**  
 reusing code  
   JavaScript and, 208  
   legacy code, 193–194  
 rev attribute, 105  
 REXX, 10  
 right aligning text, 27  
 robot tag, 23  
 robots, meta robot tags and, 23, 511  
 rows and columns, <tr> tag in, 152–155, **153**, **154**, **155**  
 RPG, 9, 10, 17  
 Ruby, 10, 13, 185  
 Ruby on Rails, 185
- S**  
 Safari, 3, 181, 258, 487  
 sample code, 4  
 sample page  
   audio and video embedded in, 144, **144–147**  
   CSS in, 86–90, **86–90**  
   frames in, 173–176, **174–176**  
   HTML in, **45–47**  
   links in, 105–116, **105–116**  
   table in, 173–176, **174–176**  
   Web form in, 173–176, **174–176**  
 sandbox, for JavaScript, 208  
 Sarbanes-Oxley, 5, 203  
 scalability, of images, 121  
 scope attribute, in JSP and, 430, **431**  
 scope, application, in JSP, 435  
 scope, page, in JSP, 434  
 screen readers, 49, 160–163, **162**  
 screen size, 3, 7  
 <script> tag for, 23, 214, **214**, 285, 530–532, **530–532**  
 scripting, 3–4  
   search engines and SEO in, 521  
 scripting elements, in JSP and, 415  
 scripting gateways, 184  
 scriptlet tag, in JSP, 415, 418–419, **419**  
 ScriptX, 10  
 SDI, 10  
 search bars. *See* Web forms  
 search engine optimization (SEO). *See* Search engines/search engine optimization  
 search engine reputation management (SERM), 522  
 search engine results page (SERP), 500  
 search engines/search engine optimization (SEO), 23–24, 95–96, 151, 497–522  
   banner exchange and, 516–517, **517**, **518**  
   category-focused vertical, 506  
   commonly used, list of, **498–499**  
   concept-based, 505  
   consultants for, 521  
   content of page and, 520–521  
   deep linking and, 96  
   dynamically generated pages and, 520–521  
   earliest development of, 497–498  
   external links and, 518–520, **519**, **520**  
   geocoding/geoparsing in, 505  
   hash tables in, 503–504, **503**, **504**

- indexing in, 500, 503–504, **503, 504**
- Internet local search in, 505
- key page submission to, 521–522
- keywords and SEO in, 507, 509–51, **510, 511**
- link exchange and, 516–517, **517, 518**
- links and, 95–96
- media-focused vertical, 506
- meta descriptions and, 513
- meta tags and meta keywords, 509–511, **510, 511, 513–514**
- natural language queries in, 505
- operation of, 500
- page’s title in, 512–514, **512, 513**
- PageRank (Google) in, 508–509, 508
- paid rankings in, 521
- ranking factors in, 502, **502, 507**
- robots, meta robot tags and, 513
- scripting in, 521
- search engine optimization (SEO) and, 23–24, 151
- search engine reputation management (SERM) and, 522
- search engine results page (SERP) in, 500
- search queries and, 504–505
- social media optimization (SMO) and, 522–523, **522**
- social vertical, 506–507
- spamming and, 504, 521
- specialized types of, 505–507
- spiders in, 500–502, **501, 502**
- text and image links and, 514–517, **515–518**
- TrustRank in, 518
- URLs and, 498, 518
- vertical, 506
- web crawling in, 500–502, **501, 502**
- Web forms and, 173
- search forms. *See* Web forms
- search method, **247**
- search queries, search engines and SEO in, 504–505
- <section> tag, **42**
- sections of table (header, body, footer), <thead>, <tbody>, <tfoot> tags, 159–161, **160–161**
- Secure Sockets Layer (SSL), 199, 203
- Security, 198–203
  - access control and, 201, 202
  - coding for, 200
  - data security and, 202
  - email injection attacks and, 314–317, **314–317**
  - firewalls and, 199
  - logging and, 199
  - passwords and, 202
  - policies for, 201
  - practices that reduce risks in, 199
  - Secure Sockets Layer (SSL) and, 199
  - servers, 202–203
    - threats to, list of, **198, 198**
- Select Case statement, in ASP.NET, **375–376**
- selector, CSS, 50
- Self, 10
- self-contained tags, 19
- semantic languages, 18, 49
- semicolons
  - in JavaScript, 212
  - in PHP, 285
- Sendmail, 199
- SEO. *See* Search engine optimization
- SERM. *See* search engine reputation management
- server-side coding, in ASP.NET and, 347
- Server-Side Includes (SSI), 185
- server-side language, 281
- server-side programming and scripting, 4, 184–186, **184, 208–209**
- servers. *See* Application servers; Web servers
- service requester/provider, 9
- Service-Oriented Architecture (SOA) in, 8–9
- Servlet API, in JSP, 409
- session methods, in JSP, 435, **435**
- sessions
  - in JSP, 434–435, 439–440, **439, 440**
  - in PHP, 326–327, **326–327**
- set methods, for dates, 250–252, **250–252**
- setcookie function, in PHP, 306–308, **307, 308**
- shadow effect, 62
- short-circuit logical operators, ASP.NET and, AndAlso/OrElse in, 374, **373–374**
- shorthand notation, CSS and, 64
- SiMPLE, 10
- Simple Object Access Protocol (SOAP), 9
- SimpleXML functions, 303
- single-sided tags, 19
- skill set for IT staff, 6, 11–12
- slash, in tags, 2
- slice method, **247**
- SLOTH, 10
- small method, **247**
- Smalltalk, 10
- smartphones, 3, 7
- SMO. *See* Social media optimization
- SMSL, 10
- SMTP standards, 314
- smurf attack, **198, 198**
- SOA. *See* Service-Oriented Architecture (SOA)
- SOAP. *See* Simple Object Access Protocol (SOAP)



- Social media optimization (SMO), 497, 522–523, **522**
  - social vertical search engines, 506–507
  - software, 3
  - <source> tag, 137, 140
  - spam, **198**
  - spamming, 504, 521
  - <span> tag, **34**, 40, 41–42, **41**, 97, 149
  - special characters, 37–39, **37**, **38**, **39**
  - specifications, 528
  - speed, of Ajax, 8
  - speed of connections, Web browsers and, 480, 491
  - spiders, 500–502, **501**, **502**
  - split method, **247**
  - spyware, **198**
  - SQL, 187
    - JSP and, 444
    - PHP and, 280, 328
    - stored procedures and, 194–196, **195**
    - user-defined functions (UDFs) and, 196–197, **196**, **197**
    - user-defined table functions (UDTFs), 196–197, **197**
  - SQL Server, 187, 444
    - ASP.NET and, 405
  - SSI, 200
  - SSL. *See* Secure Sockets Layer
  - standard tag libraries (JSTL), 436–437, **436**
  - standards, 5, 478, 528
    - coding, 529
    - CSS and, 50
    - email, 314
    - Open Database Connectivity (ODBC), 280
    - performance and, 192, 193
    - Web browsers and, from the W3C, 21, 478, 487
    - website design, 190–191
  - Stanford University, 518
  - start/end tags, 19
  - statements, in JavaScript, 222–242
  - static documents, 3, 20
  - stored functions, in PHP, 305–306, **305–306**
  - stored procedures, 194–196, **195**
  - strict mode, 21
  - strike method, **247**
  - string data type,
    - in JavaScript, 216–217
    - in PHP, 288
  - string function(s), **238**, 303
    - in ASP.NET, **370**, 370
  - string object, in JavaScript, 246–248, **246–248**
    - predefined methods for, **246–247**
  - <strong> tag, **34**
  - strongly typed language, 281
  - structural elements in HTML, 18, 39–44
  - structure of website files, 525–526, **526**
  - Structured Query Language. *See* SQL
  - style rules, CSS, 50–51, **50**, **51**, 59–86
  - sub method, **247**
  - <sub> tag, **34**, 35, **35**
  - submit button for form, 172
  - subprocedures, in ASP.NET, 364–365, **364**, **365**
  - subscript <sub> tag, **34**, 35, **35**
  - substr method, **247**
  - substring method, **247**
  - sup method, **247**
  - <sup> tag, **34**, 35, **35**
  - superclasses, in JSP, 410
  - superscript <sup> tag, **34**, 35, **35**
  - support coding, JavaScript, 530–532, **530–532**
  - SVG format, 121
  - switch statement
    - in JavaScript, 226–227, **226–227**
    - in PHP, 294–295, **294–295**
  - Sybase, 187
  - synchronous, 8
  - Synergy, 10
  - Systat, 199
- ## T
- table data <td> tag, 153–155, **153**, **154**, **155**
  - table row <tr> tag, 152–155, **153**, **154**, **155**
  - <table> tag, 151
  - tables, 77, 79, 151–161
    - aligning data within, 157–159, **158**, **159**
    - ASP.NET and, 381–395, **381–395**
    - borders for, 152
    - cell size in, 156–157, **157**
    - column/row headers in, <th> tag for, 155–156, **155**, **156**
    - columns/column groups, <col> and <colgroup> tags for, 163–166, **164–166**
    - frames for, 152
    - nested, 166–168, **166–168**
    - row and columns in, <tr> tag in, 152–155, **153**, **154**, **155**
    - sample Web page using, 173–176, **174–176**
    - screen readers for, to improve visibility, 160–163, **162**
    - sections (header, body, footer) in, <thead>, <tbody>, <tfoot> tags for, 159–161, **160–161**
    - <table> tag for, 151
    - table data <td> tag in, 153–155, **153**, **154**, **155**
    - table row <tr> tag, 152–155, **153**, **154**, **155**

- text in, 533
- user-defined table functions (UDTFs), 196–197
- tablets, 3
- tag libraries, in JSP, 409, 436–439, **436–439**
- tagnames, 19
- tags, 1, 2
  - in HTML, 18–19, **19**
  - in JSP, 409, 413, 436–439, **436–439**
  - in PHP, 285
- target attribute, links and, 94–95
- <tbody> tag, 159–161, **160–161**
- Tcl, 10
- <td> tag, 153–155, **153, 154, 155**
- technology
  - fear of, 10–11, 11
  - selection of, 186, 525
- Telescript, 10
- template text, JSP and, 415
- testing devices, browsers, OS, connections and, 186–187
- testing websites and code, 533–535
- text, 533
  - JSP and, 415
  - search engines and SEO in, links to, 514–517, **515–518**
- text areas, in forms, 173
- text links, 514
- text-level elements, 34–39, **34**
- <tfoot> tag, 159–161, **160–161**
- <th> tag, 155–156, **155, 156**
- <thead> tag, 159–161, **160–161**
- threats to security, **198**. *See also* Security
- TIFF format, 121, 133
- timestamps, PHP date/time functions in, 308–311, **308–311**
- title attribute, links and, 94
- <title> tag, 22, 23, **23**
- title, of page, search engines and SEO, 512–514, **512, 513**
- toLowerCase method, **247**
- tooltips, 94–95, **95**
- toUpperCase method, **247**
- <tr> tag, 152–155, **153, 154, 155**
- traffic load, 193
- traffic managers, 193
- transparency, in images, 121
- triggers, database, 187–188, **188**
- trino, **198**
- TripAdvisor.com, 504
- Trojan horse, **199**
- Trulia, 506

- TrustRank, 518
- try catch throw statements, **243–245**
- Twitter, 522
- Tycoon, 10
- U**
- <u> tag, 35, 36, **36**
- UDDI, 9–10
- <ul> tag, 25, 30–31, **31, 83**
- unauthorized access, **199**
- underline <u> tag, 35, 36, **36**
- underlines, 62
- unescape function, **238**
- Unicode Transformation Format (UTF), 23
- Uniform Resource Identifiers (URIs), 99–100. *See also* URLs
- UNIX, 17, 187
- unordered lists <ul> tag, 25, 30–31, **31, 83**
- until loop, in ASP.NET and, 379–380, **379, 380**
- Universal Description, Discovery and Integration (UDDI). *See* UDDI
- URL, 498, 518
- use map, 124
- user agents (UAs), 18, 23, 38, 42, 49, 478, 482, 493–494
- user IDs (UIDs), in PHP, for sessions in, 326–327, **326–327**
- user-defined functions (UDFs), 196–197, **196, 197**
  - in PHP and, 304–305, **304**
- user-defined table functions (UDTFs), 196–197, **197**
- UserTalk, 10
- V**
- validation
  - ASP.NET and, controls for, 383, **383**
  - code validators and, 528–529
  - JavaScript and, 210
  - JavaScript and, for Web forms, 265–277, **265–277**
- validation descriptors, JavaScript and, **277**
- validators, code, 528–529
- variables
  - in ASP.NET, 362, **362**
  - in JavaScript, 215
  - in JSP, 415, **416**
  - in PHP, 286–287, **287**
- VB.NET, 2, 345
- VBScript, 10, 184, 207, 209
  - ASP.NET and, 355–356
- vector graphics, 121
- vertical search engines, 506
- vertical-align property, 67

- video, 119–120
    - aspect ratios in, 120
    - attributes for <video> and, **139**
    - autostart for, 142
    - CGA and EGA in, 119
    - <embed> tag and, 140, 141–142, **142**
    - embedding on Web page, 137
    - formats for, 138, **138**
    - high-definition (HD), 120
    - links for, 137, **137**
    - <object> tag and, 140, 143–144, **143, 144**
    - sample Web page using, 144, **144–147**
    - <source> tag for, 140
    - VGA and XGA in, 119–120
    - <video> tag and, 133, 138
    - video player and, 139, **139**
    - volume for, 142
    - Web browser support for, 140–141
  - Video Graphics Adapter (VGA), 119–120
  - Viola, 10
  - virtual style sheets, 52
  - viruses, **199**
  - visibility property, 66
  - Visio, 121
  - Visual Basic (VB), 2, 10, 17, 185, 280, 355, 411
  - visual elements. *See* Images/image formats; Audio; Multimedia; Video
  - Visual Studio, 349, **349**
  - Visual Web Developer, Web form creation with, 399–404, **399–404**
  - void elements, 19
  - volume, 142
  - VRML, 10
- W**
- Web applications. *See* Applications and application development
  - Web browsers, 1, 3, 181, 477–495
    - audience for website and, 478–480
    - audio support in, 133, 136, **136, 137**
    - commonly used, list of, 487, **487**
    - compatibility of, 479, 487
    - CSS and, 49, 51–52
    - detection features for, 493–494
    - differences among, impact of, 477, 480, 492–494
    - Document Object Models (DOMs) and, 478–479
    - dynamic components to minimize impact of, 493
    - event handlers and, 258–263, **258–259**
    - Extended Log File Format (ELF) and, 482
    - graphical user interfaces (GUIs) and, 478
    - hardware considerations and, 487–488
    - history of, development of, 478
    - HTML and, 477
    - HTTP and, 477
    - image file format compatibility with, 121, 491–492
    - JavaScript and, 207, 208, 210
    - languages and, selection of 482–486, **481–486**
    - languages and, support of, 482
    - monitor settings and, 488–490, **488–490**
    - operating system support and, 490–491
    - platforms for, 6–7
    - plug-ins and, 133
    - quirks mode in, 21
    - resolution and, 488–490, **488–490**
    - selection of, 477
    - speed, Internet connection speed in, 480, 491
    - standards for, from the W3C, 21, 478, 487
    - strict mode in, 21
    - support checklist for, 480
    - testing compatibility/capabilities of, 186–187, 490–491
    - user agents (UAs) and, 493–494
    - video support in, 140–141
  - Web caching, 193
  - Web client. *See* Web browsers
  - Web crawlers, 23–24, 500–502, **501, 502**
    - CSS and, 49
  - Web design, image tools for, 132
  - Web developments, 3
  - Web forms, 170–173, **170, 171, 172**
    - ASP.NET and, 395–404, **396–404**
    - ASP.NET and, wizard for, 350–354, **350–354**
    - attributes for, **171**
    - check box in, 173
    - controls for, 171, **172**
    - email functions for, in PHP, 313–314, **313, 314**
    - fieldset and legend controls in, 173
    - <form> tag and, 170–173, **170, 171, 172**
    - GET, POST, and REQUEST in PHP and, 324–326, **324–325**
    - hidden inputs in, 173
    - image buttons in, 173
    - input or text box in, 173
    - JavaScript and, 210
    - options/option boxes in, 173
    - PHP and, 324–326, **324–325**, 331–333, **331–333**
    - radio buttons in, 173
    - sample Web page using, 173–176, **174–176**
    - search engine optimization (SEO) and, 173
    - submit button for, 172
    - text areas in, 173
    - validation of, using JavaScript, 265–277, **265–277**

- Visual Web Developer to create, **399–404**
  - Web hosting, 203–204
    - cloud services and, 203–204
    - colocation and, 203
    - FTP and, 203
    - services for, 203, **203–204**
  - Web page, 1, 20–21, **20**
    - images incorporated into, 122–127
  - Web page design, ASP.NET and, wizard for, 350–354, **350–354**
  - Web servers, 2, 4, 181
    - ASP.NET and, 349, 354–355, **355**
    - choosing, criteria for, 182
    - HTTP and, 181
    - JSP and, 412
    - list of, 182
    - load limits and, 192
    - performance and, 192
    - PHP and, 284
    - platforms for, 7
    - security and, 202–203
    - server-side programming and scripting in, 184–186, **184**, 208–209
    - software for, popularity ranking of, 181–182, **182**
    - testing compatibility of, 186–187
    - throughput, 192
  - Web Service Definition Language (WSDL). *See* WSDL
  - Web services, 8–10
    - service requester/provider in, 9
  - WebMD, 504
  - WebP format, 121
  - WebScript, 10
  - website design, 188–191. *See also* best practices
    - considerations for, 188–191, **188–189**
    - contact information in, 191
    - content, 189
    - feedback on, 191
    - navigation in, 189, **190**
    - standards for, 190–191
    - testing, 533–535
  - WebSphere, 182, 412
  - WebStorm, 207
  - while loops
    - in ASP.NET, 379–380, **379, 380**
    - in JavaScript, 229, 232–233, **232–233**
    - in PHP, 295, **296, 297**
  - white space, 63
    - JavaScript and, 212
  - Wi-Fi, 7
  - width property, 65, 80
  - Windows, 3, 17
  - word spacing, 63
  - World Wide Web, 18, 477
  - World Wide Web Consortium (W3C), 18, 50, 478–479, 487
  - worms, **199**
  - wrapper methods, HTML, 247
  - WSDL, 9–10
- ## X
- XGA, 119–120
  - XHTML, 10, 18, 21, 528
  - XML, 8, 9, 10, 121, 184
    - JSP and, 409
  - XML parser functions, 303
- ## Y
- Yahoo, 24, 497, 518
  - Yelp, 506
  - YouTube, 522
- ## Z
- z-index property, 67
  - Zend/Zend Studio, 411, 528